


The kits that make Authentic Ship Modeling easy!



Over 100 hand crafted parts including pre-carved wood hull and cast metal fittings.

- Full-size, step-by-step assembly instructions
- Highest quality wood materials used throughout
- Precision scale detailing

Now you can easily build a handsome museum quality wooden ship model like the famous clipper, "Cutty Sark", or any of the other historic sailing ships shown, even if you have never assembled a model kit before.

Each is authentic in every detail with fine craftsmanship and precision parts found in finished replicas costing hundreds of dollars. You'll be thrilled with your completed model and pleased by the salty romance it will lend to your living room, den or office.

SCIENTIFIC MODELS INC.

SEE YOUR DEALER. If kits are not available at dealer, you may order direct from factory adding 50¢ for postage and handling. Outside U.S.A. add \$1.00.

QUALITY

deis

SCIENTIFIC

A complete selection of the most famous historic ships



Kit 174 CUTTY SARK. The most famous Clipper. Includes realistic cloth sails. Length 15". \$9.95



Kit 177 THE GOLDEN HIND, Flagship of Sir Francis Orake, Authentic colorful cloth sails. L. 20" \$21.95



Kit 168 EAGLE. U.S. Coast Guard Training Ship, Cloth sails included, Length 13". \$9.95



Kit 178 SCHOONER AMERICA. Originated America's cup races. Cloth sails included. Length 17". \$9.95



Kit 169 M.M.S. BOUNTY. Famous for mutiny against her commander, Captain Bligh. Length 131/2" \$0.95



Kit 167 FLYING CLOUD, Clipper ship. Donald McKay's most famous Clipper ship. Length 13¾" \$9.95



Kit 164 BLUENOSE. Famous Schooner with trim lines of a racing yacht. Cloth sails included, L. 24" \$18.95



Kit 172 BALTIMORE CLIPPER, Pirate brig. Cloth sails included. Length 221/2"



Kit 170 U.S.S. CONSTITUTION. Old Ironsides. Fought 40 battles, never lost one. Length 141/4" \$9.95



Kit 166 U.S.S. KEARSARGE Civil War Gunboat. Cloth sails included, Length 27" \$21.95



SOVEREIGN OF THE SEAS.



Kit 171 SEA WITCH, Clipper ship. Cloth sails



free running or radio controlled

A big, deluxe kit that's loaded with all the necessary marine hardware and fittings usually sold separately. Also features die-cut and number-coded plywood and balsa parts, plastic windshield, decals, flag and full-size plans. For 6-12 volt electric motor or 1/2 A gas engine.

Kit #179

Send for our big colorful catalog only 25¢





CONVERTS THE SAFETY RAZOR BLADE INTO A HANDY PLANER

MVVS .15 D



-		
	D-1 MVVS 150 (as available)	29.95
	D-2 P.A.W. 1.49CC	
\Box	D-3 P.A.W. 2.49CC MK. 4.	18 05
5	D-4 P.A.W. 19 D MK.II	10.00
=	D-9 F.A.W. 19 D MK.II	10.30
	O-6 P.A.W. 19 81	
	D-6 Taplin Tempest J.46CC aircooled	26.95
	D-7 Taplin Tempest 3.46CC watercooled	27.95
	D-8 Taplin Twin 8CC aircooled	46.95
	D-8 Taplin Twin 8CC watergooled	49,95
	D-10 D.C. Dart .036 C.I.	10.95
	DIAD C Marin Office	
=	D-11 D.C. Merlin ,047 C.1	8.95
2	D-12 D.C. Super Merlin .047 C.I	9.95
	D-13 D.C. Sabre .09 C.I	10.95
	D-14 D.C. Spitfire . C.1	10.95
	D-15 E.D. Superfury .09D	19.95
	D-15 E.D. Super Recer . INII	26.95
\mathbf{H}	D-17 E.D. Sam Otter, 30 D Marine	49.95
=	D-17 E.O. SIME OTTO SO D Marring	
\mathbf{H}	D-18 E.D. Viking .30 D Marine	58.95
	D-19 "Model Diesel Handbook"	.25
	MIRORI I AMERIIS RMOINES	

E-1	Oyna-Jet
	ETA MK VIC .29 C.I. GLO
	D.C. Bantam ,046 GLO 5.95
E-4	Ross Twin #0 C.I. GLO 135.00
E-5	Cameron .23 C.ł, Ignition 30,00



J	1935-36 Year Book	\$1,50
	1937 Year Book	\$2.50
	1938 Year Book	\$3.00
	1957-58 Year Book	\$3.00
	1959-61 Year Book	\$5.00
	1964-65 Year Book	\$5.00
		\$3.00
3	Hoffman's M.A.M.P.	\$2.00
		\$3.00
٦		\$3.00
	1953 Year Book	\$2,00
٦	1955-56 Year Book	\$3.00

Add 500 for postage, \$2.00 Deposit on C.O.D., Closeout List 250 MASTER CHARGE BANK AMERICARD AMERICAN EXPRESS

Stanton Hobby Shop Inc.

4734 North Milwaukee Avenue Chicago, Illinois 60630 Telephone 283-5446 area code 312

ircraft modeler

COVER PHOTO: The all-flying Brown Family at this year's AMA Nationals. Modeling is a family affair, and they always attend the Nots. Photo taken by Bill Boss.

WILLIAM J. WINTER - PUBLISHER EDWARD C. SWEENEY, JR.-EDITOR Thomas L. Murphy, Art Director

Anna Maria Nunez, Editorial Assistant Anne Fuhrken, Advertising Assistant

VOLUME 73, NUMBER 5

NOVEMBER 1971

FOR THE TENDERFOOT: SCHWEIZER 1-29, Dave Thornburg	
RAINBOW, Walt Boyne	
DENNYMITE, Tom Abberger	32
WITTMAN BUSTER, James Kloth	28
AMA NATS, Bill Boss, Don Lowe, Bob Meuser	
BIPPI-BIPE, Ted Schreyer	
KINGFISHER, Don Berliner	
LONGSTER, Robert Harrah	
Articles:	

ON THE SCENE: WINGS AND THINGS—IN THE CLASSROOM Nick Panagiotou	12
BIGGEST EVER FREE-FLIGHT MEET, 8ob Meuser	36
WHERE THE ACTION IS	
DEANS RADIO FOR BOATS/CARS OPERATING THE DUMAS FIBERGLA	55
SKDADDLE 20, Fred Marks	40

Acad

demy of Model Aeronautics:	
40TH NATIONAL CHAMPIONSHIPS	57
NATS STATISTICS, CONTROL LINE RESULTS 58-	
RADIO CONTROL RESULTS	
SCALE RESULTS, PRESIDENT'S MEMO	61
FREE FLIGHT RESULTS	62
INDOOR RESULTS	63
CONTEST CALENDAR	64

Departments:

EDITORIAL-STRAIGHT AND	LEVEL, William J. Winter 6
MODELER MAIL—LETTERS TO	THE EDITOR 8
NEW PRODUCTS CHECK LIST 30	CLASSIFIED ADVERTISING 98
QUALITY SHOPS	98

This magazine has El pages, including pages 66A and 66B.

Published monthly by Potomac Aviation Publications, Inc., 733 Fifteenth Street, N. W., Washington, D. C. 20005. William J. Winter, Publisher; Edward C. Business Manager & Secretary, Harrey E. Cantrell. Sweeney, Jr., President; American Aircraft.

ADVERTISING DEPARTMENT

733 15th St., N. W., Washington, D.C. 20005 (202) 737-4288

Western Advertising Representative: Aaron II. Viller & Associates, 5311 Venice Blvd., Los Angeles, California Billin Tel: (213) 839-1161.

Eastern & Midwestern Advertising Representative: Boynton and Associates, P.O. Box 551, Barrington, Ill. 60010. Tel: (312) 381-7726; offices also at 438 E. Washington St., Chagrin Falls, Ohio, Tel: (216) 247-7094.

Subscription Rates: In U. S., Possessions and Canada, 1 Year, \$7.50; 2 Years, \$14.00; 3 Years, \$20.60. Elsewhere, \$0.50 for man year. Payable in advance. Single copies, 75 cents. Six weeks are required for change if address. In ordering a change, write to American Aircraft Modeler, 733 Fifteenth Street. N. W., Washington, D.C. Emmit Give both new and old address as printed on last label.

We cannot accept responsibility for unsolicited manuscripts or artwork. Any material submitted must include return postage. When writing the editors address letters: Editorial Office, American Aircraft Modeler, 733 Fifteenth Street, N.W., Washingon, D.C. 20005.

Second class postage paid at Washington, D.C. and at additional mailing offices.

(6) Potomac Aviation Publications, Inc. 1971. All rights reserved. Printed in the U. S. A. Poetmaster: Send Form 1878 to American Aircraft Modeler, 733 Fifteenth St., N. W., Washington, D.C. 20005.

LOGICTROL DOES IT BETTER.

Maxey Hester, with his world famous RYAN STA SPECIAL, flies LOGIC-TROL PRO-SERIES because "I'm relaxed. I fly my best knowing I can rely on my Pro-Series flight after flight".

Van Johnson, age 13 and Kim Johnson, age 16, are Fort Worth Thunderbird Competition Team fliers. Reliable LOGIC-TROL CHAMPION and LOGICTROL '71 Series give them the dependability they need in pattern manuevers.

Whether you're at the top or on your way up, you'll fly better with a reliable

PLUS

LOGICTROL.

Fast and thorough service!



1971 Nationals Winner!

Maxey Hester—First in R/C Scale with Logictrol Pro-Series



1971 Nationals Winners!

Van Johnson—Best Junior R/C Class A with Logictrol Champion
Kim Johnson—Best Senior R/C Class B (Second Class B-JSO)
with Logictrol '71 Series



EK produces more R/C radios than all others combined Write for Free Brochure . . . for Sales & Service Center nearest you

straight and level



Designing the JR. American MODELER is a bit like exploring the moon,

Were we to say that the response to the announcement of JR. American MODELER has been "enthusiastic," it might seem that a lusty bellows was being used to fan a flame, Yet, the response has been enthusiastic, and events confirm there is no need to stimulate interest in a beginner magazine. We'd prefer to use the word "feeling" in regard to response rather than enthusiastic, Peopleparents, leaders, the industry-have shown us that they feel deeply about beginners and youth. There's a spontaneous dedication, beyond what any of us have optimistically imagined, restoring faith in the social- and self-awareness of our hobbyists-that most of us look beyond our own enjoyment of aeromodeling. The force-the wish to do something, or to support anyone who doescertainly is there, if only it can be given effective focus. Be that as it may, correspondence growing out of this beginner magazine announcement, suggests few of us understand very well what aeromodeling really is all about.

In these days of kits and ready-to-fly models, the chap who fiddles around with original designs and "offbeat" crates is considered quaint. Surely, there can't be many like him, we assume. Well, his number apparently is legion and the oddities of so-called 'sport" modeling could well be the keystone of this almost 70-year-old hobby-sport, Should this be so surprising? Aren't modelers supposed to be clever and restless and all that stuff? And wouldn't many want to turn to things other than expensive look-alike aircraft which relentlessly do only one thing?

After looking at piles of pictures and sketches of pushers, flying wings, flying soda cans, 'copters, Rogallo wings, ducted fans, and little novelties in an endless stream, one must wonder about many things. There is, for example, the very real mystery of where and how so many people acquire their savvy of aerodynamics and aircraft design, Surely there are no adequate or meaningful books. No one publishes articles on the subject. Or at least very, very few. And these are so needlessly complex and specialized that they are virtually worthless.

No one ever seems able to describe in simple, practical terms, what makes a plane fly, what governs its performance, and how to derive configurations and proportions for a particular kind of flight, For almost forty years there have been no articles free of their author's self-conscious and imagined need to be impressively long-haired, which loses all of us in the swampy bottom of air molecule behavior and boring and probably useless formulae. When no competent instructors exist we must marvel at the phenomena of countless self-taught modelers.

And why is it that no one knows how many model builders there are? Not since roughly 1940, when the Rockefeller Foundation made a field survey, then finding 1,500,000 to 2,000,000 active modelers, has anyone had the remotest idea. Oh, they guess learnedly, Does one count the millions of kids who buy read-to-fly balsa gliders and ROG's? Or ready-to-fly plastic gas models? Manufacturers are not even sure how many dealers exist. Each manufacturer hoards his own list, and all presumably overlap.

The growth of competition modeling is impressive, but even the nearly 40,000 AMA members do not constitute more than a small fractional part of the whole. When you look beyond even the amazing number of 800 sanctioned contests a year, and the immediately evident Sunday world of RC flying, there's the hazily-defined area of fly for funcontrol line mostly. You don't see much rudder pulse stuff at your flying site, but such systems have a good, ever-climbing sale that even their producers don't understand. Where does it all go, they ask,

At contests you see all kinds of rubber jobs, free-flight gas models, and many specialized variations of control line, And, of course, the very popular radio-control events. But with the exception of some forms of RC, one seldom, if ever, sees any of these types of craft flown locally. Unless you know some rare Wakefielder, for example, "ho occasionally comes out to test, when did you last see a Wakefield model? Have you ever seen a high-performance free flight bore into the sky from your local field? Or a carrier or speed model on lines? For that matter one seldom sees a little Half-A scale model being flown just for the love of it, suggesting that the overwhelming mass of modelers must be loners, or guys who fly quietly with a buddy or two.

Yes, this JR. AM has evoked a different kind of response: "I would like to know," writes Roger Boyer, "if your magazine could do anything about a problem I have encountered in working with young children, In the old days when we used 'dope' for painting our models, it was just paint, But times have changed and the name 'dope' really raises the children's eyes, and the parent's who were never exposed to the name.

"I would suggest we make an effort to call it 'model airplane paint' and we may all be one step closer to stamping out a very serious problem we have with children today."

We can't call the stuff "dope?" Times. indeed have changed.

What does go on out there? Judging by these letters to JR. American MODELER, modelers with varied interests are to be found in every hamlet. A few months ago, on a quiet Saturday morning, the office phone rang, A woman's voice asked where one could buy a kit of a Wakefield model, or maybe just a plan for which she could buy sticks and paper. It turned out she was going to build a model with her small son-who wanted to build a Wakefield! What gave him that idea? It's a spooky feeling. One wonders if much of our industry isn't competing for the same piece of pie while the rest of the world goes by.

-Bill Winter

130 EAST 23RD STREET/LOSANGELES, CALIFORNIA/90011

FOR OUR LOCAL CUSTO MERS! HOBBY PEOPLES WAREHOUSE STORE OPEN TO THE PUBLIC MON FRI: 8a.m. 4p.m. OPEN SAT: 8a.m. 4p.m.
FOR OUR OUT OF STATE CUSTOMERS, when veranishing in California,
you are invited to see HOBBY PEOPLE'S Warehouse Stone, which you are Write or Telephone HOBBY PEOPLE

THESE PRICES GOOD ONLY UNTILL OCT. 31st.

BEGINNERS SINGLE CHANNEL SPECIAL!

WHEN YOU PURCHASE A CONTROLAIRE

DIGIT MIGIT - A true digital proportional control sys tem, factory assembled and complete with transmitter and receiver servo combination, switch harness \$\frac{1}{2}\$ but tery box wired up and ready for battery installation. A Kick Up elevator servo is available in kit form for \$28.88





FREE! (1) MIDWEST Lit Esquire 40" span 049 till, 10 Disp. List Price \$10.95 FREE (1 YEAR) Subscrib-tion to R/C MODELER

\$18.45 VALUE FREE

'SNORKY' & FOX 15 U/CONTROL SPECIAL



The FOX 15 is the ideal engine for the easy to fly, great trainer 'SNORKY'. THIS COMBINATION WILL GIVE YOU HOUR AFTER HOUR

TOGETHER \$19.90 VALUE

SALE 30% STERLING

30"SPAN 09-19DISP REG \$5.95. 241

FL/C	SCHWEIZER 1-26D	\$12aa
	70" SPAN REGULARLY \$19.96	21922
R/C	SCHWEIZER SGS 1-34	ALC: N
	8'2%" SPAN REGULARLY \$28.95.	21800
U/C	RINGMASTER	@Eto
	HINGMASTER 42"SPAN .1935DISP. REG.\$7.95	2022
R/C	LANCER	CHOCK
	LANCER 53"SPAN .35 .51 DISP. REG\$27.95, SINGMASTER IR	カ1月21
U/C	RINGMASTER JR.	@410



\$1599 46"SPAN .19-.23 DISP. REG\$22.95. . FLEA FLI + 10 \$1747 42"SPAN .19-.23DISP. REG\$24.95. LI'L 'T' GLIDER \$1199 74" SPAN REGULARLY \$18.95. SKY SQUIRE 57"SPAN 29.35disp. REG.\$31.95. . . \$2237 BONZO (FOAM WING) 38"SPAN .049 .10DISP. REGS10.95. \$ 599

Kyosho & Veco SAVE 30%



The most complete car kit on the market.
All hardware included. Gears, driver, fuel SALE tank, heat sink, exhaust pipes. YOUR CHOICE OF BODY STYLES: PORSCHE - McCLAREN - LOLA

PLUS The VECO 19bbR/C Racing Car Engine, REGULARLY\$30.00 WUZ

HOBBY

HOBBY PEOPLES PEOPLE **NEW HOBBY** CATALOG

WITH \$5.00 **PURCHASE**

SAVE **GOLDBERG**

JIH. FALCON \$2447 69"SPAN .35-,45disp. REG.\$34.95. R/C FALCON '56' 56"SPAN . 19 DISP. REG\$18.95. \$12 99 SKYLANE \$2447 62"SPAN 35- SEDIEF REG\$34.95. . DOUBLE VOODOO (combat/stunt) \$556 36"SPAN . III- 35DISP, REG.\$7.95,

LI'L JUMPIN BEAN (%A Stont) 21" SPAN REGULARLY \$2.95.

SAVE 30% TOP FLITE

\$199

R/C CONTENDER 54"SPAN . M. 60 DISP. REG. \$34.95.\$2447 NOBLER

51"SPAN .35- 45 DISP. REG.\$29.95. \$1999 SE-5A (RUC SCALE) 45-60 DISP REGULARLY \$45.00. \$2999

SCHOOLMASTER 39"SPAN .048 10 DISP. REG.SB.95. \$ 627

SCHOOLGIRL 32"SPAN .020-.049 Disp. REG.\$7.95. \$ 557

MIDWEST Hoosier Hotshot & COX 049 -Golden Bee

A fast and nimble Goodyser type flight trainer designed by Oven Kampen. Foam wing 44" and stab foi quick building. Light-responsive, will penetrate the wind Single Channel or Small Multi seer. COX .049 Golden Best can be used as Jeny, Reg. \$6.98

\$16.93 VALUE SAVE 40% SALE \$999

McCOY 40 STD



We now have in stock, the BRAND NEW' McCOY-40 STD. designed for superior performance! REGULARLY S17.95

VERSATILITY-RELIABILITY-DUALITY

130 East 33rd St., Los Angeles, Calif. 90011, Tel.- (213) 233-4484

PHOENIX MASTER DELUXE FULLY ASSEMBLED 4CHANNEL 2 STICK PROPORTIONAL ONLY \$188 aa Щ SYSTEM

The PHOENIX transmitter is styled in a rich looking amber vinyl and operates on 12 volts. A chrome carrying handle is an added feature you will like. The stick assembly is the smoothest available and the Tx output meter is a true field strength meter. (note the PHOENIX reg ular is a dry 9 volt system.

PHOENIX 4CH TRANSMITTER/RECEIVER AND 2 SERVOS. You get a 4 channel transmitter utilizing a dry 9 acid bettery, 2 RS-5 servos, nickle cadmium airbourne battaries and charges, switch harness and servas trays.


ONLY \$13900

PHOENIX CUSTOM The CUSTOM is like the 'MASTER' less 2 RS-5 mini-servus, You get: nickle cadmi-2 RS-5 mini-servos, switch harness and trays and moter.

ONLY

PHOENIX MASTER COMPLETE 4 CH. SYSTEM WITH 4 SERVOS. The 'MASTER' is a complete 4 channel system with with nickle cadmium betteries for transmitter and commer and charger, 4 RS-5 mini-servox switch narness and trays, meter and buddy box connection.

ONLY \$1888



FULLY ILLUSTRATED Easy To Order From. . .

R/C BOATING-RADIOS-ENGINES-SUPPLIES AND HARDWARE - PLASTIC MODELS-SHIP MODELS HO RAILROADING- 'D' RAILROADING-'N' RAIL ROADING AND MUCH.... MUCH MORE! OVER 200 PAGES

	۱ı
Mail	П
IVIAI' day	1
""foday	
	1

I enclose 50% for HOBBY PEOPLES A newest habby catalog. Please rush it

HOBBY PEOPLE to me Today 1 130 EAST 33RD STREET LOS ANGELES, CALIFORNIA 90011

NAME		
ADDRESS		
CITY		
STATE	ZIP	
	DOOTAGE E HAMPI ING	

To \$5.00 And 60¢ \$5.01 To \$8.00 Add 80¢ \$8.01 To \$15.00 Add \$1.10 \$15.01 To \$20.00 Add \$1.50 528.01 To \$30.00 Add \$2.50 \$30.01 To \$50.00 Add \$2.75 ORDERS OVER \$50.00 Please Add. .53.00 CALIFORNIA RESIDENTS ADD 5% SALES TAX

HOBBY PEOPLES WAREHOUSE STORE OPEN TO THE PUPLIC: MON.thruFRI. 8a.m. to 4p.m. SAT. 8a.m. to 5p.m

130 EAST 33rd STREET, LOS ANGELES, CALIFORNIA 90011 AREA CODE (213) 233-4484

modeler mail

Too high a price

I fully support your publisher's views, as well as those of John Worth (May and June 1971, "Straight and Level"), on the danger of irresponsible news reporters who, for the sake of a big story, would destroy model flying as a hobby.

However, there is another problem facing us which, on the surface, may not seem as damaging as a "bad press," but which could restrict the growth of the hobby just as badly. The FCC unfairly charges \$20 for a five-year license. In my opinion, this is entirely too high a price to pay in order to enjoy this hobby. Perhaps for those with high incomes, \$20 every five years is not a financial burden. It is for young people with limited funds.

I could put \$20 to better use on my hobby, rather than spend it on a license. As an 18-year-old college student, living totally on money earned a year ago working in a restaurant. I have to pinch pennies.

It is obvious that the reason for such an exorbitant license fee is to scare off a lot of us, as well as to profit off of our love for flying. Who is to say the fee will not be \$40 or \$50 in a very few years? It was only a few years ago that the price was only eight dollars. I feel a reasonable cost would be two dollars for a lifetime license to fly RC. I welcome your comments as well as those of other

Harvey M. Day, Va. Polytechnic Institute, Blacksburg, Va.

Bouquets

I would like to compliment you on your entire magazine, most especially the "Tenderfoot" series.

I recently built the Stringless Wonder, and find that it flies unusually well. I also like the ready-to-use pullout plans-AAM is doing a fine job for the modeler.

Garry Hodgson, Scotch Plains, N.J.

Anti-litter campaign

To: All U.S. citizens

Action: Each person pick up 25 pieces of litter

Results: A cleaner environment for all

Help spread the word! Our fifth- and sixth-grade classes are planning a nationwide anti-litter campaign, We are sending 1600 letters to all 50 states. We are seeking your help and support as concerned citizens, and urge your readers to participate. Thank you.

Linda Doyle, Churchville, N.Y.

Yeah, man, let's keep that flying field clean - and maybe not lose flying sites. -Publisher.

Old time FF

I am gratified to see your efforts to revive enthusiasm for free flight. I was employed by NACA-now NASA-prior to World War II at Langley Field in Virginia, Recently I found a Class C pacer kit, modified the fuselage to resemble a Brooklyn Dodger, and am further adapting the model for ROW competition.

We used to fly "pencil bombers," not unlike your present contest free flights, except we used low thrust lines.

William Burke, St. Peter, Minn.

Dirigible search

I am a happy modeler and have enjoyed your magazine ever since my uncle gave me some of his old editions, which are now worn out. In fact, I liked them so much that I now subscribe to AAM,

I got started modeling when my mother bought me a ready-made SB2C-1 Helldiver. Two years ago, my uncle surprised me with a rubber-powered P-47 and an FW-190, which could be either gas or rubber. I spent many hours on those kits. The Thunderbolt crashed on its test flight, Last summer my uncle brought me three more kits: an F40-1 Corsair, French Spad and an A-26 Invader, all rubber-powered, I got the Spad and Invader built, but only the former is covered,

Sometime in the near future, I hope to get radio control unit and build a six-ft. dirigible R-101. I would like to see you print a story and plan for the R-101, because I have searched and searched in vain for plans and pictures of it.

Keep up the good work, because if it weren't for your great book, many people would be lonely.

Ronald Biddle, Blackstone, Va.

Larger, central libraries often have obscure text books on WW-1 and WW-2 aircraft, as well as things from by-gone days, including dirigibles, zeppelins, etc. Your own library may have reference lists and may be able to procure a desired book. Aviation book publishers advertise numerous books in the more popular aviation magazines.

-Publisher.

Old kits

In reply to David Sayles' letter in the August issue: George D. Wanner of Dayton, Ohio, produced the "improved" Baby ROG minus landing gear in 1928. This exquisite and refined kit had a machine-cut and center-drilled five-inch prop and included all tools needed except a razor blade. Later, it was sold with landing gear as an official AMLA kit. Wanner produced kits of all the

winning AMLA models, and in 1934 came out with a series of flying scale models of advanced concept-the plans were done by Harold Croyest.

The Jimmy Allen kits and plans that you got at Skilly filling stations were produced by Country Club Aero Supply of Kansas City. Perhaps some enterprising stations also sold Wanner kits at the time. Hobby shops were non-existent, and I remember finding model kits and supplies for sale in many places.

In the last few years I have researched old magazines, books and plans. That which I thought of very highly back then looks quite primitive now! But these old designs are funand give satisfying flights; perhaps, since they taught us as kids, they would be fine to teach new modelers now.

The best source of old plans is John Pond, 4135 Avati Drive, San Diego, Cal, 92117, Send him 25 cents for a long list. He will reproduce and return any plan you send him and has many hundreds to choose from for sale. He found an Ideal 1913 Nieuport Monoplane for me.

I am, at the moment, collecting all the plans from the American Boy (AMLA), and welcome correspondence concerning any old model data.

> Jim Noonan, 7454 W. Thurston Circle, Milwaukee, Wisc, 53218

Missing plans

I have just acquired a partially completed Stinson Reliant radio-controlled airplane, This model was manufactured by Cleveland Model & Supply Co. and was designated Kit GP-66B. It is a two-inch scale, wing number NC18183.

I am anxious to complete the model. However, there were no plans with the kit, although there are many parts. Therefore I wonder if one of your readers might have a set of plans.

Gary Wohlers, 1762 W. 244 St., Lomita, Calif. 90717


Gary's full address is given so that readers able to help can contact him directly.

-Publisher,

Zero bore advantages

I read John Burdick's article on the zero displacement engine (Aug. 1971 AAM) with much interest. However, I must disagree on one point. Although I am sure Burdick researched this project very carefully, I do feel zero bore would have some advantages over zero stroke,

Due to the very fact that the bore is zero, the cylinder lines, casting head bolts and gaskets could be eliminated. This would effect



Another Testimonial for MONOKOTE

We get a lot of letters from experts about Super Monokote and we've used some of them in our ads. But we thought we'd show you that not all our testimonials come from experts . . . just to prove that you don't have to be a pro to appreciate Monokote.

What's nice about modelers like 10-year-old Jeff is that he's willing to try something new. And, when you consider how long modeling has been around compared to how long Monokote has been around, it's still something new . . . especially to the guys who have been covering their models for years with the same old silk and dope method.

So, if you're one of those guys who hasn't tried something new in a while, do what Jeff did and give Monokote a try. That's all you have to do to realize why Monokote has made the old ways of covering your models obsolete.

MONOKOTE IS AVAILABLE AT ALL LEADING HOBBY SHOPS

Super Monokote (dry adhesive) is available in three metallic, three transparent, one paintable clear and eleven opaque high-gloss colors. Regular Monokote and Trim Sheets (wet adhesive) are available in ten high-gloss colors, PLUS four checkerboard trim patterns.



Weller 30 SECOND AUTOMATIC **GLUE GUN** \$10.95



Weller Box of 60 GLUE STICKS \$2.59

Hobby Lobby NYLON SPINNERS 1%" - .904

2" - \$1.0021/4" - \$1.10 21/2" - \$1.25

POWER POD FOR GLIDER \$4.95

Fits Cox Tee Dee, Medallion 049-.051 engines. Built-in fuel tank, Easy to attach.



"GLASKIN" WINGS \$29.95 To fit: Dragon Fli, Kaos, New Orleanian, Eyeball, Cutlass (MAN), Cutlass Supreme, Triton, Sun Fli IV, Citron (Lanier), Intruder.

PORTABLE WIND METER \$5.95 Hand-held direct reading (in MPH) wind meter with low (2-10 mph) and high (4-66 mph) ranges, Sturdy construction, carrying case. White ball in tube indicates wind speed,

NEW! R/C Craft FILM CAN MUFFLER \$2.95



This adapter enables you to attach a 35mm film can to your engine for use as a muffler. The adapter is intended for use on engines which use an external R/C exhaust baffle that rotates on a center screw,

NEW! OS MAX MUFFLERS



for OS .10-,25 \$6.98 for OS .30-,58 \$8.98 for OS .60-.80 \$9.98

SILENCEAIRE MUFFLERS \$13.95 - To

fit: OS 30, 35, 40, 50, 58, 60, 80, Enya 35, 45, 60 11, Merco 49, 61 II, STG 21/40-46, 51, 56, 60, G60, 71, Webra 60, K & B 40, Veco 61.

KAVAN FUEL FILTERS 69¢



USE YOUR BANK-AMERICARD OR MASTER CHARGE CARD

NEW! Blue Max 4 channel AIRBORNE UNIT SEMI KIT \$119.00

SEMI kits for Blue Max 4 channel receiver, 4 servos, airborne n-cad pack, switch harness, instructions. This complete airborne unit

will enable you to completely equip another 4 channel airplane at a minimum price. Specify 27 mhz. frequency. Price in effect until November 30, 1971.

Blue Max 4 CHANNEL SEMI KIT

The Blue Max SEMI kit is the least expensive way to acquire a reliable full house deluxe digital. Since the difficult assembly of the printed circuit boards has been done at the factory, you only have the mechanical assembly and p/c board interconnects to accomplish. Complete with semi kits for transmitter, receiver, 4 servos, all ni-cds, charger, wiring harness, instructions.





ASSEMBLED KIT SHOWN

Perry AIR CLEANERS \$1.95 2 sizes: Medium for Perry carbs up to .50.



NUTS 75¢ Set Small size for up to .60 Large size for .60 and over.

KDH INSIDE BLIND

NEW! Fox MACHINED SPINNERS

Machined, not stamped or cast, from bar stock aluminum (think of the waste metal!) Has accurate pre-cut prop slots and sets into grooved back plate. As you can guess from the prices this is a very deluxe spinner,



1½" - \$5,00 - 51im \$5,50 134" - \$5.50 - Slim \$6.00 2" - \$6.00 - Slim \$6.50 214" - \$6.50

SUPER-SHOE \$2.98

Replacement sole plate for Sealector Iron.



TRY US OUT R. B. did:

"Without an exception I've heard only recommendations for your products and service. So here's my order,"

Springfield, Ohio





ROUTE 3, FRANKLIN PIKE CIRCLE, BRENTWOOD, TENNESSEE 37027

DROP YOUR ORDER IN THE MAIL BOX, THEN JUMP BACK BECAUSE WE SHIP FAST! We pay postage on all orders accompanied by check or money order, The U. S. Post Office requires that all shipments have your ZIP CODE. Be sure to use your ZIP CODE, Satisfaction guaranteed or money refunded. Phone 615/834-2323 Store hours 10 a.m. - 5 p.m. except Sun.

a substantial weight saving. The piston could then be embossed on the crankshaft for timing and glowplug positioning; the wrist pin and connecting rod could then be eliminated, resulting in even further weight saving.

Additional benefits: a much more streamlined shape would be attained, making it much easier to cowl the engine, Much better fuel induction would result, due to fewer bends for the air/fuel mixture.

The exhaust stack could be mounted to the rear, providing extra thrust, Some testing would be necessary in order to determine if the extra weight of heatproofing would cancel

I hope Mr. Burdick will be kind enough to give these suggestions consideration, as I feel they will be helpful.

Jerry Voth, Moundridge, Kansas

Data sheet

Fact No. 1: American Aircraft Modeler has been for some time, and still is, my favorite modeling magazine,

Fact No. 2: I consider myself to have an average sense of humor; i.e., I enjoy a gag or cartoon in good taste just as much as the next

Fact No. 3: If that hogwash about the zero displacement engine in the August issue was supposed to be funny, then I'm afraid you failed miserably.

Perry Knight, Miami, Okla.

Last rites

Some issues back, when the Great Debate (did it or didn't it?) on the GHQ was going strong, we heard from a reader who buried his infamous Q under a tomato plant.

Might I suggest a similar resting place for

the zero displacement fantasy?

Livingstone Goode, Mistook, Miss.

The Zero displacement article produced more mail than the discovery of gold at Sutter's Mill. Most people, evidently stung by the innocent entry into the realms of technical fancy, resorted to the dry, tongue-in-cheek "so-you-asked-for-it" letters to the editor, A couple took the thing seriously. Some just got mad, It all reminds us of the time Hewitt Phillips and Herb Weiss demonstrated an indoor model before a convention without wing covering. A flow of electrons from a positively charged wing edge to a negative wing edge eliminated microfilm covering, thus saving weight. So they wound it carefully, while everyone watched with fascination. Then came the big moment! Weiss gingerly poised it for hand launching and let it go, It fell on the floor, Both boys walked off silently. You could hear a pin drop. We still hate 'em! Of course, either a zero stroke or zero bore engine will cost only half as much. No wrist pin wear either.

-Publisher.

Unlimited life

Your August issue was the bearer of tidings of the most astounding breakthrough in the history of model aviation! Only a genius could conceive the stark simplicity of a zero displacement engine.

Despite the production problems inherent the concept of zero bore, I actually constructed a prototype, I chose zero bore rather than zero stroke because my drills were dull, and I was able to cast the cylinder with none of the usual problems of by-pass, exhaust, or even cooling.

Needless to say, the bench tests were unusual (to say the least). Not having the usual sophisticated equipment, I can only guess at the rpm's. Would you believe that with whatever prop size or pitch I tried, I was unable to achieve the 55,000 rpm's hinted at in the article!

The most amazing aspect of the engine is that no matter what test I made, I was unable to detect any vibration. My RC gear should have almost unlimited life if I use it in planes with this engine. Never have I experienced such fuel economy-stultifying was the fact that no matter how I varied the nitro content of the fuel, there was no appreciable change in engine performance.

Is there a reason why your author used a pseudonym-and such a transparent one at that? Everyone has heard of John Kcidrub; why would he try to throw us off by spelling it backwards?

Leonard Rowles, Baltimore, Md.

'Junior problem' revisited

For most of my 15 years, I have been associated with model aircraft in some way. As is the case with most kids involved in scrious model building and flying, I must attribute most of my interest and skill to my father.

I started into the hobby with ten-cent gliders and cheap plastic models, which my father rewarded me with frequently. I have gradually climbed the steps of progress to the point where I am now an avid radio-control enthusiast who thoroughly enjoys his hobby.

Although my present equipment is only an intermediate set—a Falcon 56 and a Rand dual pak with Citizenship Pulse—it took many hours behind a lawnmower to reach this goal, Which brings me to some comments on the age-old "junior problem."

The trouble in many instances is over-eagerness to jump into full-house digital equipment without the slightest knowledge of aerodynamics or building techniques. Instead of starting out with a 29-cent Sleek Streek, kids get all fired up about buying an Orbit proportional rig with a Sherlock Lear Jet. They take a trip to the nearby flying site, where they are awed by the largest and most expensive airplane, rather than the simplest and easiest to build. After all-what kid wants a stick-and-tissue model when he can have a quarter-scale Cessna 310? But most young kids are impressionable and have very short attention spans, Better to have one lose interest in a five-cent glider than in an RC set.

If we are to analyze the old cliche, the "junior problem," we must first investigate the background experience and knowledge of each case. Let us not forget that it all started with a block of wood and a knife. If a kid cannot, or does not want to, make a small glider, then chances are that he will not see a larger project through. We must now try to distinguish between the youngster who is genuinely interested in model aviation, and the kid who is impressed by all the buttons and levers on a full-house transmitter.

Although I have reached the point where I am fairly successful with radio control, I still find time to make a little glider or rubber-powered model now and then.

Frank Lost, Camillus, N.Y.

You'd expect to pay four hundred dollars for such a radio


RCM Magazine says (November 1971 issue Product Report):
"As a conclusion to our tests of the Hobby Lobby 4 radio, one would expect that a digital proportional system with a price tag of \$200 could not possibly equal the "higher priced systems". Nothing could be further from the truth. The Hobby Lobby 4 proportional system equalled in performance and quality any of the radios we have tested to date and, in fact, surpassed in number of them"

The control sticks have adjustable tension and will center perfectly even when adjusted for only 2 ounces of control pressure.

It's a complete 4 channel outfit with transmitter, receiver, 4 servos, nickel-cadmium batteries

for transmitter and receiver, and built-in charger.





The servo electronics are housed in the receiver case – there's less chance of shock damage that way.

HOBBY LOBBY 4

Digital Proportional 27mc...\$199., 72-75mc...\$209.





Route 3, Franklin Pike Circle, Brentwood, Tennessee 37027 24 Hour Telephone Ordering Service — 615/834-2323



WINGS AND THINGS-IN THE CLASSROOM

Just think, teaching youngsters how to build flying model planes four hours each day, five days a week-and getting paid for it as well.

This is the assignment I had at summer school this year. There were 152 boys and two girls in the four classes. The object of the course was to teach these nine-to twelve-yearolds some of the basic facts about airplanes and aviation. I set out to accomplish these goals by two means: first, model building and flying, and second, discussions and films.

Several weeks before summer school started, I chose two projects for the course -a Jetco 20-in, glider, and Fly Angle, published in American Aircraft Modeler.

From past experience in model building classes, I found that all the students need to be taught how to use a razor blade, a sanding block, and the importance of lining parts up correctly while gluing them together. It is amazing how many different versions of the same glider design can result from inexperienced young builders. With nearly forty students in each class, I was kept hopping all the time-helping students do things correctly and trying to prevent any building blunders.

At the end of the second week, most of the students had finished their models and were ready for the scheduled contest. Each class was taken separately out to the school playground and the students began launching their gliders, It was there that we experimented with the proper methods of hand launching and finding the best balance point for each glider. The contest continued for three days, as all the modelers were given a chance to fly several times. Following the contest, the first place winner of each class was presented a trophy; the second and third place winners received color prints of Boeing aircraft.

At the beginning of the third week of school, I wound up the rubber motor of my Fly Angle and let it go across the room, As it zoomed above the heads of my students, they

by NICK PANAGIOTOU

showed much excitement and I knew that they would be eager to start on the second project of the course, I had prepared enough copies of the plans for all the students and the students had brought their supplies, so they went right to work. Templates for the various bulkheads and the fuscinge parts were provided so that each student could make his model more accurately.

After a few days, some models began to take shape and the students began helping each other on their projects. Now I could begin to relax a little, so I brought an Old-Timer model which I had partially completed

and began to work on it at school.

During the fifth week of the course, several Fly Angles were finished and test flown. Most of the models suffered from a poor papering job, but this was to be expected because of the students' lack of ex-

A contest was scheduled for the Saturday (Continued on page 97)

CARL GOLDBERG

NEW! CG RETRACT GEAR

LOWEST PROFILE Main Gears are univ 1" high

LIGHTEST - 2 Mains with 5/32 wire struts only 3 oz. Nose Gear 2 Mains and 3 struts, only 5 oz.

BROADEST BASED for best distribution of stresses, both fore and aft, and laterally

TOUGH Made of rugged hylan maldings, best for absorbing vibration and starss. Large

bearing surfaces

SHORTEST TANK COMPARTMENT Nuse Gear needs only 5½" for a typical 60" installation.

SIMPLEST Main Gear has only 3 molded parts. 2 springs, 6/32" music wire strut, 4 screws.

EASY Installation or Strut Removal Low actuating force required - one servo can actuate all three units

COST?? Unbelievable! But True! Special Low Introductory Price


Pair of Main Gear Retracts - \$ 9.55 Set of Nose Gear ■ 2 Mains - \$19.95


KLETT NYLON HINGES -THE NEW BREAK-THROUGH!

at excellent O.E.M. bulk prices

Designed and Manufactured by Roy Klett, originator of the World-Famous RK Hinges!

When the RK Hinges were first introduced several years ago, they were instantly accepted by modelers everywhere as the answer for smooth operation of control surfaces. Very shortly they were copied by manufacturers in the U.S. and in other parts of the world. The quality however has never been equaled because of the exceptional care and attention to detail by the designer, Roy Klett. Now he has designed and is manufacturing his new RK2 Hinges which are smaller and extremely strong -- and so thin that all you need is a knife slit for them. Note the dimensions, especially the thickness. These hinges are the absolute top quality, yet the price is only \$1.95 for 15, and \$1.10 for 7. Exclusively marketed by Carl Goldberg Models.





the NEW KLETT SAFETY DRIVER SOCKETS DOWN ONTO SCREW HEAD - CAN'T SLIP OFF AND DAMAGE YOUR WING!

> One end takes Round Head Screws. other end takes Binder Head

> > KLETT SAFETY DRIVER

LARGE for 1/4" Nylon Screws)98c SMALL for #10 Nylon Screws

STATE

Available in Canada P.S. For best service, see your dealer for items you want, if not available, write direct, add 35¢ per item (75¢ outside U.S.). Minimum proef S.I.

CARL GOLDBERG MODELS INC. 2545 W. Cermak Rd., Chicago, III. 50808 I am ming 20r for 8 pg. Illustrated Cata-log with "Recommendations in Starting in R/C," Basic Explanation III R/C Equipment, and Radio Control Delinitions.

ADDRESS. CITY.

MODELS

WITH WEST FEMALERIA

This big free-flight model is scale construction, and detail features. Even has shock-absorbing landing

This big free-flight model is scale in dimensions,

Even has shock-absorbing landing gear.

by ROBERT HARRAH

This 1933 design has the look of the thirties that is now considered old, but truly "classic," Known as the Henderson Longster, it was powered by the Henderson motorcycle engine. Les Long may have designed a ship similar in all outward appearance to the Aeronea of the same period, but close study shows some outstanding and unique features that should be credited as "originally Les." Every effort was made during the development of this scratch-built scale to maintain much of the inner design features, rather than end up with a scale model by outer measurements only.

A comparison of the vital statistics of a plane of the thirties and the flying machines of the seventies is almost enough to make me want to go back. The data and specifications necessary to build a modern plane would probably outweigh the gross weight of the 575-lb. Longster. The 363-ft. high Saturn moon rocket, laid on its side, would be more than enough to handle the 2001-ft, takeoff run required by the Longster, This same rocket will send the astronauts flying to the moon at speeds in excess of 75 mi, per min., while Les

listed the high speed of the Longster as 75 mph. To consider the 6,000,000-lb. Saturn as a comparison may seem unfair to some, but it is spectacular-as were the barnstorming pilots, like Les, flying these classics of the thirties. Fifty years ago radio was just being used; now we see astronauts via color television barnstorming the moon,

So, you may ask, why build? To me, it gives those few hours to remember when-and to wonder what the next forty years will bring. Man may be beyond the early dreams

All flying wires in functional and require careful pre-flight checking and alignment.




to fly like a bird, but I am hopeful that sharing this heritage with our mind and hands now and in the future will never change, So let us get to building a classic of old and have some fun.

Construction

A flat surface topped with a piece of Celotex (minimum size 24 x 36 1/2"), rubber bands, X-acto saw, sharp blades and pins are my standbys. I like to save my plans, so a bit of waxed paper, MonoKote backing or an old polyethelene bag spread wrinkle-free over the plans preserves them and saves sanding the plans off of the plane. So my family can't claim glue-sniffing, I use white or Titebond-type glues. I found that a fifty percent solution of these water-base glues, diluted with water and then brushed over all surfaces after final sanding, increases the strength considerably with the addition of little weight,

Glue is a subject in itself, and I would like to share some thoughts and findings in this direction for your scrutiny. Engineering, design, and strength require that a glue be (Continued on page 84)





KINGFISHER



Seeing service with all scouting and observation units of the Navy during WW II, more than 1500 OS2U's were produced by Vought-Sikorsky and the Naval Aircraft Factory.

ardly anyone remembers the Vought-Sikorsky "Kingfisher"—except those guys who were plucked out of the cold seas after their much more glamorous Corsairs and Hellcats let them down. And the lonely GIs at all those forgotten weather, radio and radar stations on miserable little islands all over the Pacific who got their treasured letters from home in mail sacks tossed out of the observer's hatch. And the seamen on merchant vessels which would have gone to the bottom, had not the alert eyes of a Kingfisher erew spotted the German sub in time.

Obviously, then, to a lot of people the Kingfisher was the most important airplane since the Wright Flyer. Yet to most, it remains one of the obscure airplanes from an era full of famous ones, It wasn't very fast, did little damage to the enemy and it didn't even look very unusual. In fact, it was a real "plain Jane" that served with the fleet in the early part of the war and then got upstaged by progress.

Surprisingly, though, the Kingfisher played an important role in the development of aircraft construction, having been the first airplane to have a non-buckling fuselage using spot-welding in its primary structure and proving the value of what quickly became a standard technique. When the U.S. Navy placed an order for the first of more than 1500 of the scout planes, it was considerably ahead of its time—at least in its class. Unlike prior scouting types, it was a monoplane and it was powered by what was soon to become the extremely popular 450 hp Pratt & Whitney Wasp engine.

The first one was delivered to the fleet in mid-1938 and quickly passed its trials, with the only major modification being the addition of a wide-chord strut at the rear of the single main float for added strength. It immediately went into production; the first OS2U-1 was launched by catapult from the battleship Colorado in August of 1940,

By the time the United States was bombed into WW II, a year and a half later, all scouting and observation units of the Navy were equipped with the OS2U. Some of the most graphic and classic pictures of the attack on Pearl Harbor show Kingfishers burning on the ground-a very bad time.

But soon the U.S. went on the offensive, attacking, capturing and then using island after island, and the unglamorous Kingfisher was there, It shot off battleships and cruisers:

by DON BERLINER

to seek out the enemy, report back, and then direct the heavy guns of the approaching task force. It kept an eye on carrier takeoffs and landings, ready to come to the rescue of pilots who suddenly found themselves wet and helpless, and, as such, was the forerunner of present day helicopter rescue operations.

Leaving a ship was a jolting experience, as the scout plane, its engine roaring, was sent away with the same charge as fired a five-in, shell. Returning to the mother ship, the Kingfisher would land in the slick created by the sudden sideways motion of the ship, then





a hook on the bottom of the main pontoon would catch a rope-sled trailing alongside the ship. A crane would then swing over the side, lower a hook to be fastened to the fuselage, and the plane would be hoisted on board.

On rare occasions, a Kingfisher or two was called on to wage offensive war against the enemy, though it certainly hadn't been designed for combat. One OS2U pilot got credit for shooting down a Japanese Zero fighter during the bombardment which softened up Iwo Jima for the invasion of that island in February, 1945. The excellent maneuverability of the lightly-loaded scout plane enabled Lieut. (jg.) D.W. Gandy to evade the Zero's attack and then get on its tail and shoot it down, the faster fighter crashing into a cliff. When the U.S. was fighting off the Japanese in the Aleutian Island chain extending westward from Alaska, several

(Continued on page 68)

Although most Kingfishers wers float-equipped for catapult saunching from battleships and cruisers, the OS2U also could take wheeles gear for carrier and land operation.





BIPPI-BIPE

Here's Galloping Ghost fun for quiet evenings.

With the rapid 'development of the multi-proportional radio control systems in the last five years, the simpler and less expensive types of RC modeling have suffered from a lack of publicity and suitable model development.

The RC rudder-only, rudder/motor, and galloping ghost unit types, however, do have certain advantages that more modelers should be making use of-light weight, small size, low cost and easy installation. The GG package offers three controls: rudder, elevator and motor-with a total airborne weight only slightly more than many rudder-only units. By comparison, a proportional three-channel outfit is twice as heavy, twice as bulky, and more expensive. And, of course, it is much more sophisticated in control action. However, for many model applications, the R/O, R/M, and GG systems are just the thing.

The Bippi-Bipe is a small, compact biplane designed to utilize the advantages of the galloping ghost RC units now available. As a biplane, it also offers more of a challenge than the usual trainer-type GG model. The Bipe is a sturdy model with good flight stability, but capable of fast and exciting stunt flying as well.

A notable feature of the design is the cabin fuselage which provides plenty of room for the RC installation and a sturdy mounting for both top and bottom wings. The constant chord wings are identical except for length and center section. The top span is 34", length is 29", weight about 22 1/2 oz., with a wing loading of about 10 oz.-sq. ft. The engine installed is the O.S. Max 10 RC which is lightweight, provides good top power, and throttles very well to mountie low idle.


Before covering it is wise to complete the equipment installation. Diagonal bracing makes the fuselage quite strong but light.



The radio gear used is the packaged galloping ghost unit manufactured by Ace Radio Control, Inc. The airborne equipment consists of Rand GG pulser and switcher, Commander DE superhet receiver, and 2.4 V NiCad battery-weighs a scant 5 1/2 oz. Originally, the Jansson GG No. 2 transmitter was used, but was replaced by the Dickerson Pulse Commander Tx when this much-improved unit became available, The Pulse Commander is not only electronically better, but is smaller and has better balance-so important for one-handing it while launching the plane. In all, the GG system is menjoyable way to provide a lot of control.

Wonder why it was named the "Bippi-Bipe"? The "Bipe" should be self-explanatory-but the "Bippi"? Ever listen to a GG Tx signal on audio monitor and hear the bip-bip-bip? That's why, Any questions, Goldie?

The basic design for Bippi-Bipe had its beginning a number of years ago with an 049-powered free-flight Sperry Messenger (the obscure aircraft which became so popular that one magazine ran three different models of it). The Messenger was eventually converted



by TED SCHREYER

to rudder-only RC, but there were problems of poor wind penetration and, together with the added weight, a lack of lateral stability, and finally, an upper wing mount beyond repair resulted. The latter problem was solved by building on a cabin and turtledeck. By cutting off about 30 percent of the lower wing area and adding rounded, up-turned wing tips, the speed and stability problems were eliminated. It flew well, even when an 099 engine was tried for power-plus flights.

On high throttle Bippi is rather fast—so a beginner may "get behind the airplane." More skilled hands will love its stunting.



From this much-modified little rudder-only biplane that afforded us so many enjoyable flights, two offspring resulted. The first was a flying scale of the Waco YKC-S cabin biplane which had surprisingly similar design areas and moments. The second was the Bippi-Bipe, which was a slightly enlarged and streamlined version, intended for the three-control galloping ghost RC system and a 10 size engine.

Bippi-Bipe is not recommended for the beginner, however, For one thing, trimming out a bipe is not always the ensiest thing, even for experienced modelers. Since the Bipe moves pretty fast in high throttle, a beginner would invariably find himself playing catch-up with the controls—this just isn't much fun.

Construction

The plan should be studied well before beginning to do any construction work. A few tevisions were made of the prototype; additional rudder and elevator area for more positive action; rounder wing tips for better efficiency and looks; battery and GG unit moved forward for balance. Not shown on plan, but an excellent idea, is the addition of a six-in, length of 1/16" dowel inserted into


the extreme trailing edge of the top wing at the center section to keep the rubber bands from digging into the balsa,

This model is quite easy to build since it has standard balsa construction without any difficult or uncommon procedures. The wood should be medium or medium-hard, unless otherwise noted; by building carefully, a strong, yet lightweight, model should result,

Build two sides on the plan from 1/4-sq. and 1/8 x 1/4 strips including the 1/4 sheet parts around the lower wing mount area. Join the sides at the rear, and add crosspieces to form the box-type fuselage. Then add formers, (firewall, plywood landing gear mounts (with wire in place), the GG mounts, battery mount, stringers, etc., Leave off the cowl covering until fuel tank and radio gear are installed.

Make two engine mounts from aluminum (or use ready-made one) and mount engine. Make fuel tank and install it, then drop radio gear into place. A third hole was drilled on the inside of the GG motor control arm to give better action, and a nylon tube-in-tube connected it to the engine throttle. Epoxy the outer nylon tube to the firewall.

(Continued on page 74)



PRESENTED BY AAM'S
WHERE THE ACTION IS
GENERAL CORRESPONDENTS—
FOR THOSE WHO WEREN'T THERE

BILL BOSS

CONTROL LINE

DON LOWE

RADIO CONTROL

BOB MEUSER

FREE FLIGHT

CONTROL LINE

The 40th Annual National Model Airplane Championships was hosted by the U.S. Navy and run by the Academy of Model Aeronautics. This year's competition was held at the Glenview Naval Air Station during the week of July 26th to August 1st.

Why do more than a thousand airplane modelers from all over the USA enter each year? Well, to some it's a week that permits modeling friends to gather together to renew long-standing friendships. Whole modeling families attend this yearly competition as a vacation, living in motorized campers or tents. For many young model fliers it's the chance to rub elbows with the big names and to observe the techniques required to reach the winners' circle. For still others the Nationals can be the culmination of all their dreams, sweat and toil of perfecting models, and flying skills, in hopes of making it big by winning. And then there are those who go back home in defeat only to return again next year to try for that Nats trophy and the right to reign for a year as a National Champ.

Flying Scale was just that this year, with almost all contestants getting in an official flight. Not only have the control-line scale boys learned how to fly their ships, they have also greatly improved in the fidelity to scale and workmanship departments. The quality of planes was very high, making it a real chore for the judges. A considerable number of new models were entered. All incorporated plenty of operational features, bomb bay doors, flaps, lights, cockpit controls, super construction detail and even retractable landing gear (on Malvin Meador's winning Spitfire in the Open category). Malvin, of Suitland, Md., also won the Sterling Award of \$100 for having received the highest static score for fidelity to scale and workmanship, Cathy Burnstine, Danville, Ill., and John Glab, Chicago, Ill., were winners for the second year in a row in the Junior and Senior Categories, Cathy flew a Douglas A-26 and John a camouflaged P-51 Mustang.

The Precision Aerobatics event, more commonly known as Stunt to the competition flier, saw a large increase in the number of semiscale-type planes adding to the color and excitement of the event. However, the most conventional stunt designs with their fine detail and finish dominated the winners' circle. Bill Werwage, Cleveland, Ohio, took first in the Open Class, winning the Jim Walker Award, while Mike Jackson flew an excellent pattern to capture Senior Class for the second year in a row. Performance in both of these classes was superb among the finalists.

In the Junior Class, however, there was a marked contrast. Ralph De Palma Jr., Los Angeles, Calif., winner of the Jr. Category, did the pattern with all the professionalism of Senior and Open fliers, while Charles Retay, Parma, Ohio, did incomplete pattern. Having been flying for only three months, Charles openly admits having had trouble doing the hourglass and four leaf clover maneuvers. However, as he remarked to me, "I go out in the circle and do what I can—that's all." Certainly this is the attitude and confidence that make future champs.

Approximately 140 contestants took part in the Combat event with 90 of them flying in



Bill Werwage's USA-1 Pacemaker, which won Open Stunt and Jim Walker trophy is S.T. 46-powered and weighs 56 oz. In best flight, he scored 470% points.



The magnificent Spliffire by Malvin Meader took over a year to build from scratch from information gathered all the U.S. and England. Won Open Scale. Navy photo.



Winner in Junior Scale, Cathy Burnstine cheeks the details on her B-26 invader. Color scheme is of an executive transport conversion of this WW II Bomber.



Navy's photo of the Testor's teach-the-kids-to-fly program. In a hangar with these plastic ready-to-fly models, hundreds learned to fly successfully.

RADIO CONTRO

The 1971 RC Nationals leaves one with the impression of tremendous excellence in all categories of the hobby-aircraft design, equipment and proficiency of the fliers, Never have I witnessed such a high degree of skill by such a large number of fliers. The judges were undoubtedly hard pressed to pick pattern finalists out of the 109 registered Class C fliers. Similarly, in the Class C finals, it was close right down to the wire, Formula I and FAI pylon racing were in much the same vein with very fast, beautifully constructed ships and engines turning even better than last year, Would you believe 19,000 on zero nitro fuel and with a muffler for FAI? At least one flier tached that, and others were at 16,000-plus, Formula I qualifying times in the 1:30's and FAI in the 1:50's were posted.

The RC events were conducted pretty much as last year. Monday afternoon and Tuesday were devoted to pylon qualification in which the top twenty in Formula I and FAI were picked for the finals, Every flier was given three attempts to post a time in each of these events, Wednesday and Thursday were given to the Class C Pattern prelims with each flier getting seven flights, using a short pattern to qualify for the finals and to select the Class C Novice winners, Twenty Class C Expert fliers were picked for the finals flown Friday and Saturday mornings, Scale was flown on Friday and Saturday mornings as well, on a frequency time-share basis with the pattern finalists, FAI pylon finals were Friday afternoon and Formula I on Saturday afternoon. Sunday morning was given to Class A & I with each flier allowed three flights,

The weather cooperated very well with reasonably cool temperatures and not a drop of rain, although the wind was pretty high and gusty at times. The direct crosswind made it pretty difficult for the pattern fliers and tested the skill of all, It sure would be nice to fly once at the Chicago Nats with the wind right down the runway!

The pattern ship design theme this year was fast, clean and big maneuvers. So many ships were using retracts that it looked a bit strange to see the gear hanging down on some. Eighteen of the top twenty Class C Expert finalists had retracts, and every finalist airplane was a very fast, clean ship. A large number of pattern designs are approaching the mid-wing configuration, with the wing and tail right on the thrust line. There were interesting exceptions however, such as Norm Page's Mach I which was one of the most axially-rolling ships there! The Class C Expert winner, Ron Chidgey, used his Tigre Tail which appears to be a rather conventional low wing design. Don Coleman's second place Cutlass is a "high" low wing design. It's as we've been saying for some time-given a good sound model design, what makes a big difference is the flier and his familiarity with hat design.

Norm Page was the top Class C qualifier but slipped to fourth in the finals, due to engine problems and a strong late surge by Ron Chidgey, Don Coleman and Jim Martin, who placed in that order, Ron, a member of our Internats Team, flew very consistently in both the prelims and finals and had the edge when it counted. This was Ron's first Nats win and there never was a more deserving guy,



Class C Expert winners am Don Coleman(I) second, Ron Chidgey(center) first, and Jim Martin(r), third place. Used Pro-Line, Webra, and own design plane respectively.



else? "Goldy" Goldclank with his original design plane. Yes, he did design and build it. Hold your breath, it will be an AAM feature in Goldy's own words.



Ken Drumond's B-36, same ship m flown last year. The sound of the six engines is welrd. taxi rotation for takeoff are and frighteningly realistic. Flies fast too.



Navy photo of Larry Leonard and Ell Miss Dara Formula 1 racer. He's a consistent flierif he doesn't stop in a tree when landing,

FREE FLIGHT

The Nats began with two days of indoor flying at the Washington Park Armory in Chicago. In his first year in the Senior age bracket, Marty Thompson of Livermore, California (Junior Nats Champ and winner of the Hand-Launch Glider event in 1970) won the HLG event with best-two-out-of-nine flights of 62.0 and 64.2 sec., better than Rudy Kluiber's winning total in the Open age class. Marty put it all together for his last two official flights. Minutes before the event closed, he put his Sweepette right through the roof truss at the very top of the arch, posting a time that was two sec, better than the best practice flight he has ever made! Marty's fellow Oakland Cloud Duster, Jerry Geraghty, won Junior HLG-flying a straight-taper wing model in what has virtually become a Sweepette One-Design event,

Tuesday was Jim Richmond Day at the Nats, but Jim had a five o'clock date with a plane out of O'Hare, so he had to work fast, As the day's flying started, he put up his Paper Tiger for 21:37-three sec, better than last year-setting a goal for the other Paper Stick flyers that was not to be bettered. Then, breaking out his unique new FAI model, built to the recent one gram minimum weight rule. he put it up for 23 min,, a great first flight, but a long way from the 30 min, it would take to beat Ron Plotzke's super-light 300-square-incher. So, Jim uncrated the old-FAl-rule model he won with last year, and after the tail pretzeled on two flights he managed to get it to hang together for 33:54 (half a minute short of last year) to win the Stick event.


Indoor Cabin was another story. Jim started out by breaking his own record, but by the end of the day the record had passed from Richmond to Plotzke to Rohrbaugh to Rand, half a dozen times, Finally, Plotzke topped it off with 23:03. Jim again came out with the Indoor Category Championship for overall performance, but missed his five o'clock plane,

Greg Simon's helper dropped his hat on Greg's super-light 1911 Cessna, folding the wing. Under those conditions even a "mature adult" could reasonably be expected to pop his cork and spew forth copious quantities of unprintable prose-but not 11-year-old Greg. Possessing a degree of restraint his elders would do well to emulate, he had only three words-"Where's the glue?" He won Junior Plying Scale with a three-min. flight.

Survival was the name of the game in Outdoor Free Flight, Winds that reached 15 mph in the morning-increasing to 25 in the afternoon-blew from the West across the short dimension of the field, putting half of the max flights (those exceeding three minutes, the maximum for which credit is given) over the fence, The efficient Navy Model Recovery Crew brought back a surprisingly large number of them, but in many cases those who didn't have two models for each event were out of luck. But the weather wasn't all badtemperatures were ten degrees below normal, rarely above the comfortable seventies, and only once getting low enough to require a

A typical Unlimited Rubber model will easily tick off six min. in still air, but intense thermal activity, signaled by spotty cumulus

CONTROL LINE



White his dad is talking, John Arthur, Jr. is anchorman for the "La Demoiselle," 020 job flown in FF Scale in spite of stiff winds, it is definitely a calmair plane.



William Etlerman, 83, oldest Nats Contestant won the FF helicopter event. He's been a modeler "for many years" and has never missed a Nats. A Navy photograph.



Don Chancey proudly displays his recently kitted Mint-Pearl, winner of 1/2A Gas event. It is easy to build and quickly trimable. Looks small, must climb very fast.



Willard Smitz launches his Bligri Decoy which won the Mulvihill last year and took second this year, after tosing his best model. Spent three hours repairing reserve ship.

the Open class. The matches were wild with many fliers demonstrating real skill in making the cuts and kills. During the three day combat competition there were sufficient ZAPS (mid-air collisions) and THUMPS (dives into the ground) to satisfy the destruction-hungry crowd. Once again Super Tigre engines and pen bladder fuel tanks dominated the scene—almost all used iron-on coverings.

The planes, however, were another story. It seemed like all had their own designs using longer moments for better stability. Jerry Haupt, Dayton, Ohio, used a "Wedge" designed by father Jack, while Bernie Varnau, Cincinnati, Ohio, used his own design in the Open and Senior classes. Donald Morris, Euclid, Ohio, used the standard Voodoo machine to make his win in Junior.

The speed merchants were out in full force and had rumors really flying about the possible speeds that were going to be flown at this year's Nats, I heard predictions of 230 mph or thereabouts, but when the engine exhaust and dust cleared away we found that white many records fell, the speeds were only slightly higher than last year's, Danny Bartley St. from Righ Point, N. C., who established three records at last year's Nationals, put in another amazing performance by setting five new records-1/2A Proto, B Proto, B Speed, C Speed and Jet Speed. The team of Frank Garzon and Nick Arpino, Long Island, N. Y., took first in the Big C Speed event by turning 184.73 mph with a conventional ST-65 and a Mini-pipe. Myrle Hoyt, Newton, Iowa, set a new Jet Speed record of 185,49 mph, while Dennis McGraw, Memphis, Tenn., captured Jr. Jet category with 137,44 mph. Other Juniors turning in record performances were Brian Pardue, Greensboro, N. C. and Bruce Pailet, Brookville, N. Y., in the 1/2A Speed and 1/2A Profile Proto events,

If you enjoy flying in circles for 70 and 140 laps at a time, Rat and Scale Racing are the events for you. These fellows have great stamina holding onto a plane averaging approximately 120 mph (including pit stop) for 140 laps in the finals.

The pit crew action in the Open and Senior classes was outstanding. Fast refueling and quick starts were the key to some good times being turned in this year. Ed Wallace, Dayton, Ohio, turned in a time of 5:12:4 in Rat and 7:25:9 in Scale Racing to take first in both Senior events. Tim Zimmer, pit man for Wallace, was last year's Senior winner, Wallace-Zimmer certainly seems to be . winning combination. Fayette Estell, Houston, Texas placed first in Open Rat with a time of 5:24:5 about 12 seconds slower than the Seniors, while Dan Barker, San Diego, Calif., took the Junior category. Scale racing Open class was won by Frank Sanders, San Diego, Calif. Mike Waldron of Lisle, Ill., captured Junior. In the equipment department there was nothing really new. Super Tigre and K B engines were most common, quick fuel fillers and all sorts of fuels were used and many had fuel cutoff devices,

While reviewing Carrier results, I recognized many of the winners' names, so I dug out the 1970 Nats results. Yes, the names were the same only it was a year later. Willman, Johnson, Bedard, O'Connor, Hackett, Flinn, Herron, Wright and the



Class A speed ship by Rick Wisnlewski has 21/2 years of flying. This year it won A and FAI speed, setting records in each class. This was Rick's first Nats, Speed is in the family.



Good launching form shown by Bill O'Connor (releasing Skyshark with K&B 40 by Charles Beverson) who placed first in Senior Class I Carrier. Note, the model is already flying!



Senior Stunt Winner, Mike Jackson, was also last year's winner. Plane is modified Dick Williams Electra Wing with O.S. and muffler. Has 56" span and weighs 52 oz.



Only 596 stars on rat racer by Rick Draper. Plane placed 4th last year and has flown regularly since. Beautiful finishes are not usually found in this fast racing event.

RADIO CONTROL

having been a tough competitor for years, Last year's champ, Jim Kirkland, finished fifth flying a very cute little ship called Mustang "X" powered by a Tigre 46 and equipped with Jim's own retract gears.

FAI pylon racing was conducted strictly in accordance with FAI rules including zero nitro fuel and mufflers. There was no specific noise requirement for the muftlers and a sound survey was made to help determine future requirements. Mufflers certainly made for a more pleasant sound. Based upon my own informal sound measurements on Formula I and FAI racers, however, I'm convinced that the biggest sound difference between the two was not in sound level (decibels), but in the frequency of the sound. Basically, the mufflers seem to scrub off the high irritating frequencies, but don't reduce the DB level very much, Most fliers used commercial mufflers which were just moisy as the few home brew types that showed up,

Clearly the most impressive FAI racing design was Bob and Chuck Smith's Miss B.S., a P-51 variation. This ship was used by many of the finalists and it copped both first and second for the Telford/Violett team and Bob Smith respectively, The T/V team and Bob finished in a tie for first place which was broken in an exciting fly-off. The T/V team had a slight speed edge with their retract gear St. 40 ABC version. Probably the greatest display of determination in this event was shown by Larry Leonard. Larry unfortunately flew through a tree on landing and extensively damaged the fuse, wing and tail. Undaunted, he stuck it all back together, with the help of many extra hands and Hobbypoxy "Quick Fix" epoxy, and flew it two more heats.

Formula I interest was heightened by Bob and Chuck Smith's new Miss DARA (Dayton Air Racing Association) design. The Minnow design has dominated the event up to now and a new design increased the interest. This airplane looks very competitive, especially in the hands of Bob Smith. The Telford/Violett Miss Cosmic Wind mid-wing design also looks like a real winner—very beautiful and very fast. The eventual winner, however, proved to be the ever-popular Minnow design flown by Terry Prather, which copped highest scale handicap points and the event through the urging of a super-screaming Tigre ABC 40.

Scale saw a good battle between Maxey Hester and Bob Wischer for top honors. Maxey flew his Ryan ST and Bob contended with a Douglas M-2 mailplane biplane, Incredible detail was shown by these and most of the scale entries. Unfortunately, the high crosswind was a real handicap and was instrumental in several bashes, Dave Platt's tremendous Me-109 was a victim of the wind on the first attempt. A fabulous overnight rebuilding job gave him another crack at it, but a cranky retract gear system did him in.

Classes A & B attracted 31 and 21 entries respectively. Top Class A flyer turned out to be Chuck "Shadytrol" Shade flying (would you believe) a Phoenix 5. Chuck did a fine job after very few practice flights. Class was taken by P. Gieseking.

The Nats is much more than nose-to-nose competition, Surely it has plenty of that and everyone is out to win, but to me the most enjoyable part is the camaraderie, sharing of



Cliff Telford, engine expert, with Wollott, won in FAI and placed second in Form I. Plane is Tigre-powered mid-wing Minnow.



In RC scale, a Boeing TWA 707-3208 was flown by Paul Martin, it features homemade pneumatic retracts and his own converted S.T. engines to intake.



Jim Kirkland used his new Mustang X, 40powered, homemade mini retracts. Placed 5th in finals. Small plane—new trend? Patterns were small, close and crisp.



Navy photo of Raymond Gallo of the SOB's retrieving his racer which landed unharmed outside the base fence. Young helpers brought a back.

FREE FLIGHT

clouds, meant that if you caught a thermal. you maxed; if you missed a thermal, you were on the ground in two min, it wouldn't have mattered much whether you were flying a Stratolark or a Gollywock, In fact, Allnutt's winning score in Wakefield, flown earlier in only slightly more favorable conditions, exceeded the best Unlimited score, Sherman Ovelmen was one of the many martyrs, losing his model on his second max. While Unlimited produced martyrs, it also produced heroes, not the least of which was Peter Allnutt of Toronto, Peter found himself credited with five maxes but, knowing from his own watch that his fifth flight was short of a max, he refused to accept it, thereby relinquishing a good chance to take home the historic and coveted Mulvihill trophy.

Willard Smitz, last year's Mulvihill winner, lost his big Bilgri Decoy on its third max, and smushed the fuselage and prop of his spare on an attempt at a fourth around noon, Charlie Sotich and Willard jigsaw-puzzled enough fragments to figure out how long the nose was supposed to be, and the seemingly impossible repair job began. Passers-by occasionally dropped in to hold something while the glue dried, or cut a few uprights-at times the Ad Hoc Repair Committee numbered six or seven. Willard himself could barely get a hand in edgewise. By 3:30 p.m. it looked more or less like an airplane again, albeit one built by a committee. After rebalancing, test gliding and a partially-wound test flight, it was off for another max. But, on what was to be its last max, it was blown halfway to Chicago. That's what it took to take second place! To take first, you had to have a couple of Nats Championships and a place on the FAI team under your belt, and your name had to be Bob Sifleet.

Hardy Brodersen repeated Smitz's performance in FAI Power. After losing the best of his X-cube models on the third max, he flew his reserve model in a big arc, hitting the grass at 100 mph under power, but it suffered remarkably little damage. The wing was in two pieces, but thanks to its sparless sheet-covered construction, it was epoxied together with scarcely sear. When finally trimmed out, it helped Hardy get third place.

Few radical designs were seen, and those were not too successful. No new free-flight engines except the Rossi 15 have appeared in some time. Free Flight progresses by evolutionary improvements in design, construction and flying technique, seldom by revolution. Even the number of electronic thermal detectors seems to have leveled off. The entrance of M&P Enterprises into the market has provided us with more good competitiontype kits than ever to choose from—even one for Jetex. But the rubber-powered model flier must still build from scratch.

In the last analysis, the free-flight competition model has to be considered expendible, and we expect to see those whose models were lost or smashed by the wind back next year to take another whack at it.

CONTROL LINE



John Thornhill and Bob Stalick help Bucky Servaites prepare 1911 Cessna for winning three-minute flight. Bucky is again Open and Grand National Champion.



Greg Fortin, 17, Doug Graham, 14, and Rich MacCheery, 17, display unusual VA design. Called X-Squared, it is a Brodersen design with auto-rudder and stabilizer.



Sue Weisenbach, 19, studies Aerospace Technology at Kent State alded by an AMA scholarship. Always a Nats entrant, she is particularly active in FF events.



Rick Lachman launches his Class B gas job in the usual javelin fashion. He's been flying for four years, this was his third Nationals. Navy photo

Sawickis dominated again this year. The only difference might have been the place won or the age category entered. The Sawickis (Richard, Robert and Marion of Wayne and Wyandotte, Mich.) took six places in the Carrier 1 and 11 events. The highest score posted in the Open events was 580.50 by Ray Willman, Normandy, Mo., in Class 11 flying a Grumman Guardian. Senior high score was made by Terry Herron, Wichita, Kansas, flying a Japanese Judy in Class 1, while Junior high score of 446.15 was made in Class 1 by 9-year-old Robert Sawicki, with his French Loire Newport.

Rossi and K & III engines are still the main power plants used, and Grumman Guardians were in abundance as usual, but there were a number of other planes representing France (Late Core), Great Britain (Fairey Fulmar and Spearfish) and Japan (Judy), all of which reached the winners' circle.

Another Nats has come and gone, the circles are clear and quiet and the smell of model fuel has left the air. Now is the time for the winners to boast about "How they did it" while the losers plan for the big comeback next year. This Nats seemed to be the greatest ever, but I am sure next year's will be even bigger and better.



This Devastator is still being devastated, the crash is in progress. Brille parts flying, prop is still turning and plane is in the air yet. Roland Baltes lost this round.



Do you find is hard to imagine a 14-year-old hanging on to a 137.44 mph jet? Well, Dennis McGraw did—fiew at record speed but did not bost is back-up flight.



Ryan S.T. Super 200 Special is prototype Sig kit. CL model weighs 9½ pounds. Flown by Mike Stott. Nearly identical model winner in RC Scale. Beautiful finishes.



First place in Sr. Combat by Bernia Varnau with his Dinosaur, at right, and second place Dave Bush with his Motivator II. Both used S.T. 35 and pen bladder tank.



The Bob Lampione design plane used by Raiph De Paima Jr. for his win in Junior Stunt. McCoy 40 and a McCoy muffler. AeroGloss finish. A confident young filer.



Danny Bartley holds his 1/2A Proto record setter which used a TD 049 (of course). He also set records in B Proto, B Speed, C Speed, and Jet Speed im Senior categories.

RADIO CONTROL

ideas and experiences and just plain bull sessions far into the night. There was no scheduled RC helicopter event but many witnessed the tine exhibition flights put on by New Jersey's Horace Ilagen and Dave Gray of Dubro Products. These birds flew well and predict things to come in this category. Would you believe outside loops with a helicopter? Maybe some day!

Practical retracting landing gears have surely come of age, and most people are content to put their gear down for landing, but not "Jersey" Jim Martin, His standard procedure was to make an inverted pass about a foot off the deck and put his gear up! Jim was using the new Rom-Air gear which operates very fast. In fact, he uses it to adjust his touchdown by cycling it up and down.

"Hard Luck" Jim Whitley found the only

"Hard Luck" Jim Whitley found the only hole in the runway and messed up his nose gear, which cost him valuable points on two finals flights. Those are the breaks.

It is worth a trip to the Nats just to experience Harold "S.O.B." Goldclank's stellar performance in pattern and pylon, "Goldy" did his thing by scoring several hundred negative points in pattern by doing maneuvers in his own inimitable fashion no one has ever heard of. He also convulsed the crowd with his calling of Formula I heats—hats off to "Goldy" who has carved his own particular niche in RC modeling history.

The next time you see Jim Edwards ask him how he trims for outside loops. It seems that Jim was out practicing at one of the local club facilities when his ship stuck in down elevator while doing outsides. It proceeded to climb while looping and flew out of slight! The next day it was found by a Navy recovery team in a small lake near Glenview several miles from the practice field! Talk about perfect from.

And just in case anyone is interested, I suffered three flameouts in Formula I qualifications due to incredible circumstances (I goofed!)—had an FAI racer that was simply too slow and missed qualifying for Class C finals by one point.



Stu Richmond starts up a Simple Fil for his son, one of the youngest fliers at the RC Nats. Another son also flew a Simple Fil, Plane was in AAM June 71.



AAM's Editor flew a brand-new flaps-and tracts-equipped Dragon Fil. Hard-working Webra pulled along a 10-lb. plane with ease. Here Sweeney checks linkages.



trio of FAI ships leave in line in a prelim heat. While these and different, most FAI planes were various renditions of the P-S1 Mustanes raced in full to rechne.



The Sons of Brooklyn are always stylish, Al Sager retrieves Phil Cushman's Class C pattern plane. The plane is a combination of surviving parts of several orashes.



Donald Sobbe, assisted by his pretty wife, entered a fine conventional design model in Class C novice. The models were most highly decorated seen in RC events.

FREE FLIGHT



Ron Martelet of Chicago displays his rubber-powered Bristol M1-D; took second place in Outdoor Scale event for the second year in a row. A well-detailed model.



Vic Cunningham, Jr. thanks Seaman Ralph Odell of the Navy's concientious and efficient recovery crew for return of the B-C gas Copy Cat. Was deep in the corn.



Rossi 15-powered ship by Dave Rounsaville the FAI event. FAI models are usually conventional designs with several automatic devices. Uses electric starter.



Jim Richmond repairs his brand-new one-gram minimum FAI-class microfilm model, Note only four ribs in wing and the huge prop almost equal to wing span.

WittmanBuster

Buster is, and probably always will be, the best known of the Goodyear Racers. One of the first to appear, it won the first Goodyear Race at the Cleveland National Air Races in 1947, It went on to post an excellent winning record for many years before being retired to join the Spirit of St. Louis and the Wright Brothers' Flyer in the Smithsonian Museum. Thus it is "the" symbol of all the Formula I category racers.

Buster wasn't new when it came to Cleveland in 1947—only the name, pilot and engine were, In fact, it was probably one of the oldest planes, having first competed in 1931 and each year following (until WW II intervened) as Chief Osligosh, with designer Steve Wittman at the controls, It had gone through many modifications over the years and was powered by at least three different engines. Many of its design features had already been put to use in production airplanes, The new name just signaled a new era with new fields to conquer.

I chose Buster to model partly as a sentimental gesture, for it spanned (as I did) both the pre- and post-WW II eras of pylon racing, but mostly because it had the good proportions and force arrangements for easy conversion to control-line competition. Both the diesel and glow versions of the rear exhaust MVVS 2.5 cc engine had found their way into my hands and a model was needed to evaluate them.

I had used the "hollow profile" type of construction on two previous Thompson Trophy Racer models and found it sturdy enough, yet not too difficult or complex to construct. It provided a cleaner model and lighter weight in the search for a few more miles per hour. I used, and recommend using, epoxy glue and paint throughout.

Construction

The wing should be built first. (It also reaches back into history, for II is a variation of that used on Jim Walker's Fireball, the first kit of a U-Control model.) Cut the bottom sheet to shape from 6 x 3/32" sheet balsa. Mark rib and spar locations and glue the ribs in place, pinning from the bottom to follow the rib contour. Install the 1/16" spar sections between the ribs and glue on the 1/16" thick leading edge doubler. Sand the

spar tops to match the ribs and taper the trailing edge to match the upper rib contour, Glue the plywood bellcrank mount in its cutout in the bottom sheet, then install the bellerank and leadouts. A piece of 1/8" OD brass tubing can be used as a drill for the leadout passages, after rotating a regular drill in one end until the edges are sharp. Cut the top sheet of 3/32" sheet balsa approximately to shape, Mark and cut out the 1/4 x 3/4" slot over the bellerank pushrod hole and glue in place. Use plenty of pins, making sure that the top sheet is securely glued to all ribs and spars. Add the leading edge, tips, leadout guide tubes and tip weight, sand to shape and set aside,

Trace the right fuselage side on a sheet of hard 1/16" balsa, including the locations of all structural parts, and cut out, (The fin is a separate piece, so cut it out later.) Trace and cut out the 1/4" plywood core engine mount, wing saddle and other structural members. Pin the sheet side to a flat surface and glue the various parts into their proper locations, including the tail skid support. The bottom stringer is best made up by laminating 1/8 x



by JAMES KLOTH

1/4" strips and $1/8 \times 1/4$ " filler pieces in the area above and aft of the wing. The left side $1/16 \times 1/4$ " pieces are added after the control system and pushrod are installed. The engine cutout should be sized to suit the engine you plan to use. Trace around the right side assembly on another 1/16" sheet and cut out.

Next, trace and cut out the stab and elevators. The elevators should be glued to the $1/8 \times 1/4$ " spruce spar and the $1/16 \times 1/4$ " filler added, Sand to shape and install the elevator horn, which is bent up (as shown in the separate detail on the plan), Make a "Z" bend in one end of the 1/16" dia, pushrod wire and bend the rest to the shape shown on the plan, Insert the pushrod in its bellerank hole through the cutout in the top sheet of the wing. Slide the wing, from left to right, through its fuselage cutout. Position it carefully and glue into place. Fill any gaps around the wing with scrap balsa. Carefully position and glue the stab into place, Fit a Du-Bro Kwik-Link to the elevator control horn and match up the other end to the pushrod, Adjust the bellerank and elevators to a neutral setting and solder the pushrod-Kwik-Link joint,

Now install the left side 1/16 x 1/4" strips over the pushrod and add the left fuselage side. The fin is assembled separately and shaped after gluing to the fuselage. Trace the rudder shape on to 3/8" balsa, cut out, bevel and install at the approximate angle shown. Shape to match the fuselage and fin after the glue has hardened.

Fit your engine and fuel tank and install with No. 4-40 blind nuts. Notice that the 1/16" right side sheet is cut away so that the engine and tank are mounted against the 1/4"


Built-up fuselage offers strength and very light weight. Even with a profile job, streamlining is essential for winning.



plywood core. Once the engine-tank-fuel system is established, remove and store in a plastic bag to keep out the dust and dirt.

Glue on the cheek cowl block, carve and sand to shape. Complete the shaping of the test of the model, finishing up with No. 400 grit sand paper, Brush on two coats of Hobbypoxy Clear, Locate, drill and install the brass tube gear joiner. Bend the two landing gear halves to shape, Mount by drilling through the fuselage and wrapping soft wire around the landing gear halves, sandwiching the fuselage between, Reinforce the joint with several layers of lightweight glass cloth and epoxy. Use scraps of glass cloth to form simple fillets around the cowl-fuse, cowl-wing joints and fore and aft of the landing gear struts, so that the main layers of cloth will properly form over these junctures, Form the final fillers in these areas, and in those where the wing, stab, fin and rudder join the fuselage, with Sig Epoxilite putty, Sand the whole model again, ending up with No. 400 grit paper. Sanding can be done using wet

(Continued on page 88)




new products check list



















Jerobee Industries/Comando RC Racer. Sold Complete ready-to-drive package, 1/12-scale Can-Am racer is powered by Cox 049 engine. Two-channel operation provides throttle and steering, control up-to 200 ft, RC system features five interchangeable crystals on the 27 MHz band, 9V dry cell-powered equipment. License-free under-100 mw transmitter. \$109,95. Jerobee Industries, Inc., 13240 Northrup Way, Bellevue, Wash. 98005

AMA/Shirt patch, Official 1972 FAI Control Line Team patch is now available from AMA headquarters. Approximately 2 1/2" = 3 1/2", patch sales will help to offset the costs of team travet. Also available in mylar = alroraft decoration and bumper sticker. (Sticker contains motto "Support your U.S. Aero Model Team.") Patch = pack of four alroraft decorations plus = bumper sticker, \$1. Write Acadamy of Model Aeronautics, 806 15th St. N.W., Washington D.C. 20005

od isplaces

Dumas/Pittman boat motors. Recently added to wide range of boats and aircraft presently carried, Pittman motor will now bear Oumas cood idle, vith O.S. permanent magnet miniature DC motor nc., 8960

available for this application, unit sells for \$11.95. Dumas Products, Inc., 790 S. Park Ave., Tucson, Ariz. 85716

Chicago, III. 60608

Joy Products/Scale JN-4D. A rest interest-grabber, scale kit of Jenny was created from original factory drawings, 66" span, with recommended 29 to 49 power, flying weight with all scale accessories is under six lb. With rigging and control cables,

turnbuckles, etc., \$49.95. Joy Products Co.,

Inc., Box 374, Menominee, Mich. 49858

nylon hold-down wing bolts in hard-to-reach

concealed locations, Ideal accessory for the

tool kit. For both binder and round-head

screws, 1/4" and No. 10 sizes, 98 cents, Carl


Goldberg Models Inc., 2545 W. Cermak Road,

World Engines/O.S. Max H40P engine, Equal to 50 engine in power output, H40P displaces only .397 cu. in. Recommended props, 9x8, 10x7, or 11x6, useful rpm range approximately 2500 to 15,000. Good idle, too. \$29.98. Also available with O.S. Jetstream silencer. World Engines, Inc., 8960 Rossash Ave., Cincinnati, Ohio 45236

Revetl/Fokker Fivedekker. Achtung, scale-kittenenthusiasts. Der Funfdekker ben finished. Vild-looken Red Baron und his red Fokker ist off patrollen der Vestern Front. Note Doggenhouse unter der cockenpit, so vatch oudt, Snoopy! \$2.25, Revelt, Inc., Box 66-397-AA, Los Angeles, Callf. 90066

Aero Graphics/Anemometer. Finishing touch for the flying field. All electronic self-contained anemometer-wind direction indicator measures velocities up to 40 mph. Can be hand-held or permanently mounted. No batterles or external power source required. 10" dia. rotor. Model LTH-44. \$48.45. Aero Graphics, 10954 Redrock Rd., San Diego, Calif. 92131

W.A.V.E. Mfg./ New technique for pylon racers. To handle stresses inherent in pylon racers. To handle stresses inherent in pylon racing, manufacturer has developed fuselage and wing fabrication using epoxy jelicote impregnated with fiberglass. Entire structure is then rigidized with nylon honeycomb for extra strength and ultra-light weight. All materials meet stringent Mil-standards and are presently used in Boeing 747 wing fabrication, Coming soon: 40-powered pylon racer in ARF kit form, priced to sell at \$90. More in coming check lists, W.A.V.E. Mfg., 1237 S. Wells Rd., Saticoy, Calif., 93303.






by FRANK PIERCE













application for, in present use as a speed

control for Dremel Moto-Tool, unit also

provides a useful accessory control for the

new thermal-glue cartridge guns, Precise

control over give temperature is available

through speed control, Prevents glue loss and

dripping by keeping glue in semi-liquid state

when not actually being used, \$16.95. Dremel

Manufacturing Co., 4915 21st St., Racine,

Wis. 53401

D & R Products/Servo mechanisms, Bantam servo now available as a replacement housing for PS-4 or KP5-12 units, More compact than earlier version, snown for comparison, servo comes with complete electronics package Installation procedures, Vertical and horizontal mounting trays available, Available in quantity to equipment manufacturers. \$5,99. D & R Products, 27635 Forbes Rd., Laguna Niguel, Calif. 92677

flying scale model of aircraft which turned the tide at the battle of Midway, kit has 31" span and can be flown free flight or U-control. Detailed plastic accessories, 3-piece sliding canopy, trapeze-type bomb release add realism. For 049 to 09 power. Truly deluxe kit for \$12. Paul K. Guillow, Inc., Box 229, Wakefield, Mass, 01880

Sterling/Beginner's UC kit, Specifically designed for young beginners, kit is easily assembled with household-type tools, uses all-balsa construction and features easy-to-read, easy-to-follow plans, Die-cut parts, metal motor mounts, control hardware (less lines and handle), decals, wheels all included. Rugged construction helps kit survive many less-than-perfect landings. For 049 engines, kits are available in six monoplane and bipe version. Eindecker (shown) is one of the more colorful, \$2,95. Sterling Models, Belfield Ave. Wister St., Philadelphia, Pa. 19144

Kraft/Engine mount. Available in 11 sizes for engines from 05 to 80, mount is constructed of Fiberfill, 30% fiberglass, 70% nylon. Advantages: 1/2 the weight of aluminum by volume, precision castings, extremely low vibration transmission from engine, screw mountings will not loosen after many hours of operation, From \$1.99 to \$3.29, depending on size and motor requirements. Kraft Systems, Inc., 450 W. California St., Vista, Calif. 92083

K & Manufacturing/Three new fuels, Super Speed, high-performance nitro fuel designed for pylon racing; 500, designed for general RC flying and race car applications; F.A.i., formulated to same mix used in FAI competition. \$12, \$6,95, and \$4,95/gal., respectively, K & B Manufacturing, 12152 Woodruff Ave., Downey, Calif. 90241

Royal Products/B-25. Beautifully detailed semi-scale kit of famous WW II attack bomber provides an interesting approach to twin-engine RC flying, 71" span, 54" length, recommended power in pair of 40 to 60 engines, \$69,95, Royal Products Corp., Box 22204, Denver, Colo. 80222

Edmund Scientific/See-thru Wankel, Kit provides a chance to learn the operating principle of the no-piston, rotary-type engine, currently being used for everything from model aircraft to Japanese imported cars. Model is 1/5-scale version of current GM-licensed Wanket engine and features timed, flashing plugs, see-through plastic block, painted metal operating parts, display stand and complete instructions, 9" overall length. Powered by 1.5V dry cells, \$6.75. Edmund Scientific Co., 380 Edscorp Bldg., Barrington, N.J. 08007

by TOM ABBERGER

Dennymite



The Dennymite is not intended for the sophisticated or advanced scale modeler, Rather, it is for the modeler who wishes to design and build large flying models in less time and at low cost, with no sacrifice of perfection or heauty of workmanship.

My own motives for attempting the cardboard folderaft design concept were quite personal. Every five years, my wife has presented me with a newborn son (three, plus one girl) to share the modeling hobby. My spouse continues to exhibit great tolerance in the matters of castor fumes in the basement, grass- and oil-stained trousers, piles of modeling magazines at every convenient location, and high electric bills, Modeling is our way of life.

In addition to our flying chub activities, my sons have their own private flying strip behind our home outside the city limits. Their usual summertime greeting, which is music to my cars each evening, is, "Can we fly tonight, Dad?" But when the youngest child, at the

tender but aggressive age of four, demands his own flying models and equal flying time, along with the older buys, then a totally new concept for the supporting logistics of time and materials is required. Our approach led to the fold-up cardboard method of building.

By using this technique, my sons have been provided with do-it-yourself kit ideas which use corrugated cardboard sheet stock in place of balsa or plywood. The most unique feature of these aircraft is that the fuselage and/or wing is made from place of corrugated paper board, folded, and contains only one seam. Corners are filled in with 1/8" source balsa strip.

The fold-up idea has enabled us to build, in short order and at low cost per plane, many more of the slab-sided designs such as Das Little Stik or Ugly Stik, Square Shooter, Fokker D-VII, Nieuport 17, etc. Surprisingly enough, fold-up flying models constructed for the larger 45 to 60 size engines proved to have a service life equal to, or greater than,

conventionally built RC designs, Another of the many advantages of working with paper stock is its compatability with any of the glues, dopes, cements, lacquers, enamels, resins and/or covering materials which require heat in application.

The Demymite design is intended as an example of what can be done with the one-sheet fold-up concept of construction. The technique can be applied to more sophisticated designs, with equivalent savings in time, patience and money.

Construction: This method uses a drawing the actual size of the model, which is presented as a flat layout development or drawing of the body. The intended design is laid out flat as it would appear if a completely built fuselage were unfolded. The pattern is designed in one piece so that, when the blank sheet is cut according to the layout, the cut-out piece provides the required size and shape when bent up or rolled into the finished structure.

Rugged, quick-built, sport trainer made almost entirely of corrugated cardboard. Can be built directly from these plans.



Cavernous fuselage contains any size radio/servo. Large Fox 50 used for brute power, but a 35-45 size is adequate.



Almost finished, controls installed before gluing down the fuselage top. Note rails around alteron servo for wing alignment.



Epoxy hardwood engine ralls to plywood doublers, then contact cement them to sides.

Entire fuselage made of one piece cardboard. Notice constant nose to tail taper.



Materials and Tools: These are indicated in the plan and photographs. Sheet stock size in length and width must meet the overall dimensions given. The working area should be a flat surface large enough to support the complete single fuselage or wing sheet stock. Drawing tools required to transfer or enlarge the design to the intended size on the sheet stock are minimal: yardstick, square in triangle, lead pencils and eraser. Cutting tools are an X-acto knife and a steel guide, such as a large carpenter's square, Good substitutes are a venetian blind slat or a standard carpenter's hand saw with handle removed. The steel guide is used to insure clean straight cuts and incisions in cardboard sheet and to avoid possible finger cuts. Keep fingers back from the cutting lines.

The Dennymite fold-up pattern is drawn as illustrated by steps one through four. The fuselage is based upon a perfectly flat bottom and its dimensions can be enlarged to actual size starting from a bottom centerline, Actual

Spanwise corrugations give wing its strength and permit bending for sirfoll shape.



size dimensions for the Fox 60-powered airplane are given.

All fold-up lines are to be cut only halfway through to incision depth. On such lines, use moderate cutting pressure only. When cutting the complete fuselage outline, a clean smooth cutting stroke must be used. The steel guide must be used to insure the straight clean edges necessary for perfect alignment when folded.

Fuselage doublers can be added after the actual folding procedure, if desired. The folding will be smoother if the line to be folded (line cut halfway through) is aligned along the edge of a square-edged work table and then popped downward to make the fold,

Horizontal stabilizer and vertical fin are double thicknesses of corrugated cardboard when completed. Use contact cement if available; if not, weight must be used to hold the sandwich construction down flat until dry

Wing construction is essentially the same

Note corrugations on stab are cordwise. Flat rudder/elevator are double thickness material.





as the folded fuselage. After completion of wing cutting and initial popping procedures, position and cement wing ribs on the inside of the bottom surface, as shown by photograph and pattern. Sections of standard one-in. high yardstick material can be cemented between ribs 3 and I prior to gluing down the top of the wing to rib upper edges and the trailing edge.

If the wing is to be used on an aircraft without ailcrons, build the wing in two halves with centerjoint ribs canted to provide two inches of dihedral at each wingtip. On either a one- or two-piece wing, apply a liberal coat of epoxy or fiberglass resin on both top and bottom sides of wing at the centerline joint and rubberband hold-down areas.

Use epoxy in fiberglass resin at the engine bearers, engine and fuel tank compartments, Use epoxy or resin at the stabilizer and vertical fin root areas on the Dennymite design.

(Continued on page 75)





Photos by Bob Meuser




















Only 13 years old, Jim Johnson set Jr, record, taking first in Unlimited Rubber event.

Even rubber-powered scale in evidence—this John Laycock's neat, simple Piper Tri-Pacer. Ultimate in free flights, 56-65 powered, 1200 up in area. Winner Bill Hunter's Satellite 1300.

Harold Thomas' winner in Coupe had 165 squares of wing, 15 1/2 in. prop, 6 strands 1/4 Pire(1)

Parmenter's "Langley" was flown by Irwin Acker to Wake first. I had added high wing

Veteran free flighter, winner of 7-ft, Sweepstakes trophy, Jim Scarborough (Broadhurst Memorial).

Solid sheet wings featured this A/1 towline winner by Ed Skvarna who broke see Senior record.

BIGGEST

by BOB MEUSER

Twenty events, 100 trophies, 250 contestants from nine states, Canada, and Mexico making 600 entries, three days of perfeet weather, more than a half-dozen new National records, flat, treeless desert extending downwind for ten miles-the makings for one of the greatest free-flight contests ever: The U.S. Free-Flight Championships, held in Taft, California, When the AMA announced that Nats would not return periodically to Loas Alamitos, the Norther and Southern California associations of free-flight clubs, with the aid of the Taft Condors, decided to have one of their own. Even with responsibility split a dozen ways, it went off smoothly.

Night Flying, a popular event in the West, drew eighteen entries. Dennis Bronco topped the list with a total of 27:37. At almost any time during this three hour event, at least one new "satellite" could be seen weaving its lazy, geometrically-perfect pattern through the star field. But occasionally, a hastily-contrived system of batteries, lamps and wire would fail. The DT fuse, glowing fiercely in the prop's backwash; painted the model with a soft orange light during the climb, but when the engine stopped, the desert sky was black again. Next morning, cars and cycles threaded their way through the sagebrush in search of the strayed craft.

Nordic A/2 Towline Glider was won by Dennis Bronco, one of the U.S. Nordic Team members, flying a new Sharkie (May 1971

AAM, p. 42). His teammate, Lee Polansky, dropped out early, Record-holder Kermit Walker came in second, with Tom Rutchinson third. Eddie Skvarna won the A/I event and set a new Senior record, Thirteen-year-old Jimmie Johnson surprised the old-timers by winning Unlimited Rubber with a three-ft. stick model, and set a new Junior record

(three-view appeared in October 1971 AAM),

United States FF Championships saw 250 top entrants fly 20 events in action-jammed three-day competition.

Ed Bellinger flew his Gysob (June '70 AAM, p. 38) to first in C-Gas, Walt Ghio won the FAI Power event and set a new record, followed by Annie Gieskieng of Denver, flying her old Siren,

Acker and DeWitt were top in Wakefield, but third-placer Bill Bogart set a new record, Five regular rounds were flown in the contest, so when Bill's prop jammed on his sixth flight, giving him a two-sec. flight, the game was over, But, for record purposes, seven rounds are flown, and Bill's two-sec. flight counted as an "attempt." Bill repeated his sixth flight, making a max, and finally failed to max on his eleventh flight.

Nine huge Class-D Gas models were entered - no one seeing these eight-ft, behemoths could go away with the notion that free flight involves a bunch of kids with toy airplanes. Although the 41-65 engine displacement is already included in Class-C, at least a Supertigre 56 and 1250 sq. in, of wing are needed for a true Class-D. Jim Scarborough won with his Tigre 60-powered 1400-sq. in, Texan, whose stabilizer is as large as most Class-B wings.

Out of 34 contestants in Hand Launch Glider, seven made at least three maxes, with Charles Primbs winning. Sixteen-year-old Steve Emmert put up three maxes in Rocket with his fast-climbing Jet-Texan (June 1971 AAM, p. 34). Young Fred Ginder beat out 80 others to win 1/2-A Gas with a total of 56:00-a new Senior record.

As Sweepstakes winner, Jim Scarborough received the seven-ft, tall Chuck Broadhurst Memorial Trophy, Ocie Randall was presented an AMA Distinguished Service Award for outstanding leadership from 1940 to 1970-a tribute to the third of a century Ocie has spent making Free Flight more enjoyable for the rest of us. Ocie asked "Is Free Flight dead?" Our answer is a thundering "NO!"









Annie Gleskieng gets assist in starting engine from Mr. G. She flew Siren Mk4 to FAI second.

Winding Coupe d'Hiver-My Coupe design by Nats winner Vanderbeek-is versatile Jim Scarborough.

Top at USA Team Selection finals, Dennis Bronco. Taft winning A/2, modified Hines Sharkie.

By light of Coleman lantern, unknown modeler starts a night-flying entry. Daytime recoveries,









Carl Goldberg's great Valkyrle flown by Sam Belcher to a first in Old Timer Unlimited.

Jetex-powered rocket event was an interesting thing. | Wanderbeek flew Simpson "JaTex" design.

Flying "backwards" in all events, Carl Taylor always uses canards—tall-firsters to you. This a C job,

Flying since he was three, Ken Cramsey, now 8, was flying his first gas Job in his first big meet. Sundancer.

WILLIAM THE Special interest

FRED MARKS AERO/ELECTRONICS

For Safety Sake: A candid letter from a concerned manufacturer, Granger Williams of Williams Brothers.

"We have a production problem that we are working on, concerning 3 1/2" Spinners. This problem has become visible since the Top-Flite P-51 kit has gone the dealers shelves. Top-Flite recommends 3 1/2" spinner for the P-51.

"The problem is due to the weight and

"The problem is due to the weight and mass of the spinners in this large size. Centrifugal force increases with rpm. The notches cut into the back section for the propeller blades destroy the hoop strength of the rear spinner section. This permits it to spread, causing a curve in the mounting disc threaded section and forces the front cone to pop loose. No matter how tightly the front is screwed on, the centrifugal force will push a off

off,
"To avoid this possibility, drill 1/16" holes
through the spinner front and the rear
threaded section, ill the area in front of the
prop-blade notches, insert self-tapping screws
in the holes after tightening the front.

In the holes after tightening the front,
"The above procedure and required screws are being provided with new spinners, it is recommended that those who have already purchased the 3 1/2" spinner perform this modification.

"Over the past few months, we have been working on money design for the screw-on-front type spinner, included in this new design will be left-hand threads for use with starters, and money method of construction to eliminate all possibility of the front section spinning off."

A Tip On Model Aerodynamics: I recently was honored by wisit from college classmate, Calvin Wilson, Jr., who is manager of Aerodynamics, Structures, and Flight Test for Piper Aircraft at Lockhaven, Pennsylvania. Cal, who will been flying RC models even longer than I have, feels that our models could benefit significally from the use of aerodynamically-balanced control surfaces. Furthermore, he feels that a "set back" hinge (see figure) should be developed. For those who would like to try It, the area forward of the hinge may be from 15 to 20 percent of total area, although any will help. Avoid making it so large that the leading edge of the surface protrudes on the opposite side when fully deflected, unless a masseal will used with the surface is made quite thick.

surface is made quite thick.

L used such an arrangement several years back on the "Charger," a single-channel model flown with a magnetic actuator. The advantage of static and dynamic balance permitted the model to be flown quite snapplity with a 19 in a day when magacs were limited to 049 models. Cal states that he had been flying an Aeromaster which exhibited rather poor pitch control characteristics that were readily corrected by using an aerodynamic balance.



Receiver/decoder by Mike Dorffler is self-contained in a serve for single-function operation, Uses Motorola IC on lower PC.

Friendly, Inveterate Tinkerer: Mike Dorffler writes me occasionally about one of the many projects he keeps going. He mentions a receiver, decoder, and servo-amplifier all inside a KPS-9 servomechanism! He sent along the photo shown of his receiver design which he uses to feed a single-channel decoder. As soon as Mike sends suitable component layouts, we hope to present them in this column, along with information on some of his other projects.

JOHN BURKAM HELICOPTERS

Worldwide Wrap-Up: Here is what the most successful helicopterites are doing all over the

world.

Germany: Diefer Schluter, who produced and sold over 100 kits for his record-setting Hueycobra, has promoted second international RC and full-scale helicopter competition, and is giving courses in how to fly the model choppers.

F.W. Blesterfeld is now flying the Bell UH-ID model which wan second place at the RC helicopter competition in 1968.

Gustav and Heinrich Heineman have lifted a toy dump truck with their Webra 61-powered Kollbri Helicopter,

Netherlands: A, Van der Velden flies his super detailed HP-61 powered Bell UH-1D in a hangar—weighs ten lbs, and has six-ft, rotor.


Japan: Shinya Fujiyama uses three-bladed rigid notor and gyro stabilizer on his water-cooled Enya 60-III powered copter, Pictures of this and Van der Velden's model in June 1971 Radio Control Models and Electronics.

USA: Dave Gray probably is the first in this country to achieve full control with his five-ft O.S. 40-powered torque reaction drive model. Only three-min. tank on it, but an ultra-simple model to build and fly.

Horace Hagen accumulated about 90 min. of tethered flying on his Schluter-kitted Hueycobra. Then that super-filer took off the tether lines and flew if around the field, coming to a hover before landing! He already a skilled RC airplane pilot.

My own flye-ft., rigid rotor chopper has seven hrs. flight time and has made several circuits of the field.

Of the eight helicopters mentioned, six are powered by 60 size engines and weigh close to ten ib. They can carry only a pound or motifuel and stay within the FAI weight limit of two kg, for world records. Their duration is thus limited to about half an hour. Better to mention half as big an engine, carry twice as much fuel, and fly four times mong.



Three of the eight used the Hiller servo rotor control system. (See sketch.) Two used the Beli Stabilizing bar, two have hingeless rotors and control gyros, and one uses tip weights. Not only is the Hiller system the simplest and most stable system, it puts the least load on the servos, which only have to control the angle of the little servo paddles. Those in turn control the angle of the main rotor blades. The Beli rotor is stable, but is more complicated to build. The Lockheed control gyro and hingeless rotor is stable in hovering, but does not have good speed stability in forward flight at present.

CLIFF PETERS RC BOATING

Electric Boats Moving Faster: With the availability of water-cooled electric boat motors of greater horsepower, lighter weight and increased efficiencies of up to 80%, speeds of electric boats are increasing into the IC engine class.



Would you believe, an electric boat! Only a few years ago such speed for a large electric boat was impossible. Text tells about the developments. Maybe a record?

The SeaWasp II, shown in the photos, is an excellent example. Though not designed as a racing craft, it is much livelier than most scale cruiser-type hulls and is indicative of things to come. Two 12V SeaWasp motors power a Norce model cruiser. Motors are geared down 1 1/2 to 1, to drive a single Dumas P-50 prop. While several different size NiCads are being tried, the ones used when these photos were taken = 6-amp Sonotones with a times 15 draw capability. Smaller capacity cells of lesser weight would show a speed increase but shorter running time.

Flank speed running time is approximately eight min. Two speed plus "stop" available by Inserting a ohm, 200-watt resistor into the circuit which serves two purposes. It allows a slower running speed when desired, but more important, it becomes a current-limiting resistor and thus makes possible the use of a much smaller switch than would be possible if the switch were required to take the large sudden "make" spark. A small two-deck wafer switch, each of two-pole, four positions, with the poles, and each set of contacts connected respectively in parallet, results in a single pole, four-position switch which does not show undue contact sparking or burning.

sparking or burning.

A "shorting" type wafer switch must be used so that there is not an "open" when the contacts move from the "slow" position to the full-speed one. Remove the detent ball, or the servo will not be capable of moving the switch contacts.

The resistor has a disadvantage in that it dissipates power in the form of heat. This power loss is waste, but it is mighty handy when maneuvering and when attempting to bring the boat in to shore slowly, rather than catching it on the fly at high speed.

Evan though there is some power waste, the overall current in the circuit is greatly reduced, thus running time on a given set of cells is increased. The builder may have other ideas he feels more suitable for obtaining the same result without as much power loss, but it finally becomes a matter of cash expenditure and weight. The resistor is comparatively light, which is desirable whether the huit is racing designed or made for the pure pleasure of sailing.

What has been your experience with electric boats? Got any circuits for speed control and reversal which may be unique? Ideas are welcome in this new column. Address your materials to Cliff Peters, c/o AAM. For items used, small payment is made. Credit is given to all sources,

RC CAR RACING

ROAR Nationals: The 1971 ROAR Nationals are now history with John Thorpe crowned as National Champion. Racing this year on the large road course was fast and furlous with fantastic speeds obtained on the long back stretch. The surface was so good and has so much bite that it was probably one of the best surfaces most of the drivers had ever driven on. California drivers were the fastest but the drivers from the East and Midwest were better in crowded turns and traffic situations—probably due to the larger, more wide-open tracks used in West, and the shorter and generally tighter Eastern tracks.

National Tech Notes: Servo protection for the steering servo was very much in evidence and appears to be the way to go, No one type dominated the picture as they ranged from simple spring types to complicated cam affairs.

Fuel systems have also been getting a lot of attention with pressure-type setups coming into wider use. Most of these appeared to work on the exhaust system for pressure and not on crankcase pressure, as in airplanes. The reason being that cars must have throttle control. Crankcase-type pressure is too great and would have to have a complicated pressure bleed-off system. Kavan carbureters were utilized on the Veco engines, with some of the larger Perry carbs also being used.

Of great surprise was the almost complete lack of independent rear suspension setups. With all the talk this past year about how this is the only way to go, it was a disappointment not to have seen more. To the best of my knowledge, not one bevel gear-type drive with universals and suspension arms raced. There were several belt-type arrangements ranging from sprung live axies to Gary Walker's independent dual belt with all shocks.

from sprung live axies to Gary Walker's independent dual belt imm with air shocks.

Front suspension ran the entire gam ut—from completely solid to independent—but nothing really new was seen. There immediately solid to have been if few engine improvements. The property is to have been if few engine improvements were obviously reworked as no stock engine ever put out—in power or rpm—as some of these did. Maybe we can persuade someone to share their hop-up secrets in the Veco 19 with us in if future column.



Gary Walker's car-dual belt independent rear suspension with air shocks.



Correspondent Robbins and Gary Walker track marking at Series '71 East Contest. Needed items: broom, tape and two willing people.

Newsletters: Received a copy of the "Slam Sheet" newsletter of the St. Louis RC Car Club—a going club with regular racing activities planned for both the amateur and expert driver. If you live in the St. Louis and wish to join the club contact Ken Campbell, President, 4363 Selwyn Lane, Bridgeton, Mo. 63044. To club newsletter editors out there: How about putting this column on your regular mailing list so that everybody can share in your goings on?

DEANS RADIO FOR BOATS/CARS OPERATING THE DUMAS FIBERGLASS SKDADDLE 20

W. S. "Bill" Deans has been in the RC business in one way or another for many years. My first recollection was of his reed banks and relays for numerous reed systems. (Yes, there were many types of systems before digital!) Deans manufactured the best eight-pin plugs made for reed systems, where there was a wire for each pin; 0V, 1.2V, 3.6V, and 6.0 volts, signal left and signal right. We have made progress. Bill now manufactures the same fine plugs in the four-pin configuration needed for digital proportional with the added feature of gold plating the pins. I have to admit, those old, unplated ones did gall over a period of time.

Deans also manufactured reed systems up to ten channels. He later became one of the early digital manufacturers with a very successful set. During the recent rounds of miniaturization, Deans ceased manufacture of the old set with its large servos and, over the past year or so, has proceeded to develop the fine miniaturized set reviewed.

This set is unique in that it is designed specifically for car and boat modelers, which is readily apparent in the transmitter layout. The primary control is a large "wheel" knob. Steering trim is located immediately below the wheel. In operation, the transmitter is cradled in the left hand so that the fingers of that hand control: (a) a "deadman" throttle, (b) the throttle trim, (c) the auxiliary channel lever normally used to shift gears on cars and, (d) mixture. The "deadman" throttle is spring-loaded to one end, normally idle, and is held open with the throttle control finger—quite precise for boat um car operation.


The transmitter is housed in an aqua-colored vinyl case 6 x 6 x 2 1/4 in. A meter is provided for RF output indication.




by FRED MARKS


An unusual interlocking antenna fitting is used which has a square shoulder protruding through a square hole in the case and mating with a square hole in the interior piece. Thus, the antenna and ground leads cannot be twisted and kinked when tightening the antenna fitting. A base-loaded, five-section antenna 56 3/4-in, long is used which can be collapsed to 13 in. The last physical feature is probably the most unique: protruding from the top of the transmitter, just to the right of the antenna, is a changeable crystal.


(Continued on page 91)





Text describes IIII transmitter's good internal features. Transformer in charging system for shock protection.







Compact receiver with changeable crystals, Antenna is actually center-loaded.

New Dick Rehling-designed servos offer lots of internal space for the amplifier and operation with case halves removed. Dual rack output also available from servo maker.







GLIDER SUPER SKID

We've packaged up 4 ft, of 1/8 x 1/2 double sided viny? tape (3M) and .020 x 1/2 polypro pylene which when applied to the min of your glider makes im attractive, quick, and inde-structible skid that absorbs shock and protects the plane's belly from hard surfaces. enough for two or more gliders.

No. 25L14-Glider Super Skid

\$1.50

NEW SIZE FOAM SEATING TAPE

We've had requests for a single sided seating tape in a different size than the other two we mow have. This is top grade closed celt vinyl made for us by 3M (As are our other seating and double coated tapes) and 15 the best to be had. Measures 1/8" thick, 1/4" wide. (Our other tape in 1/16" thick.)

No. 36L142-1/8 x 1/4 Vinyi Seating Tape .65

CLEAR RTV 732 SILASTIC

We have been carrying this in the white, but keep getting requests for the clear or translu-cent for use a seating cowls to fusetages and other places where non-visibility is important. Same characteristics as the white-moisture resistant and heat stable. Tack free in less than

No. 24K7-CLEAR Silastic, 3 oz.

\$2,40



KRD ALUMINUM T MOTOR MOUNTS

Here are some machined aluminum motor mounts which will fit .049 to .19 motors. These undvilled in untapped so that they may be universally fit. They may is shortened if required,

Being in two pieces these will fit the width of the beam of any motor in this size category.

No. 16L352 - .049-,19 Motor Mounts Pr. \$1,00

KRD HEAT SINK FOR VECO .19

Here is a needed accessory for race car fans. This heat sink does an exceptional job. Is completely chrome plated, and will keep its neat appearance. Built to withstand usage and to do the job effectively. Designed for the Veco .19 race car engine only

No. 39L1-KRD Veco.,19 Heat Sink \$4.50

KRD EXHAUST PIPES FOR VECO .19

Complete with rotor hole plugs, these twin pipes lend a nice appearance and add to the per-formance of the Veco .19, Chrome plated and designed to fit and work properly.

No. 39L2-KRD Veco.19 Exhaust Pipe \$5,98



Dear Friend

The voice at the other end sounded orgent and breathless. I had just picked up the phone in response to the intercom. "Mr. Runge?" in response to the intercom. "Mr. Runge?" Cautiously, I replied "Yes." The next words were garbled all I could tell is that the call was coming from somewhere in Massachusetts. I have trying R/C flying for 10 years. I just had to call you and let you know that with a Dick's Dream I built from your kit and the Commander Baby, I have had my first successful flying session!"

What a nice way to start and day. But then, it's not an unusual way around here. Besides phone calls, we get letters. Some like this.
"Your service is excellent, your Pulse equipment is terrific!" in this: "I do all my buying my hopby shop, but I had to let you know your equipment is just great. Thanks for what you've done to make a good hobby really en-

joyable Be could go on like this for quite a while, but that isn't really what this column is all about. But we did want to share with you the growing excitement that is being falt in the land about single channel pulse. Stew Vance, aditor of the DC RC Newsletter, devoted an entire page of that publication to comments about what fun R/O is, suggesting to any of his readers that megic prescription for "Lost Fun Troubles", a dose of "nearly faultless and inexpensive outse rudder with good old magnetic

We've been conducting a survey with the Commander Pulse units we send out. With each is a warranty sheet and me all background questions to give set an idea of who our customer is. The returns of these warranty sheets has been exceptionally high-and the results most

of our Rudder Only customers were tween 21 and Myears old; while 33% and all

10% have same in modeling less than a year, but the balance say they have been in longer here is an eyepopper: 30% say 21 years or

to at our pulse users are beginners; but 55% have been in R/C three or I Of this 55%:

58% own man im more other radio systems including digital outfits; 10% have 4 or more complete outfits!

Those figures are quite revealing. From that 38% beginner group, we have many who had of success me their first attempt. And the airplane? More often than not the Dick's Oream kit

To wind things up-our foam wings are going great guns in a wide variety of applications. We've shown you saveral in months past. This month here is John Chapis of Denton, Md. with # Profite P381 Really looks sharp in the mit. Our grapevine tells us that AAM will be publishing plans for this one. Keep watching our ads-we've got some

good things am the front burners, and we're turning up the heat!

> Keep 'em pulsing, Runge



ACE HIGH SAILPLANE KIT

Kampen Designed--For Rudder Only Pulse

The Ace High kit features a matched set of foam wings. The constant chord section forms the conter, and the taper section forms the out-m panels for a graceful, easy to build, strong but flexible, high aspect ratio, wing. This method of construction overcomes the biggest single stumbling block for the beginner to the fine art of soaring. The polyhedral span is 70"

Fuselage and tail assembly is straight forward construction. Balsa and plywood is precision band sawed, and dimension sanded of the

highest quality wood available.

Parts for power pod are included (Cox Babe Bee .049 recommended). Those living in the soaring areas of the country can leave off the power pod and locate hooks for high start or tow line launch.

The kit also contains step by step assembly details, matched foam wing sections, hinge material, torque rod and link parts, nylon tub-ing, and installation hardware for Rudder-Only Pulse Commander. 10G16 recommended). (Standard Commander

Extensively test flown for well over two

No. 13L104-Ace High Sailplane Kit



DICK'S DREAM PLANE KIT For the Beginner or Expert! (Designed especially for pulse)

This kit of the Dick's Dream, designed by Owen Kampen, has been extensively test flown in various parts of the country. It has several innovations which for the small breed of airplane specifically, and with the foam wing the beginner is assured of overcoming a big drawback to success. Features crutch type fuselage construction to assure line-up and accuracy.


Full step by step instructions to assist in building this gem of a kit. AND ultra simple installation shown for the Commander R/O Baby or Baby Twin!

or Baby Twin!
Span is 34" (cut from the Ace taper wing foam sections), 5½" chord, length is 25 inches. Weight with R/C gear is 12 to 14 ounces, with a Pee Wee, 020 and a Commander R/O Baby you have a doclle performer and excellent trainer. If you want something hot, Tee Dee .020 with the Commander R/O Baby Twin will do the job-it'll do everything in the Rudder Only book!

No. 13L100-Dick's Dream Foam Wing \$5.95 Airplane Kit

JUST FOR FUN

THE SIMPLE SYSTEM --




PULSE PROPORTIONAL .. Best Choice for You!

RUDDER ONLY PULSE IS:

- * FULLY PROPORTIONAL
- LIGHTEST WEIGHT-2,5 oz. for the Baby w/225 ma nicads.
- LOWEST COST-begin at \$59.95! (less batteries and charger).
- * SIMPLEST-only me moving part, easily serviced and maintained; noise free.
- VERSATILE-Arrange to suit your particular installation. You can see or down in size without obsoleting your receiver see transmitter. Simple changes of battery packs and actuators allow change at will. Or a Motor Control to Standard or Stomper-using same battery pack.
- * GREAT for Beginners--FUN for Experts.

ALL UNITS ARE COMPLETELY WIRED, TESTED, GUARANTEED



COMMANDER R/O PULSE COMBOS With Airborne Nicads E Charger

Our Commander R/O Pulse Combos are available in 4 sizes for most sporting needs from the smallest to the larger aircraft-or boats.

The Baby is for .010 to .020 jobs. Has two 225 ma Nickel Cadmiums and the regular Baby Adams. Airborne weight is 2.5 oz.

The Baby Twin is for hot .010 to .020 jobs. As above, except uses Baby Twin actuator. Airborne weight is 2,9 ounces.

The Standard uses the Single Adams for more power for .049 to .07 size. Uses larger capacity nickel cads. Airborne weight is 4,5 oz. The Stomper the Twin Adams actuator

for up to .15. Airborne weight is 4.9 oz. No. 10G15-R/O Baby Combo \$69.95

No. 10G15T—R/O Twin Baby Combo No. 10G16—R/O Standard Combo 71.95 No. 10G17-R/O Stomper Combo 74,95 26,995, 27,045, 27,095, 27,145, 27,195 mHz Specify frequency desired 74.95

9 V. Transmitter Battery Extra

SEE YOUR DEALER FIRST! If the can't supply you, order direct from the factory. Quick Service. Minimum order \$3.00. Remit by Money Order, bank draft or check.

BEST SELLER

We're on the THIRD Printing of our 1971 Handbook Catalog! The demand exceeded pectations. One of the reasons is that it contains the most comprehensive information and data for Pulse Rudder Only published anywhere. coupon and \$1.00 today. Refundable == your first order.

Don Dewey says: "This should be in the library of every modeller!" Walt Schroder says: "An exceptionally well done job."

NEW HANDBOOK-CATALOG (Completely Revised)

Dur NEW Handbook II. Jog has been completely nevered to make it sakes for focate items you are looking for More term on DEE plages. It was you time. Also include the manual complete indicious time. Also include Only work, and why it is your best fee. Builder Only work, and why it is your best fee. Builder Only work, and why it is your best fee.


ACE RADIO CONTROL, INC * 80X 383 * HIGGINSVILLE, MO. 64837

NAME			_
ADDRESS	STATE	ZIP	
QUARTITY FINES ::	NAME OF ITEM	PRICE	TOTAL
W. EarsAmonard =	Due to the p	ostal rate	increase illorders

RAINBOW

No pot of gold rewarded Republic's magnificent design, ordered by military and airlines alike.

by WALT BOYNE



In mid-1943, the Air Force laid out a seemingly unattainable requirement for a fast, long-range photo-reconnaissance aircraft which would operate independently and with impunity over the enemy's heartland. Alexander Kartveli, of Republic Aviation, Farmingdale, N.Y., master designer of the P-35 and P-47, saw not only the difficulties but the possibilities inherent in the requirement.

Speed, altitude and range would offer not only immunity to attack, but also the basis for a post-war commercial transport which would break Republic away from its strictly military single-seat fighter background, Kartveli knew that at the state of the art at that time, those requirements could be met only by combining the new Pratt & Whitney R-436th engines with an airframe that was aerodynamically perfect, and so he proceeded to by unprecedented demands upon his engineers.

Republic's proposal for the revolutionary design was successful in obtaining an Air Force contract for two aircraft, at a total cost and fee of \$6,804,684. A mock-up was ready by June 1944, and various changes suggested then were incorporated in a final mock-up

inspection in November of the same year,

Kartveli had demanded and achieved aerodynamic perfection in the XF-12, surely the most beautiful four-piston engine alreraft ever built. In spite of its performance, the Rainbow met head-on with the upset economy of the late 1940's, and only two of these magnificent aircraft were completed.

The fuselage was a cigar shaped cylinder, swelling from a smooth plexiglass point at the nose to a 10'6"-dia. circular cabin, then tapering to a conical tail section.

The unpressurized nose section offered clean entry and wonderful visibility in fair weather. Icing or precipitation would have been a problem, however, and production models were to have the pointed nose section formed into two halves, which could be retracted into the fuselage sides, A flat windshield, forming the forward wall of the pressure cabin, was equipped with windshield wipers and defrosters.

The entire plane was free of the usual bumps, holes and protrusions—camera ports were covered with flush-fitting sliding covers, and the radome was retractable. Only a few acrials were allowed to mar the polished symmetry, and it was planned that even these

At Farmingdala plant, Rainbow posed with Republic's then-new Seabge and a "Jug."

would later be replaced by flush type antennae.

Kartveli's uncompromising requirement for aerodynamic cleanliness resulted in some knotty design and structural problems. To obtain minimum drag, the wing was mounted at mid-position on the fusclage at a right angle to the curved fusclage side. To maintain a free cabin passage, Republic's engineers avoided the usual practice of carrying the spars through the fusclage. Instead, the wing spars were joined to massive double-ring bulkheads which served as dividers for a cabin compartment.

Similarly, the nacelles were mounted in mid-position on the wing. These nacelles, of an extreme fineness ratio, introduced two innovations. An annular fan, similar to the type used on the FW-190, forced cooling air through the engines. At the rear of the accessory section, a sliding ring cooling slot was used, instead of conventional cowl flaps.


Wing leading edge intakes provided for the carburetors, intercoolers and oil coolers. Note annular fans behind spinners. Even the cowl flaps were eliminated by silding ring cooling slots. Turbosuperchargers mounted in each nacelle. American and Pan Am placed firm orders for 26 of the 40-46 passenger craft—but air travel boom fizzled.

This combination, far in advance of its day, would play a villain's role in the testing of the Rainbow.

In the rear of the nacelles, each almost as long as a P-47 fuselage, were mounted two G.F. exhaust-driven turbosuperchargers which added almost 325 hp to each engine's output,

The Farmingdale engineers were aware of the aerodynamic problems to be expected at high Mach numbers, and the laminar flow wing was designed accordingly. Maximum diving speed was 610 mph or approximately .8 Mach, and automatically operated dive (Continued on page 76)





All-balsa towline job catches thermals just like the real plane. Learning flight trimming will be easy with this model.

SCHWEIZER 1-29



by DAVE THORNBURG

here's a great deal to be said for a painstakingly detailed superscale model with working gyrocompass and scale rivet spacing—but every time! sit down to work up plans for such a plane, it comes out as an all-sheet profile model that is only semi-scale at best.

There's also a lot to be said for this type of plane, especially if you're not yet an expert at building models. From certain angles, sheet profiles look excitingly close to the real thing. You can build an entire profile job in an evening, so if a stray thermal carries it off to the Great Blue Gobbler on the first flight, you're not out much time or money, and you've at least had a memorable flight. You get a lot of air time out of such models, for you don't mind putting them up in less-than-ideal conditions.

The little Schweizer 1-29 has all this going for it and more. It is really a fine performer, and very easy to make fly. Though not really scale in any of its outlines, it has a cute and classically "sailplane" look, and draws a lot of comment wherever it's flown. Not even the true scale bugs seem to notice the deviations, for the real 1-29 is not a common sight—it's a one-of-a-kind design cooked up by the Schweizer folk back in the late 1950's to test the feasibility of laminar airfoils on sailplanes. The fuselage and empennage are basically the same as the popular 1-23, but the 1-23 wing is less practical for our purposes, since it tapers sharply to almost a needle point at the tip.

Construction

If you build the fuselage from two pieces of 2" wide balsa, there will be a joint right through the wing slot, as the plans show. This makes cutting the slot much easier than if the fuselage were single sheet. The easiest way to outline the fusciage on the balsa is to lay the full-size plan over one piece of the wood, lining one edge up with the joint line on the plans. Then make shallow pinholes every 1/4" or so along the outline of the part. When you remove the plans, the outline will be clearly visible on the wood. Follow the line of pinholes with a modeler's knife or single-edge razor. Repeat this procedure for the other half of the fuselage and your 1-29 will be about 1/3 finished!

Set the fuselage aside and begin on the wing. If you can find m piece of four-in, wide Sig Tapered stock, your work is done for you, Just take a sanding block (medium paper) and round the leading edge to the cross section shown on plans. Also round off the slight point formed in milling on the top surface of the wood, about 1 1/2" back from the leading edge. Now cut the wing in half exactly in the center, using a triangle or T-square to be sure the cut is precisely perpendicular to the leading edge. This is a good opportunity to check your airfoil sanding: is the cross section

SCHWEIZER 1-29

at the cut you just made the same as that shown on the plans?

With the same medium sanding block, bevel both halves of this center joint just slightly, so that when put back together, the wing forms a shallow "V" when viewed from front or back. This is the dihedral so necessary to a model's stability; it should be about 2 1/2" on each side. The easiest way to attain this is to lay one wing panel flat on your workbench and prop the tip of the other up 5" while gluing the beveled roots together,

Let this center joint set thoroughly before moving the wing, When dry, apply a 3 x 4" piece of light Celastic or heavy silk to the bottom of the center section, If you've never worked with Celastic, it's easy, Cut the piece to size, half-fill a shallow saucer with dope thinner, pass the Celastic through this thinner "bath" soaking it completely, and flop it in place on the wood. It will dry in two to three hours, Incidentally, if you have used model airplane cement in the dihedral joint, the thinner may soften it temporarily, so beprepared.

This is a good time to cut the empennage (the collective term for rudder and stabilizer) from some good, straight-grained, medium-soft 3/32" balsa, Again, pinpricking the outlines onto the balsa is the easiest method, unless you really want to cut up your plans, Round the edges of these pieces for streamlining and set them aside. Don't dope them until they're joined to the fuselage, as they're likely to warp,


You're now ready to assemble the whole airplane. Perhaps the easiest method is to glue wing and empennage to the top half of the fuselage first, jigging everything carefully with pins and props and checking the alignment of each piece carefully. Be particularly careful in aligning the empennage; it is so far from the wing, which is the aerodynamic center of the model, that slight misalignments have a lot of

While everything is drying, you can make all of the little accessories that really "make" your model-the tip plates, for instance, Cut them out of 1/32" plywood. If you know an active modeler, you can probably find pieces of ply in his scrapbox for these and for the wheel, thus saving money. Otherwise, you might make the tip plates of hard 1/16" balsa, running the grain vertically for strength, Don't leave them off-they're worth the trouble. They act as dams to keep the high-pressure air under the wing from wrapping around the tip into the vacuum above the wing, destroying tip lift and causing a lot of extra drag. Besides, the real 1-29 has

Bend the tow hook from a paper clip and glue it solidly in place on the lower half of the fuselage. When the rest of the plane becomes dry enough, this lower half can be cemented on, Add the wheel and the tip plates and your 1-29 is structurally complete.

(Continued on page 66)





The pieces: tip plates am plywood; rectangle in upper left iii Celastic (a most userus material iiiii Tenderfoot should try) for wing III Celastic (a most useful center loint.




Prop up panel 5" and glue the dihedral joint. Epoxy recommended here. Position waxed paper under the joint so your wings won't stick to the work table,



The 36-in, winged glider should weigh under I oz. Clay is suitable and easily varied nose



If you don't have Celastic, reinforce the dihedral joint with glue-saturated silk, it is a very high stress ama.





Marrie Grander Induction of Street,



KIT RC-27

WINNER!!!

Price \$4950

Place R-C SCALE 1971 NATIONALS by Maxey Hester

SCALE 1971 by Mike Stott

2nd Place R-C SCALE 1970 WORLD CHAMPIONSHIP

by Maxey Hester

NOW!

ARE MANUFACTURED WITH



RACING LUBRICANT

ELIMINATES CARBON AND VARNISH

ENGINES RUN CLEAN AND COOL

PROTECTS YOUR ENGINE FROM LEAN MIXTURE OVERHEATING

CHAMPION R-C FUEL

QUART - \$1.50 GALLON - \$5.50

CHAMPION C-L STUNT FUEL PINT - 85c OUART - \$1.50 GALLON - \$4.95

CHAMPION RACING FUEL PINT - \$1.10 QUART - \$1.85 GALLON - \$6.75

1/2A WHEEL RETAINERS



FOR 1/16" WIRE Pkg. of 4 19¢



The Versatile

HOT QUARTER MIDO OR EASY TO FLY AEROBATIO



FAST BUILDING, SIMPLE CONSTRUCTION FINEST DIE CUT SIG BALSA - SIG PLYWOOD HARDWARE, FORMED LANDING GEAR

DEWEYBIRD AARK I KIT CL-15 \$285 .049 ENGINE WINGSPAN: 2212" SCALE APPEARANCE

Designed by Dave Shipton, owner of Mobby Nide-A Way, Delayan, Illiank, The Deversia a semi-scale control line model at Jim Dewey's medget. Dave has created a more assorted build and tyr. The beganner should have no trouble with this auxiliar chalacteristics are such that the advanced modeler will only it. It will perform good 049 engine. These will be larger Deweybirds our span.

"B" F/F GAS 1971 NA



WINNER OF "C" F/F Gas 1970 Note by Gro

SERIES

The KWIK BILT Series is a completely new concept in model i The modeler limit constructs what is basically a simple profile mass he odds two molded plastic fusetage shells that goe the model : form and detail. The balsa profile gives the model a great deal of and the resulting model is very light weight for good thying quoten be built by even a notice in a very short time. Other madels KWIK SUILT line will be available soon



by Brad Shepherd

GET RACER

.09-.15-.19 POWERED MIDWING FOR G.G. -3 = 4 CHANNEL DIGITAL 340 SQ. IN. WING AREA

C SPORT PLANE

1st Place 1/4 MIDGET CHAMPIONSHIPS Mentor, Ohio - 1969

1st Place 1/4 MIDGET CHAMPIONSHIPS Mentor, Ohio - 1970

DEL FOR NOVICE OR EXPERT

FULL SIZED PLANS - DETAILED INSTRUCTIONS EASY CONVERSION TO 4 DIFFERENT GOODY EAR RACING REPLICAS - DRAWINGS INCLUDED



The BANSHEE was designed by Mike Statt to create a central limit stant model that would be easy to build, yet have flying qualities comparable to the best stunters. The BANSHEE has proven irvelf on both points. Very easy to build, it flies like the Nationals winning Chipmunk Docile enquals for a beginner, yet the maneouverability to please the expert. A great

KIT RC-25

MAL RECORD SERT E. FRAZIER rosy Turner

N TO CLASS C

el building. nodel Than al trongth ualdies, yet

letill in the

T HBCL-1

of Limit

SA WING

T KBCL-2

trol Line

N

ATS

WINGSPAN 34" \$1295

Flies well on single channel equipment.

The AEROBIPE was designed as the ideal sportplane for the new light weight proportional radia gaur. Simple balsa construction makes a strong, light weight madel that is really tan to II.y. Make your meet model the AEROBIPE and enjoy the thrill of Ilying a high performance "bipe".

ENGINES .049 for Single Channel 09-.10 for Multi



NATIONALS WINNER!

KIT CL-3

1st Place CL Precision Aerobatics in 1969 by Mike Statt 4th Place CL Precision Aerobatics in 1971 by Dave Osdoba

FOR MORE R-C FUN BUILD SIG'S OAM WING FLYERS

ALL USE SIG'S SEMI-SYMETRICAL MOLDED FOAM WING



ENGINES: .15-.19 KIT RC-19 WT., NO RADIO 37 OZ. STRIP AILERONS SCALE APPEARANCE MOLDED ENGINE COWLING FORMED SPRING ALUM, LDG. GEAR


FLEET BIPLANE

:995

ENGINES: .049-.15 WT., NO RADIO, 21 OZ. MOLDED ENGINE COWLING FORMED SPRING ALUM, LDG, GEAR

RC KIT RC-17 ENGINES: .049-,15 WT., NO RADIO, 32 OZ. FORMED LANDING GEAR TRAINER AND SPORT FLYER

\$9 85





FLUTTERBUG

KIT RC-21 WT., NO RADIO, 28 OZ. .09-.15 SPORT SCALE

STEERABLE NOSE GEAR MOLDED ENGINE COWLING FUEL-PROOF MOLDED BUTYRATE CANCRY **\$ 139**5

WT., NO RADIO, 35 OZ. KIT RC -24 ENGINES .15-, 19 STRIP AILERONS MOLDED ENGINE COWLING MOLDED COCKPIT CANOPY TORSION TYPE LANDING GEAR

MOLDED FOAM WING ONLY +850



Send Only 50° Today for

THE 1971 MM CATAIOG a the greatest Model Amplane Catalog yet! Over 224 pages devoted accelurately to merchandia usualmene Catalogy for Over 224 pages devoted accelurately to merchandia used in the building activities of model amplianes. Features the complete Sig Line, plus practically oil other lines available. Hundreds—I medics are illustrated including piders subject-powered fixing scale, control line sture and scale, and even type of R C model. Send 50c today for your copy or buy ill from your local hobby dealer. You will agree it is the best bargain in the model airplane industry


ORDERING INSTRUCTIONS

YOUR DEALER FIRST! If he will not supply you, then order directly from our plant. We will ship promptly. To Order, please add \$1.00 for postage and handling in the U.S. Canadian orders please add \$1.50. Minimum order is \$1.00. Please remit by bank draft, check or money order. Print your name and address plainty. Sarry, No C.O.D. shipments. All prices subject to change without notice.

IC MANUFACTURING CO., IN

401 S. FRONT STREET

MONTEZUMA, IOWA 50171







If you're ■ hobbyist or craftsman or simply enjoy tinkering, you never know when or where you'll get an irrepressible urge to do a little work. So you want a tool that's ready to go wherever you go. On a boat. In a car. At home. Or out in the field. The "Mini Drill" is small enough to slip into a pocket. Yet

sufficiently fast and powerful to drill, polish or burnish, wood, plastic, aluminum, copper, brass, gold, silver—and even mild steel. Perfectly miniaturized for model planes, boats, railroads, rockets, cars, ceramic work, jewelry making, glass etching. Easy

to handle and lightweight. Low voltage makes it safe where water is used.

For \$10.95 the "Mini Drill" comes with three chucks (operates accessories from .0135" to 3/32"), a drill bit, a starting

punch, and a dual connector for operating off a 12V transformer or carlighter cord attachment. 12V transformer is available at \$4.75; carlighter cord—\$2.00. A larger unit, the "Power Plus" Drill,

with up to 9,000 rpm and greater torque, comes with

four chucks, (operates accessories from .0135" to 1/8"), drill bit, starting punch and dual connector for \$18.95.

12V transformer for this unit—\$5.95.

Or you can get the whole works, in a gift box, for \$17.50 for "Mini Drill"...and \$26.75 for "Power Plus" Drill.

Available at leading hobby, art, hardware and department stores.



BILLING-DENMARK'S FINEST MODELS



"KRABBENKUTTER"

Garman Shrimp Boat. This one makes a 20 inch long model with planked hardwood hull, brass fittings; all gear, including dip nets.


KIT, COMPLETE with fittings - \$36.00.

AUTO FERRY — About 20" in length, easy to build. Planked hull construction. Typical boat ferry, now in use in Denmark. Kit and fittings complete — \$14.00.

VEDETTE — Model of a luxury power launch, about 30" in length, makes a beautiful display piece. Planked hull construction. Complete with fittings — \$24.00.


TRAWLER — Model of North Sea Fishing Trawler, about 26" in length, Excellent detailing. Complete with fittings of brass — \$29,00.

VIKING SHIP (DMI) — Beautiful model of all thentic Viking Ship. About 20" in length. Complete with sail and decorative side mounted shields — \$7.00.



NORSKE "LOVE" Norwegian Lion. 40" long, 36" high, With fittings — \$101.00.


All With Planked Hulls



WASA Warship from 1628, 23" long; 23" high. Complete with fittings — \$42.00.



SANTA MARIA. 2144" long, 1744" high, 5" beam. With fittings - \$25.00.



JYLLAND Frigate, 39%" long, 24%" high, Complete with fittings - \$66.00.





SPERWER — Model of Dutch Canal Boat, in scale of 1:15, Length 23½%, Width 9%, height 32%. Kit comes complete with salls and decorative side paddle. Complete with fittings of brass — \$34.00.



DRAGON International Racing Class. 31" long. Complete with fittings -\$30.00.

Billing Boat Ki

Mr. Dealer: Please Order

Bacskay Wholesale Phoenix, Arizona

California Hobby Distributors Alhambra, California

Pacific Far West Distributors San Carlos, California

Western Model Distributors Los Angeles, California

Robertson & Robertson, Inc. St. Petersburg, Florida

Walthour ■ Hood Co. Atlanta, Georgia

Warren Sales Company Honolulu, Hawaii

Calman Hobby Distributors, Inc. Chicago, Illinois

Billing Boats Newest!

Cutty Sark

Scale 1:75 Wood Kit You Really Build! Planked Hull Construction No. 459-Kit Turned Brass Fittings Sep. Kit No. 460

\$35.00 56.00

\$91.00

Last of the Clippers, the original Cutty Sark is now as exhibit and school for yechtsmen in Greenwich. This kit was scaled from the original plans in exact detail. Many hours of careful building pleasure will give you a 44" show piece that is 26" high and 6"

Every kit contains all parts to complete the model, including fittings.

Every kit has English instructions.

Every kit is planked hull construction. No pre-fab pieces - model must be built from keel to deck.



BLUENOSE, 35" long, 27" high, Beam

ts From Kayeff

From Your Distributor

Midwest Model Supply Company Chicago, Illinois

Trost Modelcraft M Hobbies Chicago, Illinois

United Model Distributors, Inc. Wheeling, Illinois

Louisville Cycle Supply Co. Louisville, Kentucky

Hobbycraft Model Supply, Inc. Madison Heights, Michigan

Midwest Model Supply Company St. Louis, Missouri

Dealers Hobby Supplier Memphis, Tennessee

Dealers Hobby Supply Company Dallas, Texas



VIKING SHIP KIT, Complete, This exciting new kit by Denmark's Finest Models features planked hardwood hull, and is mauthentic reproduction, scaled down to 26" long by 6½" wide \$16.00.



Denmark's, Finest Sail Boats



Excellent quality construction kit. 22½" long by 19½" high. Includes ribs, planking, Brass fittings, cloth for sails. Complete kit, including fittings —

"Pirate" Racing Yacht

Approx. 24½" long. 33" overall height. Mast 27" high, Excellent quality wood construction kit including keel plate, ribs, and planking. Detailed instructions and plans.

Complete with salls metal keel, and fittings. \$12.00





ZWARTE Tugboat, 3-%" long, 11%" high, 5" beam. With fittings --\$54.00.

KAYEFF, INC. - ood - Calif - 38

See Your Hobby Dealer . . . Or send 25¢ for illustrated catalog. If dealer does not stock, send check or money order for direct, prompt shipment. California orders must add 5% sales tax. Satisfaction guaranteed,



		Coverite	Silk
1. Can b	e ironed on	Yes	No
2. Can b	e finished to any color	Yes	Yes
3. Time	to cover 60" wing	29 minutes	65.3 minutes
4. Price	per yard unfinished	\$2.95	\$1.50 to \$2.25
5. Weigh	nt per yard unfinished	1.2 ounces	½ to 1 ounce
6. Unfin	shed appearance	Semi-gloss, non-porous	Dull, porous
7. Finish	ning coats needed	3 to 4	10 to 15
8. Price	per yard to finish	\$0.85 to \$1.25	\$2.50 to \$3.75
9. Effect	on structural strength of model	Great	Slight
IO. Recei	ves decals—all types	Yes	Yes
I1. Type	of covering	Woven Dacron fabric	Woven Silk fabric

The magic of DuPont Dacron brings you the most authentic model airplane covering in the world

ATUMBUR	, ui	, our	ucar	01.0	Oi	unp	diru	man	10	COACTUE	, 110 1	UIN ITE	1., 0	CHAINCOWI	I, ra	. 1304	0
Please i	rush	me	the	follo	owi	ng	Her	e is	my	favorite	dealer'	s name	so	Coverite	can	credit	his

Super Coverite @ \$2.95/pak. ____paks of red

___paks of white

__paks of yellow

__paks of blue

__paks of orange

s account.

My Name

City_ State



INTERESTED IN JOINING A.M.A.? Over 32,000 did in 1970. Membership details may be had by requesting FREE BROCHURE from above address

The Big Cool Nats

BIG is what it was-bigger even than last year's bigger than ever National Model Airplane Championships. Over 1600 registered to Participate in the 1971 Nats, well over a hundred more than in 1970.

The final registration statistics included twelve hundred and sixty-four contestants and over four hundred mechanics. Add to this about one hundred and twenty officials and over three hundred naval air station personnel (150 assigned directly to the competition; about 200 more to general support, traffic control, etc.). The grand total of people directly involved was more than two thousand-no wonder that the Nationals is the world's biggest model meet!

COOL is also what the '71 Nats was. The usual Nats weather of high heat and humidity was not part of the scene this year. The weather was consistently comfortable during the day and great for sleeping at night-some people even took to blankets and it wasn't unusual on some days to see jackets or wind-breakers being worn.

The rain gods also smiled on the '71 Nats. The morning of the first day's competition saw a very brief sprinkle that soon turned to bright sunshine. And the day after the Nats ended, the rain came down in sheets. But during Nats week the rains held off and the weather was mostly full of blue skies and puffy clouds.

The wind gods, however, decided that the final day should cool off even more. Stiff breezes almost blew out the Sunday events. In Free Flight, C Gas and Rocket Power events had a rough time, as did A & B Pattern in Radio Control, Likewise, FAI Team Race and the Jim Walker Stunt Finals in Control Line suffered in the winds.

The Sunday Model Air Show went on with spectacular performances despite the winds, Every type of model was flown although some would normally not be considered windy-weather planes: a Free Flight Helicopter, a Control Line Autogyro, Rubber Powered models ranging from a Delta Dart to a huge Unlimited class design.

The wind claimed one victim during the air show—a big beautiful Control Line B-29 tore loose and sailed over the bleachers after having flown many laps. The wind apparently added enough extra load to pop open one snap link that had just before withstood a pull test of over a hundred pounds. Luckily the huge ship hit in a small clearing. It was a total loss, but nobody got hurt.

(Continued on page 63)

Nats photos by U.S. Navy, Bill Crame and AMA HQ staff.



Grand National Championship Trophy received by Bucky Servaites from Miss Model Aviation, Laurie Frick, and the Chief of Naval Air Reserve Training, Admiral Greer, This the third such victory for Servaites, a remarkable achievement, Miss Frick is from Glenview, III.





A friendly clasp, in left photo, is given by Navy Nats Project Officer, Commander Marty Servis, to Ed Abram, AMA Jr. Committee Chairman and Nats Delta Dart Director. Delta Dart building session in progress. The thrill of getting one's first model to fly and fly well in exemplified by Liz Sebastiani, right, age 13, from Glenview. U.S. Navy photograph.

NATIONAL CHAMPIONS

GRAND CHAMPION

Bucky Servaites, Dayton, Ohio

JUNIOR

Brian Pardue, Greensboro, N.C.

SENIOR

Brian Webster, Manchester, Tenn.

OPEN

Bucky Servaites, Dayton, Ohio

CONTROL LINE CATEGORY Danny Bartley, High Point, N.C.

FREE FLIGHT CATEGORY Frank Wolff, Massapequa, N.Y.

INDOOR CATEGORY James Richmond, Davidson, N.C.

RADIO CONTROL CATEGORY Bob Smith, Panorama City, Calif.

SCALE CATEGORY Robert Talehik, Chicago, Ill.,

AMA CLUB TEAM

Greensboro (N.C.) Prop Twisters (John D. Comerford, Danny W. Bartley, Stefan A. Jeglinski, Michael P. Langlois, Brian W. Pardue

NATS TEAM

Dixie Whiz Kids (Danny W. Bartley, Mary Lou Brown, Gary D. McGraw, Brian W. Pardue, Brian Webster)

PERPETUAL TROPHIES & SPECIAL AWARDS

MULVIHILL (high time regardless of age, Unlimited Rubber): Robert K. Siffeet, Baltimore, Md. TULSA GLUE DOBBERS (high time

regardless of e. Outdoor HL Gilder): Richard D. Mathis, Richardson, Tex.

HOFFMAN MEMORIAL (high time regardless of age, A FF Gas): Eugene C. Wald, Paul, Minn.

JIM WALKER (winner of Junior-Senior-Open flyoff, CL Stunt]: Bilt Werwage, Berea, Ohio STOUT INDOOR (high time regardless of age, Indoor Cabin): Ronald J. Protzke, Mt. Clemens, Mich.

TESTOR'S (best model finish, regardless of

age): Leroy Gunther, Allen Park, Mich. STOUT COMMERCIAL (high time regardless of age, Indoor Stick): James W. Richmond,

DICK BLACK (high time regardless of age, Coupe D'Hiver): Michael Mr. Fedor, Grand

STERLING MODELS (most Scale static score of any category qualifying by official flight): Malvin E. Meador, Suitland, Md.

1971 NATS SPONSORS

Approximately 600 awards were provided through the contributions of the following:

Ace R/C, Inc., Aero Sports Traft, Inc., Al's Hubby Shop, Ambroid Company, Inc., American Aircraft Modeter, Aristo-Craft Distinctive Miniatures, Competition Models, Inc., Dee Mee Engineering, Du-Bro Products, Inc., Dumas Products, E. K. Products, Inc.

Flying Models Magazine, Fox Motors, Carl Goldberg Models, Inc., Grish Brothers, Heath Company, Hobby Industry Assn. of Delaware Valley, International Balsa Corp., Jasco, Jeteo Models, K&B Manufacturing Co., Kraft Systems, Inc.

Lanier Industries, Inc., L. M. Cox Manufacturing Co., Inc., Midwest Products Co., Montgomery Signs, The Mini-Flite Co., Model Rectifier Corp., Nitrotane, Orbit Electronics, Paul K. Gulllow, Inc., Pettit-Hobbypoxy, Progress Manufacturing Co.

R/C Modefer Magazine, Russell, Marsh & Kennedy, insurance, Sig Manufacturing Co., Inc., Stanton Hobby Shop, Inc., Sterling Models, Sullivan Products, Inc., Tatone Products, The Model Builder, The Testor Corporation, Top Flite Models, Inc., United Airlines, Williams Brothers, World Engines, Inc.

NATS ENTRIES

No. of Entrants No. of Mechanics	Jr. 202	Sr. 224	838 838	Tota! 1264 426
Entries by Event				
Control Line Scale Racing Rat Racing B Proto Speed Spa Prof, Proto Proto Speed A Proto Speed A Speed B Speed B Speed C Speed Jet Speed Aerobatics Combat FAI Team Race Scale Carrier I Prof. Carrier	Jr. 21 91 43 14 62 12 11 11 12 0 4 3 3 5	5r. 39 12 22 11 15 13 12 4 4 4 7 6 6 3 18	Open 78 63 25 39 25 27 27 27 26 66 87 22 26 32 34	Total 138 101 48 43 75 45 68 52 50 50 31 101 146 41 35 7
Indoor Scale H.L. Glider Paper Stick Cabin Slick	11 29 16 7	8 37 16 10	34 70 35 15 32	53 136 68 31 54
Free Flight 1/2 A Gas A Gas Gas C Gas FA! Power Wakefield Rub. Unlimited Rub. Coupe D'Hiver Nordic Gilder H.L. Gilder Rocket Power Scale Helicopter	59 47 10 97 21 33 43 51 85 18 80	64 58 30 23 20 11 17 15 43 70 23 12	202 197 130 126 76 43 60 68 132 149 65 44	325 302 170 158 103 59 98 96 218 3049 64
Radio Control C Pattern Ex. C Pattern Nov. B Pattern A Pattern Scate Pyton Form. I Pyton FAI	0 4 0 1 1 4 1	7 7 6 1	64 38 23 32 69	71 49 25 43 34 81





Above Left, Yeaman 1st Class Larry Pendleton gives Nats kit and "gob" hat to Jack Beck. Above R, Asst. D.D. Director Ken Wilson hands out kit to one of 975 registrants. Below, some of Sunday Air Show models-plagued by high winds.



CONTROL LINE

%A SPEED

		BSPEED
3. Ross Legg 4. M. Langlois 5. Bruce Pallel	MPH 99.08 97.36 94.70 84.39 82.39	Junior 1. Keily Poe 2. Brian Pardue 3. M. Langlois 4. J. Comerford 5. Dennis McGraw
Senior 1. Terry Herron 2. Danny Bartley 3. Marty Thompson 4. Mary Brown 5. C. Schubert	87.77	Senior 1. Danny Bartley 2. C. Schubert 3. James Wade 4. Gary McGraw 5. Mary Brown
Open 1. Warren Kurth 2. Finn/Morton 3. G. Brown III 4. Bucky Servaltes 5. Robert Adair	96.01 95.10 95.00 90.92 87.19	Open 1. B. Stadlem 2. C. Heminway 3. Fred Randell 4. Thomas Upton 5. James Bussell
A SPEED		
	MPH	C SPEED
Brian Pardue Glen Vansant		Junior 1. Kelly Poe 2. Brian Parque

163.57

161.08

 Brian Pardue Glen Vansant J. Comerford M. Langlois 	129.72 121.41 117.60 104.73
Senior I. R. Wisniewski 2. Terry Herron 3. Gary McGraw 4. Mary Brown	151.45 146.16 145.34 138.19
5. C. Schubert Open 1. Dodge/Stegens	137.66

2. B. Wisniewski

3. G.D. Hooke

1	2. C. Schubert 3. James Wade 4. Gary McGraw 5. Mary Brown	162.98 158.67 158,67 148.95
	Open 1. B. Stadlem 2. C. Heminway 3. Fred Randell 4. Thomas Upton 5. James Bussell	164.77 164.02
1	C SPEED	
	2. Brian Pardue	138.41
	Senior 1. Danny Bartley 2. Brlan Webster 3. Gary McGraw 4. Terry Herron 5. Mary Brown	175.03
	Open 1. Arpino/Garzon 2. Ted Black	184.73 184.16

4. G. Caldwell 5. C. Heminway

B SPEED

150.22 159.65

MPH 157.14 142.01 139,05 126.44 119.63 173.17

3, B. Stadiem :	
4. James Pillero	183.41 180.47
5. Neeson/Neeson	177.27
JET SPEED	
JrSrOp.	MPH
Myrle Hoyt Mike Olson	185.49
3. Charles Serie	179.03 170.87
4. Ron Iyaldi - 1	170.23
5. S.A. Olson	170.06
FAI SPEED	
Junior K	M/HR
1. Brian Pardue	190
 Dennis McGraw J. Comerford 	168 165
4, M. Langlois	155
Senior 1. R. Wisniewski 2. Danny Parties	218
Z. Dalliny Dathley	185
3. Tim English	181
4. Gary McGraw 5. Mary Brown	165
	100
Open 1. Carl Dodge	234
A A Marcalla	227
3. Glenn Lee	218
 R. Heminway Tim Clary 	208
%A PROTO SPEED	~~.
Junior-Profile	MPH
5 Divine Dellet	79.44
2. Barry Pallet	78.99
2. Barry Pallet 3. Brian Pardue 4. Mary Kirn	75.11
4. Mary Kirn	73.95
4. Stephen Wozny	73.95
5 W Gifford	
4. Stephen Wozny 5. W. Gifford	82.03
Junior 1. Ross Legg	79.8
Junior 1. Ross Legg	
Junior 1. Ross Legg 2. Kelly Poe 3. Dennis McGraw	73.05
Junior 1. Ross Legg 2. Kelly Poe 3. Dennis McGraw	73.05 72.05 71.85
Junior 1. Ross Legg 2. Kelly Poe 3. Dennis McGraw 4. Paul Whiddon 5. I ircus Day	72.09
Junior 1. Ross Legg 2. Kelly Poe 3. Dennis McGraw 4. Paul Whiddon 5. f ircus Day Senior 1. Danny Bartley	72.09 71.89
Junior 1. Ross Legg 2. Kelly Poe 3. Dennis McGraw 4. Paul Whiddon 5. fircus Day Senior 1. Danny Bartley	72.09 71.89 96.89 90.69
Junior 1. Ross Legg 2. Kelly Poe 3. Dennis McGraw 4. Paul Whiddon 5. fircus Day Senior 1. Danny Bartley 2. James Wade 3. Terry Herron	72.09 71.88 96.89 90.69 82.50
Junior 1. Ross Legg 2. Kelly Poe 3. Dennis McGraw 4. Paul Whiddon 5. fircus Day Senior 1. Danny Bartley 2. James Wade 3. Terry Herron	72.09 71.88 96.89 90.69 82.59 76.49
Junier 1. Ross Legg 2. Kelly Poe 3. Dennis McGraw 4. Paul Whiddon 5. fircus Day Senior 1. Danny Bartiey 2. James Wade 3. Terry Herron 4. Mary Brown 5. Dan Van Atta	72.09 71.88 96.89 90.69 82.59 76.49
Junior 1. Ross Legg 2. Kelly Poe 3. Dennis McGraw 4. Paul Whiddon 5. I ircus Day Senior 1. Danny Bartiey 2. James Wade 3. Terry Herron 4. Mary Brown 5. Dan VanAtia Open 1. Warren Kurth	72.09 71.80 96.89 90.69 82.50 76.40 69.30
Junior 1. Ross Legg 2. Kelly Poe 3. Dennis McGraw 4. Paul Whilddon 5. f ircus Day Senior 1. Danny Bartley 2. James Wade 3. Terry Herron 4. Mary Brown 5. Dan VanAtta Open 1. Warren Kurth 2. Thomas Upton	72.09 71.81 96.89 90.69 82.59 76.49 69.30
Junior 1. Ross Legg 2. Kelly Poe 3. Dennis McGraw 4. Paul Whilddon 5. I ircus Day Senior 1. Danny Bartley 2. James Wade 3. Terry Herron 4. Mary Brown 5. Dan VanAtia Open 1. Warren Kurth 2. Thomas Upton 3. R. Bradshaw	72.00 71.80 96.80 90.60 82.50 76.40 69.30 92.70 86.60 82.80
Junior 1. Ross Legg 2. Kelly Poe 3. Dennis McGraw 4. Paul Whilddon 5. f ircus Day Senior 1. Danny Bartley 2. James Wade 3. Terry Herron 4. Mary Brown 5. Dan VanAtta Open 1. Warren Kurth 2. Thomas Upton	72.0 71.8 96.8 90.6 82.5 76.4 69.3

Junior Kelly Poe

Open 1. J. Bussell

Junior

Senior Mike Jackson 2. D. Adamisin 3. M. Thompson

3.

4.

2. Glen Vansant

1. Danny Bartley
2. Terry Herron
3. Mary Brown
4. R. Wisniewski

5. Tim English

J. Delaney 3. Finn/Morton J. English 5. G. Brown III

AEROBATICS

5. Dan Osdoba

1. R. Depalma Jr.

Alan Adamisin

K. Stevens, Jr. Mike Waldron

David Osdoba 5. Bill Miller

Wm. Werwage
 Gene Schaffer

3. Tom Warden

3. W. Gifford

Below L, bad Carrier landing by Rolland Baltes? Not really-arresting line broke, Below R, Open Combat winner Jerry Haupt, Bottom, lots of action in Combat, even the launch.













R, Lampione	452.75

COMPAT

5.

MPH

133.28

102,35

148.58

139.05 136.72

146.64 140.35

137.24

Points

482.25

471.00 413.50 391.00

388,25

482.75 455.00

424.75

470.50

463.50

459.00

96.89

	MIDAI
Ju	nior
1.	D.P. Morris
2.	P.T. Bush
3.	P.R. Rowan
4.	T.L. Rule
5.	M. Mangan
Se	nlor
1.	Bernard Varnau
2.	David Bush
3.	Dave Trible
4.	Masunori Matsuzaka
5.	John Abraham

J. Haupt

2. F. Neal Rose

George Cleveland Will Rogers
Howard Rush

FALTE.	AM R	ACE

Kelly/Parent Albritton/Marvin

McCollum

Time

9:50 9:59

10:10

Jr. Sr. Op.

3. Hodgkins/

	Jackson/Theobald Fischer/Desterle	1
RA	T RACE	
Jui	nior	Time
1.	Oan Barker	6:26
2.	Mike Waldron	6:41
3.	Mike Managan	
Se	niar	
1.	Ed Wallace	5:12
2.	M.A. Schmieder	5:24
3,	Ed Niemiec	5:26
	M.J. Hainen	5:35
5.	Tim Zimmer	5:40

5.	Tim Zimmer	5:40
00	en	
1.	F. Estill	5:24
2.	Norman Dicks	5:29
3.	John Kilsdonk	5:30
4.	Gary Fentress	5:35
5.	Norris Sparks	5:38
SC	ALE RACING	
	nior	Time

SC	ALE RACING	
Ju	nior	Time
1.	Mike Waldron	9:24
2.	S,M. Wozny	9:26
3.	Wm, Votslavek	12:37
4.	J. Morrison	12:48
5.	Mark Bauer	13:11

1.	Wallace	7:25
2.	Wm. Cook	7:38
3.	Tim Zimmer	7:39
4.	Andy Cromer	7:45
5.	Ed Niemiec	7:59
Or	sen	
1.	Frank Sanders	7:20.2
2.	Daniel Jones	7:20.8
3.	A. Hodgkins	7:203
4.	John Ballard	7:25.0
5.	James Joy	7:45.5

NAVY CARRIER PROF.

Junior	Points
1. Randy Hackett	254.52
2. Mark Stidham	201.65
3. Bryan Horton	88.55
Senior	
1. Tim Sparks	298.51
2. Richard Doig	293.89
3. John White	290.33
4. S.R. Snyder	283.03
5. D.E. Williams	237.22

) p	en	
	J.P. Films	338,23
2.	H.N. Hackett	334.75
3.	James Womack	328,80
١,	Robert Wright	318.54
i,	Roger Paskell	281.80

NAVY CARRIER I

Junior 1. R. Sawicki 2. Dale Johnson	Points 446.15 373.82	
Senior 1. Terry Herron 2. R.D. Wright	487.06 423.19	
Open 1. R.J. Sawicki II. Ray Willmann 3. M.E. Bedard 4. H.D. Wallick 5. M. Sawicki	542,99 535,87 527,92 518,18 517,74	
NAVY CARRIER II		

4. E. Gross, Jr.

5. M. Sawicki


Junior 1. Dale Johnson 2. R. Sawicki	Points 473.95 442.59
Senior 1. Bill O'Conner 2. Paul Tegel	363.98 362.12
Open 1. E.R. Willmann	580.50
2. James Finley	558.77
3 P. I. Sawicki	546.50

543.30

533.24



Dennis McGraw flaw Rossi-powered Kansas Twister to 2nd im Junior FAI Speed, Engine is fitted with megaphone pipe. Bill McGraw lends a hand.



Danny Bartley retained CL Category Championships. He was first in many Sr. events, often with speeds higher than Open, C Speed winner shown.




Left, new RC Champion Bob Smith—here with Undone II Pattern entry. Right, A Pattern entry by Hank Pohlmann modified Simco. Below, unusual FAI Pylon model flown by Adam Sattler was designed by Bill Zautner—named Platypus.









Above, Senior C Novice flyer Mark O'Connor, Ken Duncan assists with Triton, Left, special award in FAI Pylon for muffler effectiveness vs speed went to Joe Stream, He used the new Clary-Wisniewski .40 engine and muffler,

Left: Thanks again to the Hewlett-Packard Company for providing spectrum analyser monitoring equipment used in monitoring radio transmission. U.S. Navy photo,





Left: The winning Formula I Pylon Racer held aloft by pilot Terry Prather (R) and caller, Alvin Prather, Terry's dad. Model is the Stafford Minnow. Right: Bob Violett (L) and Cliff Telford finish fueling their winning FAI Pylon Racer. Model has retracts, PB fuselage, original wing and stab, Supertigre engine.

Ron Chidgey's winning C Pattern Expert model was his familiar Tiger Tail design. Power was a muffled Webra 61, Top Flite 11-8 prop.

RADIO CONTROL

C PATTERN QUALIFYING-EXPERT

JrSrOp.	Point
1. Norm Page	474
2. Ron Chidgey	472
3. Ralph Brooke	465
4. Jim Martin	459
5. Jim Edwards	456
6. Jim Kirkland	454
7. Lewis Penrod	447
8. Jim Whitley	446
9. Joe Bridi	444
Don Coleman	443
Larry Leonard	
12. Ted White	435
13. IIII Salkowski	435
14. Jim Agee	433
15. Phil Kraft	431
Doug Spreng	429
17. Jim Oddino	429
18. Tony Bonetti	428
George Hill	422
20. IIII Smith	421

C PATTERN

Bob Smith

FINALS-EXPERT	
JrSrOp.	Points
1. Ron Chidgey	835
2. Don Coleman	826
3. Jim Martin	825
4. Norm Page	819
5. Jim Kirkland	816
6. Phil Kraft	814
7. Ralph Brooke	800
8. James Edwards	797
9. Ted White	790
Jim Whitley	785
11. Tony Bogetti	783
12. Salkowski	781
Lewis Penrod	775
Larry Leonard	773
15. Joe Bridl	773
16. John Agee	766
17. Jim Oddino	753
Doug Spreng	743
19. George Hill	731
20. Sob Smith	721
Best Senior	

PATTERN-NOVICE

JrSrOp.	Points
1. Carl Weber	400
2. George Buso	392
3. T. Melshelmer	391
4. Tom Atkins	387
5. Adam Sattler	382

Bast Junior James Hiller Best Senior Mark Radcliff

B PATTERN

Points
405
399
388
384
384

A PATTERN

JrSrOp.	Points
1. Charles Shade	311
2. M. Murray	295
Joe Hildreth	292
4. James Maki	290
5. C. Kenney	280
Best Junior	
Van Johnson	
Best Senior	
Erte Mayers	

PYLON FORMULA I

	~ .
JrSrOp.	Points
1. Terry Prather	20
2, Telford/Violett	19
3. Korpi/Roy	18
4. Bob Smith	17
5. Thomas Baker	14
Jim Stegail	14
Best Senior	
Boh Smith	

PYLON FAI	
JrSrOp.	Points
1. Telford/Violett	23
2. Bob Smith	22
3. Terry Prather	17
4. Chuck Smith	15
5. Robert Noll	14
Jeff Bertken	14
Harold DeBolt	14
Best Senior	
Bob Smith	

PRESIDENT'S MEMO

GREATEST "NATS" EVER. With the superb cooperation of the United States Navy, the Academy of Model Aeronauties has co-sponsored the GREATEST "NATS" IN HISTORY.

Over 1,200 entrants competed for over 500 trophies and awards in the finest spirit of sportsmanship. And there were more than 400 Mechanics for a grand total of almost 1,700 AMA member registrants.

NAVY HOSTMANSHIP. The entire facilities of Glenview Naval Air Station, under the command of Captain William Dykman, were thrown open in warm welcome for the week of championship competition, The Navy's men, to the very last of them, went all out in their effort to provide every service at their disposal, always asking if there wasn't something else they could do. What Hosts!

"CAN-DO" NAVY. It takes a great command and excellent personnel to absorb the total disruption of shutting down a station's normal activity and setting up for an operation they know little about. The "Can-Do" Navy did it so smoothly that it must have looked to the 1264 contestants like they did this all the time.

The secret of success for the Nationals is a one week "happy marriage" between two great groups of improvisors, the Navy and AMA-the modeling "know-how" of AMA, and the "can-do" of the Navy.



AMA President John Clemens having his identification badge photo taken during the Nats. Concession provided on-spot badges and bolstered Nats income. U.S. Navy photo.

CONTESTANT SPIRIT. Paralleling the fine Navy spirit was a remarkably refreshing spirit of cooperation on the part of the contestants. There was more courtesy, more friendliness, more cooperation for our host, the Navy, in keeping things clean and pickedup, and more cooperation with each other, Notable was the increase in family participation, encouraged by the providing of tenting and camper facilities by the Navy. A spirit of kinship and sportsmanship seemed to be everywhere.

EXCELLENT OFFICIATING. AMA's group of over 100 "Nats" officials, under the organizing leadership of the Nats Executive Committee, handled this largest of meets so smoothly that it must go down as the "most fun" meet ever. We have wonderful leaders!

"NATS" SUMMARY. Superb hostmanship from the Navy-excellent dignified sportsmanship on the part of the contestants similarly skillful and thoughtful officiating on the part of AMA's officials,

As president of the Academy of Model Aeronautics I salute these three groups of fine Americans, cooperating and conducting themselves in the fine American spirit!

> John Clemens AMA President

SCALE

4. Ed Ellis

Jim Hiller

BIII Hiller

Best Senior

_			5. Paul Lobie	
R/	ADIO CONTROL	-	Open	
Jr.	-SrOp.	Points	1. B. Servaltes	
1.	Maxey Hester	22579	2. C. Markos	
	Ryan STA		3. C. Sotich	
2.	Bob Wischer	19241	4. Fred Stark	
	Douglas M2 Mai	ilpiane	5. R. Martelet	
3.	John Roth	18333		
	Volksplane			

18102

17096

3. Wm. Shallor

4. Michael Kuehne

CONTROL LINE	
Junior	Points
1. C. Burnstine	395
B-26 2. Darrin Mathews	250
2. Darrin Mathews Volksplane	250
3. Mark Bauer	177
S.E. 5	
4. John Whitsitt	150
P-51-D	

Senior

105.0 176,375 159.750 159.375 153.000 148.500

١,	John Glab	399
	P-51-B	
2.	Tom Pecorilla	297
	S.E. 5A	
3.	8III O'Connor	258
	F-82	
١.	R. Braekevelt	224
	Fokker D-VII	
5.	G. Schemmel	201
	Anache	

	Apache	
01	en	
1.	Malvin Meador	517
	Spitfire Mk IIA	
2.	R. Burnstine	502
	Mohawk	
3.	Mike Stott	479
	Ryan STA	44.7
4.	E. Violett Jr.	457
_	Kaydet	000
5.	V.A. Sheber	453

Chipmunk



Bob Talchik captured the Scale Category Championship this year, the first time it was offered. He flew Miles Megisters in CL (shown) and RC.

OUTDOOR FREE FLIGHT

Spirit of St. Louis Ralph Jackson 17-Handley Page 0/400

Flight Achievement

Raiph Jackson Best Junior

Jr.	-Sr.	Points
1.	Brian Webster DeHavaland-4	227
2,	Michael Kuehne	182
	Pletenpol Air Can	
3.	Rebecca Stark	136
	Fairchild 24	
4.	Laurie Stark	90
	Cessna 01E Bird 0	Dog
5.	Pat Wood	81
	Douglas Sky Raid	er

Open	
 Frederick Stark 	476
Loening M-8	
2. Ron Martelet	412
Bristol MID	

2.	Ron Martelet	412
	Bristol MID	
3.	Rudolph Stab	383
	Pletenpol Air (Camper
4.	Ralph Kuenz	349

5, Richard Wetzel 288 Bucker BU133

INDOOR

11-2-0-01-	
Junior	Points
1. Gregory Simon	121.5
2. S. Wisniewski	93.0
3. Barry Pallet	92.0
4. Bruce Pailet	88.0
5. Patrick Wood	80.0
Senior	


	Circagory Olivers	~ ~ ~ . ~
2.	S. Wisniewski	93.0
3.	Barry Pallet	92.0
4.	Bruce Pailet	88.0
5.	Patrick Wood	80.0
Se	nior	
1.	M. Kummerow	138.5
	Brian Webster	119.0











7. The 22" span model weighs one less rubber.



FF Scale winner Frederick Stark, Model is the Loening M-8, 35" span, Cox ,049,





Senior National Champ Brian Webster won FAI Power with Supertigre 15-powered original, Mono-Koted, pacifier pressure tank, Top Flite 7-4 prop.



Known mostly for CL flying, Jr. National Champ Brian Pardue will did well im Free Flight, both indoor and outdoor. Coupe D'Hiver Rubber shown.



Left, Frank Wolff's hot FF gassie on the way up. Wolff was 1971 Free Flight Category Champion, Right: In the background is Jean Sheffer from Biloxi, Miss., one of nearly 50 volunteers who helped on busy HL day, Henry Harris with HL.





Left, Interesting Class A design by Rudolph Stab is elliptical in both planform and dihedral, Uses Torp 19 power. Right, Dave Kerzie launches A-2 Talon for son, Dave, who placed second in Junior. Towline event is very popular.

FREE FLIGHT-OUTDOOR

72	AGAS	
1. 2. 3. 4.	nior L. McFarland M. Lapansie F. Johnson Kevin Hayes Gerald Cain	5econd 1080 83; 685 658 658
2.	nior C. Apprendi Paul Tobie	683
4.	R. Lyons, Jr. Grady Turner Denny Dock	640 630 537
Op	en	
2. 3. 4.	Don Chancey R. Anderson N.A. Pitas Mel Schmidt Sal Taibi	1179 1168 1156 952 828

A GAS

Junior 1. G. Comp., Jr. 2. G.J. Simon 3. F.A. Johnson 4. Brian Pardue 5. Barry Pallet	535 522 512 503 488
Senior 1. Robert Hallum 2. C. Apprendi 3. Paul Toble 4. Greg Fortin 5. B. Johnson, Jr.	886 720 661 540
Open 1. Eugene Wald 2. John Carls 3. James McNeill 4. Andy George 5. John Nix, Jr,	1242 1200 1142 1070

B GAS Junior

1. Kevin Hayes	489
2. Jeffrey Nix	448
3, Wm, Schlarb, Jr,	432
4. L. McFarland	312
5. Wayne Friebis	180
Senior	
1. Marty Thompson	1035
2. Brian Webster	574
3. Bruce Hannah	496
4. Robert Hallum	465
5. Mark Kummerow	457
Open	
1. Jim Clem	1020
2. Willard Smitz	1018
3. Michael Fedor	995
4. Charles Harper	720
5. Mel Schmidt	682
0.010	

Seconds

Seconds

C GAS Junior

R. Wegener

2.	Kevin Hayes	527
3.	L. McFarland	485
4.	Wayne Friebis	329
5.	D. Gardner	180
Se	nior	
I.	Robert Hallum	809
2.	Pat McGhehe	548
3.	M. Kummerow	446
4.	R. Hanford	437
5.	Greg Fortin	386
Q	en	
1,	Eddle Thomas	720
2.	Robert Watson	676
3.	Frank Wolff	659
4.	Gilbert Robbins	538
5.	H.E. Heminger	533

FAI POWER

nlor	Second
G. Geraghty	75
D. Gardner	52
W. Schlarb, Jr.	50
	32
Wayne Friebis	32
nior	
Brian Webster	B2-
L.L. Cleveland	68
	59
	53
Jim Haught	50
en	
	8.6
James Kloth	81
J. Robinson	79
H. Brodersen	79
Frank Wolff	79
	G. Geraghty D. Gardner W. Schlarb, Jr. D.B. Mathews Wayne Friebis nior Brian Webster L.L. Cleveland Wm. Reuter Carolyn Kloth Jim Haught ben D. Rounsaville James Kloth J. Robinson H. Brodersen

5. R. Shakespeare **ROCKET POWER**

Junior

4.00	11101	4661181
	Charanne Moore	
	R.J. Lyons	180
3.	Gregory Simon	143
4.	Kurt Burner	139
5.	Wm, Schlarb, Jr.	127
Se	nior	
1.	Denny Dock	291
2.	Wm, Reuter	237
	J. Lorbiecki	121
	G. Pharr IV	115
	Rod Wilson	63
Or	en	
	George Lewis	378
	Ronald Evans	340
	Dale Wilson	332
	F, lannuzzo	310
5.	Jackie Sheffer	263
HE	LICOPTER	
de.	·Sr.·Op.	Points

Seconds

1- 5- 0-	Dal-4
JrSrOp.	Points
1. Wm. Ellerman	142.85
2. Glenn Lee	140.55
3. D.L. Taylor	139,25
4. T. Naccarato	131.15
5. R. Wetzel	30.60

WAKEFIELO RUBBER

Ju	nior	Seconds
1.	Keith Gordey	492
2.	D.B. Mathews	431
3.	G. Geraghty	178

4. Wm, Schlarb,	Jr. 102
5. David Wypych	77
Senior	
1. R. Dunham II	765
2. Peter Lewis	722
3. Gary Heeb	660
4. R. Hanford	653
Jeff Annis	544
Open	
1. Peter Allnutt	1577
2. Andy DeMello	1193
3. Dale Wilson	890
4. Mel Schmidt	884
5. Paul Crowley	843

COUPE D'HIVER RUB.

Jr,-Sr.	Seconds	
1. Paul Toble	568	
2. Paul Ryan	448	
R. Hanford	445	
4. Richard Persh	394	
5. David Schmidt	391	
Open		
1. Michael Fedor	769	
2. Mel Schmidt	572	
3. M. Richardson	570	
4. R.J. Sherman	565	
Dale Wilson	550	

UNLIMITED RUBBER

Junior

1. G. Geraghty 2. Fritz Curth 3. S. Matteson 4. Jon Watson 5. Gregory 51mon	653 433 422 418 417
Senior 1. R. Dunham II 2. Gary Heeb 3. M. Thompson 4. Peter Lewis 5. Jeff Annis	1217 532 518 447 371
3. Peter Allnutt 4. P. Klintworth	1365 900 870 535 517

NORDIC GLIDER

A-1 Junior 1. Jeffrey Nix 2. Mark Munger 3. Robert Hayes 4. Barry Pallet 5. F.A. Johnson	590 520 510 377 258
A-2 Junior 1. D.B. Mathews 2. Michael Kerzle 3. David Uthoff 4. G. Geraghty 5. Bryan Baetens	690 521 462 433 373
A-1/A-2 Senior 1. R. Hanford 2. Jim Haught 3. Glen Winkel 4. Bruce Hannah 5. J. Lorbiecki	768 675 673 634 621
A-8/A-2 Open 1. Frank Wolff 2. Paul Kosmala 3. P. Klintworth 4. Don Chancey 5. Ronald Evans	1080 900 845 830 776
H.L. GLIDER	Secondo de
Junior	Seconds

ter complete	
J. Kirkendall David Uthoff G. Comp, Jr. L. McFarland	Seconds 265 221 214 208 177
Douglas Adams R. Hanford Charles Wiese Larry Reimer	309 287 276 256 253
Richard Mathis Lee Campbell Donald Wright	340 338 324 306
	Inlor J. Kirkendall David Uthoff C. Comp, Jr. L. McFarland Robert Hayes Inlor Douglas Adams R. Hanford Charles Wiese Larry Relmer James Mills Inlored Mathis Lee Campbell Donald Wright Robert Pione

p	en	
	Richard Mathis	340
	Lee Campbell	338
	Donald Wright	324
	Robert Pione	306
	Kenneth Phair	296

INDOOR

CABIN tuntar

771	11101	4 11115-
1.	Gregory Simon	11:41.8
2.	Barry Pailet	6:35.0
3.	Patrick Wood	5:35.0
4.	Wm. Schlarb	4:33.8
5.	Bruce Pallet	3:38.4
Se	nior	
1.	Ronald Ganser	15:23.0
2.	Tom Sova	14:57.0
3.	R. Dunham II	11:20.0
4.	M. Kuehne	9:26.4
15.	Michael Wood	4:36.2
Or	oen	
1.	R.J. Plotzke	23:03.6
2.	Al Rohrbaugh	21:58.0
3.	J. Richmond	21:37.2
1 4	R Randolph	20:27.2

Senior

3

18:57.4

1. Tom Sova 2. R. Dunham II

Ronald Ganser

Wm. Shallor

H. Brodersen

Al Rohrbaugh 5. L. Gailliau H.L. Glider

5. Jim Haught

Open
1. J. Richmond Edward Stoll

1. G. Geraghty 2. Brian Pardue

5. Wm. Schlarb

Peter Lewis Lee Cleveland

R.J. Ganser

Rudy Klulber

Terry Kuehne

5. R. Hanford

Bucky Servaites

V. Cunnyngham

Sanipr

4.

5.

2.

Open

Robert Hayes

Gregory 51mon

1. Marty Thompson 127.2 R. Dunham II G.M. Pharr IV

STICK

5. Wayne Zink

ı	OTTOK	
	2. G.J. Simon 3. Bryan Baetens	Time 15:43.0 13:12.4 10:07.0 9:43.2 8:54.2
	Senior 1. Ronald Ganser 2. R. Dunham 11 3. Tom Sova 4. Date Hacker 5. Wm. Shallor	18:41.4 18:31.8
	Open 1. J. Richmond 2. R. Plotzke 3. Edward Stoll 4. C. Sotich 5. Dan Belieff	33:54.0 29:43,4 27:25.0 27:04.0 26:49.0

PAPER STICK

Ju	nior	Time
1.	Gregory Simon	13:05.6
2.	G. Geraghty	10:58.2
3.	Bryan Baetens	9:55.4
4.	Bruce Pallet	9:29.4
5.	Barry Pallet	8:48.8



17:10.4

13:23.6

12:40.6

11:17.2

10:47.6

19:32.0

19:18.0

Seconds

109.8 99.2

97.8

95.4

84.0

115.8

105.4

105.0

124.2

121.2

119.6

116.6

114.4





Left: Fine craftsmanship obvious in Ron Plotzke's Stick model with which he placed second in Open, U.S. Navy photo, Right: Jim Richmond won Indoor Category Championship for third straight year, ■ real master. Stick model shown.





Left, ROG Cabin takeoff by Al Rohrbaugh, He placed second in Open. Right, sanding Indoor HL Glider to increase performance is George Pharr IV-Senior 3rd place, U.S. Navy photo, New scheme alternated HL test and offical periods,

NATS (Continued from page 57)

By contrast Free Flight Flying Scale, which traditionally has suffered from breezy weather, got almost ideal conditions on Nats Thursday; many excellent flights resuited, Similarly, RC Scale had two perfect days on Friday and Saturday, and Control Line Scale shared the luck when also flown on Saturday.

This was a great year for Scale-one hundred and ninety-seven entries! Control Line had 46, Indoor had 53, Radio Control had 34, and Outdoor Free Flight had a phenomenal 64. In addition there were huge scale-related events such as CL Scale Racing (Goodyear) with 138 entries and RC Formula 1 with 81. It's obvious-everybody loves Scale.

Appropriately, the 1972 U.S. Scale Teams were selected at this Nats. Making the team for RC was Maxey Hester, Bob Wischer, and John Roth. In Control Line it was Malvin Meador, Ralph Burnstine, and Mike Stott. Only Hester made it from among the 1970 team members competing at the Nats. Hale Wallace (RC) and Andy Sheber (CL) had crashes which knocked them out of contention.

Walt Moucha, the popular favorite to repeat getting on the team, chose to enter his 1970 World Championships entry (4th place) rather than his newer model, a gorgeous Curtiss Jenny which had already won several best-of-show awards. Despite many flights (most RC Scale entrants had six chances to fly) Walt could not get the flight points he needed.

Meanwhile, inside of a hangar, an incredible series of flights was being made; never before seen at a Nats, Dave Gray, of Mundelein, Ill., flew his RC helicopter for the public every hour on the hour during Saturday and several times on Sunday, Most of the time he used a space no larger than a living room!

He flew in every direction, including backwards, made many spot landings, the model always under perfect control. The performance earned Dave # Special RC Award and generated much discussion to the effect that the RC helicopter had at last come of age and that a competition event was surely to be developed quickly.

Earlier in the week, some miles away from the naval air station, RC Gliders flew in an "unofficial" Nats competition with about fifty entrants. The top three winners earned a place on the U.S. RC Soating Team to compete in International Class meet to be held in September in conjunction with the RC Aerobatics World Championships in Pennsylvania.

At Glenview the U.S. RC Pylon Racing team was similarly selected from among the winners of the FAI Pylon event, Forty-eight entrants registered for this event which had never before been held at the Nats. For the first time ever at a Nats, or at any competition, sound measurements were made of all FAI Pylon entries. The event ran smoothly despite some controversy over processing. Adding interest too were special awards for muffler effectiveness. Several simple and clever muffler designs were recognized, and it appears that definite improvements in the state of the art resulted from this Nats competition.

In the meantime the RC Contest Board met at the Nats and voted to require mufflers for all pattern competition rather than just for the Class D (FAI) event, These developments, and much general discussion at the Nats, at least among the RC fraternity, seem to predict that mufflers will become increasingly evident before long. The trend is expected to be pushed even further when the results of the FAI RC Pylon event sound level measurements are published,

A study of the '71 Nats statistics, together with the listings of event winners, will indicate many other details of what went on at Glenview Naval Air Station this year, as will other articles in this and other magazines. The photo captions also help to tell the story. But much went on behind the scenes that statisties, listings and even photos don't describe.

This was, for example, a Nats unprecented in the spirit of Navy support, Although many previous nats produced glowing reports of Navy efforts, the '71 Nats situation deserves special mention. The fact is that this Nats was hampered from the beginning by shortages of personnel, limited facilities, and severe restrictions on operating conditions, Despite this, the Navy spirit was clearly superior to many previous Nats.

Captain Bill Dyckman, Commanding Officer, and his Executive Officer, Captain Paul Merchant, made it plain to AMA officials that although Navy help was seriously com-

promised in relation to the past, this Nats would get the maximum in spirit and cooperation. The Navy effort, led by the Nats Project Officer, Commander Walter M. Servis, proved to be enthusiastic and cheerful.

Time after time in situations where men and materials were lacking, Navy officers found ways to solve the problems and keep the meet moving. Servis, affectionately proclaimed as the Great Seaweed, and his staffmost of whom were veterans from the '70 meet-continually asked throughout the meet what more could be done, even though it was obvious that they were straining all resources available,

There was more AMA-Navy teamwork than ever before. AMA took on the effort and expense of providing tents, work tables, some of the meet gear repair work, and more manpower, A special effort was also made to reduce pre-meet workloads by scheduling fewer advance AMA-Navy meetings and delaying Nats work until immediately prior to Nats week. As a result the Navy was able to continue military training schedules almost without interruption right up to the weekend before-the airfield was actually undergoing final stages of meet preparation as contestants were registering on Nats Monday.

By the end of Nats Tuesday-the eve of full schedule competition from Wednesday through Sunday-two days of Indoor flying, two days of RC Pylon qualifications, three days of RC Glider flying, and one day of I-ree Flight and Control Line test flying had been completed as had the largest Nats registration of all time.

Much more needs to be told of the '71 Nats and will be when more space is available, One big story will be the Navy's side of the Nats: another will be the story of the AMA people behind the Nats. The world's biggest model meet doesn't just happen cach year, and this year it was close to not happening at all. But for now the '71 Nats is in the record books as one of the best in the 24 consecutive years of Navy hosting and the biggest ever since the Nats began in 1923.

This was the 40th Nats, with roots back before the Navy joined the program in 1948, and even before the Academy of Model Aeronautics was born in 1936. In those earlier days the National Aeronautic Association-AMA's parent organization-promoted model aviation. NAA still does, and its current executive director, General Brooke Allen (USAF, retired) was on hand at the '71 Nats to provide encouragement and congratula-

Current Navy indications are that we'll go again with the Nats next year in Glenview. There were many economic and logistic benefits to repeating the Nats at the same station. The savings in manpower training, equipment preparation, and in operational procedures appear to have made it possible for the Navy to continue hosting the Nats, at least for another year,

Poetically speaking the outlook seems to be: See You, in Seventy-Two, at Glenview!

A. VanDover CD, 112 Tillerson Dr., Newport News, Va. 23602. Sponsor: Hampton Brainbusters.

OCT. 10-PORTLAND, IND. (AA) Fall Fly-In, Site: Portland, R. Pione CD, 10340 Southwind Dr., Cincinnati, Ohio 35677. Sponsor: Southwestern Ohio FF'ers, OCT 16-PHOENIX, ARIZ. (AAA)

Arizona State FF RC Championships, Sites Phoenix, W. Roseberry CD, 4922 W. LaMar Glendale, Ariz, 85301. OCT. 16-VICTORIA,

OCT. 16-VICTORIA, TEX. (A) South Texas All Scale R.G. RC Championships, Site: TEX. (A) South G.C.R.C.A. Field. J. Daubenspeck CD, Box 281, Bishop, Tex. 78343. Sponsor: Gulf 281, Bishop, Tex. 7834; Coast Remote Control Assn

OCT, 17-EAST MEADOW, N.Y. (AA) L.I.A.M.A.C. Outdoor FF & CL Champion-ships, Site: Mitchell Field, J. Pallet CD, 30 Emerson Rd., Brookville, Glen Head, N.Y.

OCT, 17-CROOM, MD. (AA) Washington Area RC Tournament, Site: Croom Airport. T. Carey CD, 17900 Cliffbourne Ln., Der-wood, Md. 20855. Sponsor: DC/RC, PG/RC.

OCT, 17-PHOENIX, ARIZ. (AA) 5th Annual CL Invitational Meet. Site: Pending J. Valenta CD, 3041 E. Shangri La Rd., Phoenix, Ariz, 85028, Sponsor: Air-Zona Model Airplane Club.

OCT. 24-SUFFIELD, CONN. (A) 3rd Annual RC Snow Gaggle, Site: NCRCC Field. H. Walnauski CD, 38 Alder Rd., Simsbury, onn. 05070. Spansor: Northern Connecticut

Radio Control Club. OCT. 30-31-OKLAHOMA CITY, OKLA. OCT. 30-31-OKLAHOMA CITY, OKLA. Oklahoma Model Hobbie Fair Meet. Site: State Fair Park. R. McGee CD, 508 W. Eubanks, Oklahoma City, Okla. 73118. Sponsor: T.O.R.K.S. OCT. 31-KERMAN, CALIF. (A) Fresno Monthly FF Gas Meet for Cat. I. Site: Near Kerman. F. Gallo CD, 1725 Kenmore Dr., W.,

Fresno, Callf, 93703, Sponsor: Fresno Gas Model Club, NOV, 7-ODESSA, TEX, Odessa Prop Busters RC Club Fun-Fly, Site: Prop Buster RC Park, S. Hood CD, 4110 E. 37th, Odessa, Tex. 79760, Sponsor: Odessa Prop Busters

NOV. 13-14-TAFT, CALIF, (AAA) San Valeers Annual FF Meet, Site: Taft, H. Thompson CD, 24001 Archwood, Canaga

Park, Calif. 91304. Sponsor: San Valeers. NOV. 21-SACRAMENTO, CALIF. (AA) Northern Calif. FF Council FF Meet. Site: Weagel Fleid, R. Fallon CD, 2667 61st St., Sacramento, Calif. 95817. Sponsor: Stockton Gas Model Club.

NOV. 21-VAN NUYS, CALIF. Northrop Flying Wing 5th Annual Flying Wing Contest. Site: Sepulveda Basin, C. Hatrak CD, 3825 W. 144th St., Hawthorne, Calif. 90250. NOV. 21-ROCKLEDGE, FLA.

Annual Scale RC Meet. Site: Club Flying Field. G. Jordon CD, Box 3331, Cocoa, Fla.

NOV. 28-KERMAN, CALIF. (A) Fresno Monthly FF Gas Meet (Cat. I). Site: Near Kerman. F. Gallo CD, 1725 Kenmore Dr., W., Fresno, Calif. Sponsor: Fresno Gas Model

NOV. 28-VAN NUYS, CALIF,3rd Annual "Jumbo Rubber Scale" Meet. Site: Van Nuys (Basin). C. Hatrak CD, 3825 W. 144th St., Hawthorne, Calif. 90250, Sponsor: N.A.R. Flightmasters.

DEC. 26-KERMAN, CALIF. (A) Fresno Monthly FF Gas Meet (Cat. 1). Site: Near Kerman. F. Gallo CD, 1725 Kenmore Dr., W., Fresno, Calif. 93703. Sponsor: Fresno Gas

Model Club.
DEC. 26-28-TUCSON, ARIZ. (AA) 1971
Winter RC Nationals. Site: Marana Air Park.
R. Angus CD, 6640 N. Columbus, Tucson, Ariz, 85718, Sponsor: Tucson Radio Control Club.

DEC. 31-JAN. 1-2-3—WINTER PARK, FLA. (AA) Tangerine International RC Championships. Site: R.C.A.C.F. Field. W. Schoonard CD, 2080 Sharon Dr., Winter Park, Fla. 32789.

AMA OFFICER DIRECTORY

The most recent complete directory was published in the October AAM, page 64.

CONTEST CALENDAR

Official Sanctioned Contests of the Academy of Model Aeronautics

OCT, 2-3-VAN NUYS, CALIF, (AA) 22nd Annual FF, CL & RC Scale Contest. Site: Van Nuys (Basin). C. Hatrak CD, 3825 W. 144th St., Hawthorne, Calif. 90250. Sponsor: N.A.R. Filightmasters, OCT, 2-3-ROCHESTER, N.Y. (A) United Pylon Racing Circuit RC Championships, Site: Rochester, R. Walder CD, 129 Westmoreland, Rochester, N.Y. 14620. Sponsor: Radio Control Club of Rochester.

OCT, 2-3-OCALA, FLA. (AAA) Hurricane FF III CL Meet for Cat. II, Site: Dunnellon Airport, J. Krutz CD, 76 Kenil-

worth Ave., Ormond Beach, Fla. 32074.
OCT. 3-ROWLEY, MASS. 1971 Cape
Ann Fly-For-Fun Meet, Site: Cape Ann RC
Site. R. Gaertiner CD. 9 Brookbridge Rd.,
Peabody, Mass. 01960. Sponsor: Cape Ann

RC Model Club.
OCT. 3— DAYTON, OHIO (AA) Cold
Cash Bash CL Meet. Site: Municipal Model
Airport, H. Roe CD, 165 Broadripple Rd.,
Centerville, Ohio 45459. Sponsor: Dayton

Buzzin' Buzzards.
OCT. 3-DETROIT, MICH. (AA) Great Lake Fall CL Internats. Site: Rouge Park. J. Lucas CD, 20463 Ardmore, Detroit, Mich.

48235. Sponsor: Strathmoor Model Club.
OCT, 3-LAKEHURST, N.J. (AA) Central
Jersey RC Club Eastern States RC Meet. Site:
Lakehurst N.A.S. L. Shulman CD, 42 Blake Ave., Cranford, N.J. 07016. Sponsor: Central

Ave., Cranford, N.J. 07016. Sponsor: Central Jersey RC Club.
OCT. 3-MANSASSAS, VA. (AA) Maxacuters Fall FF Meet. Site: Mansassas. J. Thornhill CD, Box 85A, RFD 1, Mt. Airy, Md. 21771. Sponsor: D, C. Maxecuters.
OCT. 3-MENTOR, OHIO Quarter Midget RC Third World Championships. Site: MARCS Fleld, Tyler Bivd. R. Penko CD 21151 Westport Ave., Euclid, Ohio 44123.
OCT. 3- VAN NUYS, CALIF. (AA) Valley Circle Burners Oct. Ct. Meet. Site: L.A. Model Airport. W. Cohen CD, 7323 Amestoy Ave., Van Nuys, Calif. 91406.
OCT. 3-BONG FIELD, WISC. (B) Pelican Annual N.I.A.,M.A.C. FF Meet for Cat. II. Site: Bong Field. R. Elman CD, 17707 Burn-

Site: Bong Field, R. Elman CD, 17707 Burn-

nam, Lansing, III. 60438, Sponsor: Pelican

Model Airplane Club.
OCT. 3-NASHVILLE, TENN. 1/4 Midget Race Rally. Site: Nashville. B. Reuther CD, 6602 Highway 100, Nashville, Tenn. 37205. Sponsor: Middle Tennessee Radio Control

Society, OCT. 3-REEDSVILLE, PENNA. State College RC Fun Fly, Site: Mifflin County Air-

port. A. Niessner, Jr. CD, RD 1, Box 398, Boalsburg, Penna. 16827. Sponsor: State College Radio Control Club.
OCT. 3-MYSTIC, CONN. (AA) SCAMA Sweepstakes FF Meet, Site: Lantern Hill. H. Struck CD, RFD 2, Lyme, Conn. 06371. Sponsor: Southern Connecticut Aero Model-

Ing Assn.
OCT. 9-10-LAS VEGAS, NEV. (AA)
L.V.R.C. Annual RC Meet, Site: Mint Gun Club. G. Horstman CD, 613 Donner, Las

Vegas, Nev. 89107.

OCT. 9-10-GALEVILLE, N.Y. (AA)
Sky-Scrapers International FF Challenge.
Site: AA Field. W. Dunwoody CD, Ft.

Salonga RD., Northport, N.Y. 11768. Spon-sor: Sky-Scrapers. OCT. 9-10-SUFFIELD, CONN. (AA) NCRCC RC Pattern Scale Meet. Site: NCRCC Field. S., Griswold CD, Highland Ave., New Hartford, Conn. 06057. Sponsor:

Northern Connecticut Radio Control Club. OCT. 9-10-NEW ORLEANS, LA. (AA) 10th Annual Crescent City RC Meet. Site: 10th Annual Crescent City RC Meet. Site: Club Field. A. Wiltz CD, 3231 47th St., Metairie, La. 70001.


OCT. 9-10-ALBUQUERQUE, N.M. (AA) SWAT FAI FF Contest, Site: Boy's Academy, B. Averill CD, 2314 Palomas NE, Albuquerque, N.M. Sponsor: South West Aero Team, OCT. 9-10—CHARLESTON, W.V. (AA)

Third Annual Area III RC Championships, Site: Charleston, S. Sturm CD, Box 5234, Vienna, W.V. 26101. Sponsor: Mountaineer


Radio Control Club.
OCT. 10-ROCKFORD, ILL. (AA)
F.V.M.A.A. Super "AA" CL Bash. Site:
Riverdahl Park. B. Vojstavek CD, 7819 Chest-

nut Ave., Woodbridge, III, 60515,
OCT. 10-READINGTON, N.J. "Antique
Antics" RC Antique Meet. Site: Solberg Airport. C. Gill CD, 835 Gilbride Rd., Martinsville, N.J. 08836.

OCT 10-RICHMOND, VA. (AA) Brain-busters Fall FF Meet. Site: Curles Neck Farm.



11/4 ounces, 3-pound punch!





	I demonstrate of	
, plus shipping	~~	ar i
☐ Please send	d Gredit Ap	plication
State	Zip	
F.O.B. factory, t to change withou	at notice.	GX-23
	StateF.O.B., factory,	, plus shipping. □ Please send Credit App

Schweizer 1-29

(continued from page 48)

Fine-sand the entire plane, using No. 200 sandpaper, Rub ordinary talcum powder into every square inch of surface to be doped. Put on a coat of clear and let it dry, sand it again and repeat the process.

Now for color, The real 1-29 was white with silver wings and red license numerals. (The numbers shown are scale.) You can paint your model in this manner if you want, but you have to decide between a flying model and a display model. The pigmented (colored) dope adds loads of weight, and more than two very thin coats (not enough for a good finish) will very likely warp and overload your ship beyond any hope of good performance.

The original model had only the two coats of clear, but a few details done in India ink

added quite a bit of realism. The moveable flying surfaces, the cockpit outline, and the word experimental were all done in ink, and the license numerals were cut from red tissue. The wheel was doped black.

Flying

The balance point must be in the area shown, even if you have to put me engine on the nose for weight. Sheet lead or type metal (from a printing shop) is great, but a couple of huge washers will work equally well. Hold weights in place with a rubber band or paper clip while trial balancing; when you find the right amount, glue it in place solidly.

For test flying, find me open grassy area about as large as the infield of a baseball diamond. Grip the fuselage firmly under the wing with thumb and forefinger, aim the nose into the wind and slightly down as though it were coming in for a long, smooth landing, and gently push the plane off, It should, of

course, make that long, smooth landing. Use empennage warping to cure any violent tendencies (elevators up for dives, down for stalks, and rudder opposite of any bad turns). You might leave a wide, gentle turn in the glide, to either the right or left, so you won't have to chase the ship across two counties every time it is launched.

Now for the real flying. There are two good methods of getting a plane this size airborne. Using a towline is the most popular, but it requires two people. Make the towline by attaching a paper clip to the end of about 100 ft. of kite string or light fishing line. A small cloth or paper flag tied about a foot in front of the paper clip helps the clip drop off the tow hook when you want it to, and makes the end of the towline easier to find after a flight.

To tow the plane up, have your helper hold it as for a hand glide, but with the nose slightly up, instead of down, Hook the paper clip onto the tow hook and stretch the line out to full length, straight into the wind. On signal, both of you begin running into the wind; when your helper feels the plane lifting, he lets it go gently. The secret of good towing is to keep your eye on the plane while running like a scalded demon, It the plane starts to veer sharply in either direction, let go of the string quickly and the plane will probably fly off of the hook and into a normal landing pattern. A good tow is right straight up the line, with very little weaving, The plane ought to stay hooked as long as you continue to pull, and disengage immediately when you let the line go slack. You may want to experiment with hook positions: an inch more forward improves tows in windy weather; an inch or so back for dead calm. Tow hook offset may improve the launch, too, For instance, if a plane consistently veers off to the left on the tow, putting the hook on the left side of the fuselage (instead of on the bottom, as plans show) may help to straighten the tow.

But suppose you have no helper? He can be replaced with about 50 ft. of 3/16" rubber (from any good hobby shop) and a small stake. Tie the rubber to the stake and to the front (upwind) end of the towline. You now have a huge, gentle slingshot. Hook the plane on, as in the towline method, and back up (stretch the rubber) twenty paces for a start, Launch the plane just as the helper does in the towline method, pulling it forward and up. Make all tow adjustments just as you would for towline, As the plane smoothes out and begins to perform well, increase the rubber tension (walk back further) for higher lows.

Your 1-29 ought to be performing like the real thing, Beware of thermals, those rising air currents on warm days that wait around patiently and invisibly, hoping to snatch free flights off to the Great Blue Gobbler in OOS. Put your name and address somewhere on the plane, just in case.



PERFORMANCE AND PARTS TOO!

BIG POWER

11,000 to 12,000 RPM with 11-8 propellers. Plenty of power for FAI stunt models and Heavy Scale models.

CHECK THESE FEATURES

- Designed for maximum performance with mufflers
- Schnurl bypass porting system
- · Flat top piston design
- Single piston ring
- Ball bearings on crankshaft
- Adjustable idle mixture control
- Excellent fuel draw ability
- · Reliable idle characteristics
- 6 months warrantee
- Fits standard mounting systems

COMPLETE PARTS STOCK

Nelson carries a complete inventory of parts for the 61R/C Engine. Part orders shipped same day received. We also maintain a complete service shop for major engine repairs.

COMING SOON

2 new Hirtenberger Engines . . . FR-40 and RR-40 . . . write for bulletins today!



Nelson Model Products


6929 West 59th Street Chicago, Illinois

Dealer Inquiries Invited — Standard Trade Discounts

PLANS & THINGS

• KARLSTRÖM DRAWINGS •
• ACCESSORIES • SUPPLIES •
CO2 • PEANUT SCALE PLANS
WHEELS • PIRELLI RUBBER
MANY MOREI SEND A QUARTER FOR OUR CATALOGI
W. C. HANNAN, GRAPHICS • BOX A
ESCONDIDO • CALIFORNIA 92025

TERRIFIC!....BUT LOOKS AREN'T EVERYTHING



The new Series 21 is so superior inside as handsome and outside the have to build new to to to tit to Series comes in five sizes: .19, .29, .35 and .40 in

It also available with the Perry carburetor for You can your hands and eyes on it well specifications, etc., at a dealer.

In Canada: The Testor 2450 Finch Avenue West



The Testor Corporation 620 (1) (1)

FROM START. TO FINISH ... AND EVERYWHERE IN BETWEEN













Whatever you do in nucle building, Tean
you it better. The Testors name means
trouble-free fuel, and quick drying

father, his or dealer.
He stands behind stands for



Our string of ukie winners grows on and on...

Dumas continues building on its leadership in U-control performance. With hot new ideas in engineering and design. With materials that stand up. With workmanship in every detail. Whether you're out to win, or just for fun, count on Dumas for kits that are fun, simple and fast to build. We're making it easy to win.



Li'l Tiger Tremendous new competitor for 1/2A team racing, or fun flying. A scaled down Ole Tiger. All die cut or sawed balsa — solid wing. Kit C-33, \$4.50.



Crusader This new profile control line carrier plane is already making competition history with scores over 400 points. Handles beautifully from 22 mph to 81 mph. Wing span 36", for .35 engine. Kit C-34, \$13.95. Corealizer last! An exciting new design for slow combat and stunt flying. Highly maneuverable, and not expensive. Our exacting version of the new U.S. A-7 Corsair II attack fighter. Wing span 38", for .35 engine. Kit C-35, \$11.95.

And more . . .

Ole Tiger — At 90-plus mph, this .15 powered Goodyear Racer is riding high on competition victories. Solid balsa wing, tail and fuselage. Wing span 21". Kit C-31, \$8.50.


Mooney Cadet — This .049 trainer has a tricycle gear for easier takeoffs and landings. Twin rudders for greater control and line tension.

Solid balsa construction with plywood reinforced nose. Kit C-32, \$4.25.

See your dealer foday, and let go with Dumas. If not available from your local hobby dealer, add 10% for postage and handling and order direct.

Send \$.10 for catalog. Dumas Products Inc.,
790 S. Park Ave., Tucson, Ariz. 85716

planes



Ready For R/C Car **RACING?**

Then You Are Ready For SSOCIATED

NINE BODY STYLES IN UNBREAKABLE LEXAN!

- All perfect scale models of real racing cars

RACING CHAMPION OF THE U.S.!

- Winner of both main events at the 1971 R.O.A.R. Nationals
- Winner of more club races than any other make

REASONABLY PRICED!

RC-1 kits from \$69.95 — bodies from \$6.95

Available in hobby stores throughout the world



7611 Madison St. • Paramount, California 90723

WRITE FOR FREE CATALOG!

People In Trouble Need Your

UNITED GIFT



If you don't do it, It won't get done

Kingfisher

(continued from page 17)

OS2U-3's were even used an dive hombers

But it was as a rescue craft that the Kingfisher made its name-by coming back one day with me of aviation's biggest names, World War I American ace-of-aces Capt, Eddje Rickenbacker and seven others crashed into the South Pacific in October, 1942, and were presumed lost. In the middle of November, almost three weeks later, all seven were picked up from their life rafts and returned to safety in two daring trips by a single Kingfisher. Rickenbacker and another man came back lashed to the wings as the overloaded airplane taxied 40 miles after

failing to get off the especially rough water.

The latest episode in the long history of the Vought scout, which should have ended many years ago, concerns one which erash-landed in western Canada while on a delivery flight to Alaska in the summer of 1942. Lost in heavy fog, it slammed into the side of a brush-covered mountain, suffering heavy damage but protecting its two-man crew. The story was forgotten (except by the two men, of course) until someone came across the remains of the plane in 1963. With the help of the Canadian Armed Forces, the pieces were eventually returned to the Vought Aeronautics Co. in Dallas, Tex.

Thirteen members of the company's Quarter Century Club, many of whom had helped build Kingfishers during the war,

Write for Info and Prices on the Engine of your Choice



Parallel Twin Alternate firing



ROSS With up or down exhaust




ROSS 4 1.2 cu. inches

Northfield Precision Instrument Corp., 4400 Austin Blvd., Island Park Long Island, N. Y. 11558 Phone: (516) 431-1112

if you want some fun

. . . then go out and get yourself one or more of these And are they simple! Kits contain from 6 to 9 die-cut Balsa parts as well as the metal engine mounts, complete Control System (less lines and

KIT S-35 BEGINNERS THUNDERJET 2.95



KIT S-37 BEGINNERS EINDECKER 2.95



KIT S-36 BEGINNERS SUPER CUB 2.95



S-30 BEG, RINGMASTER 2.95



S-32 BEG. RING. BIPE. 3,50



AVAILABLE IN CANADA

PRICES SUBJECT TO CHANGE WITHOUT HOTICE



S-34 BEG, SPITFIRE 2.95



. . . for your fun . . . for your money.

nifty little Control Line models.

handle), Landing Gear, Wheels, authentic Decals, etc., all ready to use, which makes assembly a cinch

Almost any .049 Engine can be used

that they're practically damage-free. By the way, Engines from most readyto-fly plastic models can be used, so if you have one, don't waste it. It might require ■ little modification

Plans are easy to read and complete.

all about 21" wing span; and all the tools you need are generally found around

They even have a run-down on beginners' first time flights.

There are six models at \$2.95 and one Bipe (double winger) at \$3.50,

> . . . so get over to your dealer's and take a look . . . at \$2.95, you'll find they're the MOST

and the flight performance is just great.

IN ONLY MINUTES!

to install, tho.

the house.

S-31 BEG. MUSTANG 2.95

STERLING MODELS IN BELFIELD AVE. and WISTER ST. . PHILA., PA. 19144 If me depter available, direct orders accepted—with 10% additional charge for handling and shipping. (60c minimum in U.S., \$1.25 minimum outside U.S.) Catalog of entire line of airplane control line model kits, R/C scale and

Trainer kits, boat model kits, accessories; etc. 25c enclosed.

"Secrets of Madel Airplane Building." Including design, construction, covering, finishing, flying, adjusting, cantrol systems, etc. 25c enclosed.

"Secrets of Control Line and Carrier Flying." Including prellight, solaing, stunting, Corrier rules and regulations, Corrier flying hints and control line installation instructions. 25c enclosed.

ıme					
letra co		City			

Zip State

SUDDEN SERVICE PLANS

No. 1193, Mig 21d - 10-powered C/L version of Russian fighter is fast, stable fiyer fly Iteland Balts \$2.50 No. 1194, 1937 Gas Model - Half-stee 940 copy of givent vid-timer. Has dusability and easy-to-fly characteristics Frant Chillon. \$2

No. 1091, Halberstadt - Nearly scale R/C WW I fighter with semi-symmetrical B' wings, 60-powered. Two sheets, \$4

No. 079). Pusher Gaiore — Bill Hanman's all-sheet, rubber pushes for Tenderfoot Looks like supersonic transport, 5.75

No. 0894. Voltawagon — Trainer and stunter by Marsh for electric tether tlying with slot-car motors. Plans for the pylon included. Great club activity \$1.50

No. 0794, Skimmer Airboat - Siertage hin watercraft by Paul Hook 400 engine, 11/C nickler, throatin \$2

No. 0991. Flashby 1 — Rakish-looking all-bal-a Rick by Wayne Blown. For the Tendertoot. Tricycle gear. \$1

No. 0992, Fouga Cyclone - Simle mindel of fet-a-sisted French smitplane, by Nick Zholi Gains mithide easily on 00 migno, A two-piece 7-ft. with: For H/t. 53.60

No. 993. La Jollita - Profile 15pawared Goodyear t/L new by James Kloth, fast, growy On mild filel and engine dues 85 mph \$1.25

No. 0892, Taylor Cub F-2 - Sport, P/C, scale, 020 Stick-and-tissus. By Schreger \$1,75

No. 9893, Marka MO-1 - Rare WW-1 ers monephane, carrier flyther ideal for Plass 1 Catrler Allerons keep lines light at low spent By Reese. \$4.50

No. 1181. Junkers D-1. Jun Tadhigi 1918 figlicer, proportions for purfect H/C scale .45 chains how-wing has 500 sq. in \$2.55

No. 0191, Curtiss-Wright Jr. - Robert Hawkins insuspensed open-cockpit positor of thister for single channel. Plast step into RC scale. Span 44". Use 040, 32.50

No. 0192, Skyralder — Morrin's Wavy Carrier, fast, Helit, 40's or 30's, Dasy construction, \$2.50

No. 0183, Cutta Coups - Coups d' Hiver F/At by Dave Linstrain, quink to build with all-sheet surfaces. Your first rubber contest model \$4.75

No. 0291, H/C Noblet Ed Sweener's conversion of ranges C'15, stone ship A highly manuscraphe B/U, Only 40 for all AMA/FAI stunts. \$2.50

No. 0491. Emeraudo — Duke Crow reduced lamons home-built to 35.15 size 105."1 40 to .50. dues some pattern Gentic. Two cleets. \$3.75

No. 0591, Small Fry Special Stotth's C/L trainer for Tendertoot Easy to build, An .049, \$.75

No. 0592, Masserschmitt Bf. 109E --R/C, sent-seate by Munninghott Mean took of efficient fighter. Two sheets 33.75

No. 0583. Manta - Howard Kuhn's Boost Olider for model rockets easy to build from sheet. A winner. 5.75 No. 0691, Jr. Say Squirs — R/C sporttrainer by Jess Krieser. III to 19. From Galluping Ghost to multi-digital proportional. Span 48" (416 sq. in.l. 3 lbs \$2.50

No. 0692, 'A Sky Squira Small version famous Sky Squira 1 ch tudder-with, or tudder, elecator and motor on Geifening Ghost. Only 22-28 oz 52

No. 0693, Mustang - Habe's grelli near-scale C/L -tunt. Fires pattern with case. ST 401 Over 67", \$2

No. 0792, Rivets - Speedy, responsive R/C. Oven Kampen design for 020. Adena Baby Actuator, rudderonty, \$1.75

. 1183, Carrigan — James Wilson's unique 15A C'L stunt model Files tall first! Stable like big stunt ships Eass to build, 23", \$1.75

M. A693, Sweeper - Windy Unnowsky's glant, C.L. stunter, 18" span 60 up front, Many trim adjustment features \$2.75

No. A695, tady Maxlay - Brian Donn's A 2 Nordic towline Davis 3 feel Bitz construction \$1.50

No. A897, Owarf Dip \$11 - Easy to fix, rubbas Coupe de fiber by Charles Saturit a within 1 For small fields Warp-resistant \$1.50

No. A591, E A A Bluine Nick Zivil's again 11/1 uses 40 mine. full house gear 35" whigs, 32 symmatrical foll, box-and-stringer fusalage. Two sheets \$2.50

No. A892. Miracle Worker - Julia Rum's C/L trainer, fember, carrier, tunt Easy-to-balld profile .33 enume \$1.50

No. 1291. Gemon Delta - First, indisstuding C-L for 35-45. Looks like modern lighter Attract attention for demonstrations. By Jerry Fare 12-50 Ro. 1292, Dolphin II -- Czechoslovakion RyC for pusher, 09-15 munited at seems under T-tail Rudde: motor, good slope sonce: \$1.75.

No. 1293, A/Wonder - Simple allbales A-1 touline by Hob Statick, then for beginners at rowline events. \$1.50

No. 0201, Cardboard Cutie - Inexponsive all cardboard C.1, for Tenderroot. 040 Two cheers. El.25

No. 0202, Push-Alr - For Brown's this CO2 engine. Simple F F by Ehming like Unities-Wright Jr \$.75

No. 0203, MR Tiper - Hob Morae s switt Fuyumla 1 R C of Hob Nowney innous incom KAB 40 \$3.50

No. 0203. Chassical Gas - Haught's t'rL stunt for 35, for flyers graduating from profiles \$2

No. 0205, Kestrel - Dave Heddingtun's delightful R U indder-only source with 02. \$1,50

No. 0302, Bearcat Al Rabe's atunt C/L was talk of the 1956 Nats. Addith customized ST 46, \$2.00

No. 0301, 1916 B&W - Biplane on flusts was Roetne's first airplane Banutiful B/C job by Francis Reynolds, news a 100 Two sheets \$4.50

No. 0304. M. K. Sportstar -- Ho Fang Chiun's cute cable free-flight takes me power \$1,25 No. 0401, D.H 88 Comet — Scale twin by Skip Williams from Jan. '68 centerapread for 20's. Past, stable, can fly pylon rules. \$3.75

Ma. 0302, Lively Lady - World Championships winning Nordic by Elton Drew Well detailed plan. All weather fiver \$3.75

No. 0404. Sweapen — U./L Goodyrar by Williamson for club project also is lough trainer. For 25 engine. Balsa cuttim guida incl \$2.50

No. 0502, Mod Pod All - purpose model. F/F, 18/C, or tether - glider or power. Fiberglass pod, errow-sheft boom \$1.75

No. 0503, Royal Marina - By Yudi BBB of Japan, magnificent scaplate with 8' wing. Two 40's or one 60. Gracoful lines, smooth flyer, Landles easily on water. Two image plan sheets, overy part about in detail, 58.00

No. 0501, Flower Power - Spont/ sunt full-house HC with a 40 engine. All-balsa, simplified structure Plugs galeration mm. \$2.50

No. 0502, 6 kyraldar — Profile of bull-up fuselage shape Navy Corrier lob for 15-30 engine A winner in a trainer 41-in-one, \$2.00

No. 0603, Waco - Delightful hi-plane, stelk and tissue, suddersonly RC on 98 to mm for FF Very well detailed plane \$2.50

10. 0701, Suda - Nimbie RC for specifier competition. One-piece construction. 40 to 60 engines. Build first standard balsa sizes. By Jue Dolag \$4.25

No. 0702, Contender - Military-like litt, also Sport Stant type for 35-d0 Tif-sear, removable no-diffedial wing fast building by baye Plant \$4.25 Special Offer: Get boil Sude and Contender plans for only \$7.00

No. 0703. Frontidos - Record-holding CL let speed model. Notal or wood model binwu, Uses 15yas-15e 18y Jerry Thomas Two plan sheets, \$1.28

No. 0784. Cossna AW — Italightul stick and tissue FP of great private plane of years ago indoor of outdoor version possible Featur Scale 100. \$4.50

No. 0801, Winnie Mas - Speciscular RC Year for strong 60 engine in 2"-1" scare, four and taisa, 10ta of details. By Monty Graves. Two ing sheets. \$4.50

Also, special [15".1" version for FA1 scale, 46 thin 60"s Thu sizeets. Order as No 0802 \$4.25

No. Thermal Dart - Enlarged and improved rabber-powered beginner's delight by Frank Enfine, \$4.00
No. 0804, BV-144 B - Asymmetrical
WW II fighter bomber in notific for
049 engine im Terry Aldrich, Easy to
make, good fivor, \$2.00

No. 0801. Soreerer -- Pee Wee 02powered, fice-flight flying saucer uses sheet wing, easy to make by Tenderfout builder \$1.00

No. 0902, Cloud 9 — Intricate contest winning Wakefield by Roger Gregory. Plan shows streamlined prop/fluth design, 33.40

No. 0904. Antoinette - Signorine/ Zundel Rtl. 98" wing, hearly state. files well on .36, like powered glider. Plans 3 huge detailed sheets. \$9,00

No. 0905, Mint Cat — Bud Atkinson scaled down the Cat series, for pulse or light digital and up to 19 engines. Easy to make RC sport flyer. \$2.75

type, 34.00 No. 1001, Phantom — Well-engineered IC. Dyna-Jet-powered scale fiditor by Ralph Saldivar is practical but noisy model. Highly detailed plane. Jet installation shown, \$4.00

No. 1002, Hobbit - Simplified Nordic Al by Bob Stallek is steady on tow, all-wrather flyer, \$1,50

No. 1003, Charger -- 15 A powered sweptwing stutter does full pattern on long lines safely. \$2.00

No. 1101. Autogips—Simple 045-powered model builds fast and gives unique parformance. Pusiter map as motor. \$1.25 No. 1102. Asrobite—Large scale C3 or IC of a famous Waterman roadable plane. Uses 45-3 motor. Wing detachable, car drivable! Large single-sheet plane.

No. 1103, Akromater IIC kesle/stunt model or rest acrobate plane for 45-80 engine Fast and responsive, rasy to make, simple shapes. \$2.75

No. 1104. Tardon-Pormula II sendscals pylon meer in stunt plane for 40 engines. With ovent at 1869 NATS, Groovy fibr. \$3.00

No. 1201. Stiletto-Unique %A protomodel uses untell-extended motor shaft for clean prop thrust and speed. \$1.00 No. 1202. King Kong-Huge fint-land soarer for competition use has 12' wing of glass, foam, and balsa. By Sarpolus. \$3.28.

No. (203, 10-H1-Eix-foot span, 049powered flying wing | high-performance model with sporting flats. Huge plan, \$3.59.

No. 0111, Oragonfii - Fast graceful competition stunter by Phil Kraft. Uses hig 60's and actuars, \$4.00

No. 01/2. Teathplek - Long thin winged combat CL ship is both fast and quick turning. For hot SS's.

mo. 0143. Luton Minor — Delightful 10-pawered semi-scale RG for three light serves is high-winged pare-of menoplane. \$2.25

No. 0211, Cobra—Steve Wooley's great, smooth-flying CL stant ship for 35's. Light model, ideal for both FAI and AMA parterns \$3.50

No. 0212. Voodoo-Converted Goldberg kit for streamer-towing RC combat, by Ed Sweeney Two serves with 19 engine. For new event, \$2.75

No. 0213, Guillotine-Modified from CL for RC combat. Maneuverable, fast, responsive, and bun. Ulides well. For two serves and IR engine. For new event. \$2,75.

No. 0312, EKRO-A compact FAI pattern and spect model for 35 engines. All wood low-winger, \$3

No. 0311, Skydaneer - Two-channelemipped BC boest gliller using alleron and elevator control. Lotted by new, powerful tacket motor, \$2

No. B411, P-31 Mustang—Senti-scale Of-powered with ARF Lanter or Dee Hee wing on balsa tusclage Realistic and quick construction \$3.28

No. 0412, Grouper—Unline in appearance, oval balsa fuselage lides a big 60 engine. Easy-to-make stricter for commercial ARF wings. \$3.25

No. 0413. Daunties: Low-wing scale profile FF model for sport flying on inexpensive 020 engine. \$1.50


No. 0413. Nesmith Cougar—Accurate scale ('L model of hoxy homebuilt, Fine beginner's scale model using 19. A winner with detail, 53.49

No. 0511. Fire Wagon—Contest free light model for %A, by James Clem. Disgonal-ribbed wing resists watps. 51.75

No. 05(2, Platypus—Unusual-looking RC accelette scaplane, made with balsa-covered foam blocks. Uses m 60.

No. 0513. Troop Glider and Tug-Two models, one a twin-engine, 19-powered

AMERICAN AIRCRAFT MODELER 733 Fifteenth St., N.W. Washington, D.C. 20005



1401170	·-	
Address		
City	State	Zip

PLAN NO. COST

C-46 Profile, the other a scale CG-15 troop-carrying WW H glider, Both one large plan. \$2.75

No. 0611, Phantom Stunter-Very realistic jet-iim model of Blue Angels plane with typical stunt moments and airfuil. For 35-45 engines. \$2.75

m. 0612, Crusader Stunter-Anhedral wing, ventral fins and full array of missiles and drop tanks. It is a unique but truly competitive flyer == 35 or 40 engine, \$3.00

No. 0613. Simple-Fly-Semi-symmetrical CG airfoil low-wing on box fuse.

Performance for beginner or novice contest ship with a 50. \$2,50

No. 0614. Sopwith Pup—Single or multi-channel, marly-scale model for 10 to m power, Highly detailed plans. Stable flyer, \$3.50

No. 0515, Sentane—Jon Davis' contest-winning towliner A/1. Uses fibergiass boom, stiff warp-resistant wing. \$2.09

No. 0711, Phoenix 3-Don Lowe's latest in a series of swept-wing competition stanters for 60 and retracts, \$5.00 No. 0712. Bonanza/Debonair—Build either V-tail or conventional version of this popular fast light plane for full-house radio and a strong 60. Fine-lying ships, foam wing construction.

No. 0713, 1.F.O.—Would you believe a FF 020-powered flying saucer which really files? Built-up construction looks real. \$1.00

0714. Ralidivar-Semi-scale Cl. model WW II torpedo bomber builds fast la rugged. \$1.50

Eo, 0811, Douglas Maltplane-Large FF scale of Western Air Lines 31-2 bipe. For 03 power. Could By with light radio, 53,00

No. 0812. Hot Canary-Unique Formula II/FAI traing biplene by Bob Signikoff, Although unusual-looking, it is fast and quickly built, \$3.25

No. 0813, Pogo-Model of Owl Racer for Formula I features midwing low stab, non-cleeked cowl. Very stable and plenty fast. By Bob Murse. \$3.50.

III. 0814, Flying Fortress -- Not a scale plane, but a novelty CL figing medie-

No. 0911, Fletcher-McCullough's magniffcent tri-genred, low-wing crop duste scale job ... 50's. Generous area an moments. All balsa. H plans en 2 \$7.50 Highly-detailed

No. 0912, Killer—Fast, responsive combat plane. All-balsa for the has many wiss, \$8.00

No. 0813. ACE High-Featherweight 060-powered RO gilder = a set of ACE R/C foam taper and constant chord wing sets. \$2.25

No. 0914, Sakitumi-Highly-developed 40-gram Wakefield plane by Brian Donn features latest trends in gadgets and design. Well-detailed plan. \$3.00

No. 1011, FAIMan—Competition FAI
free flight job for screening 15's.
Simplified construction with warppreventing wing. Build a winner. \$2.75

1012, Personne—All-out BC slope racer for silecons and elevator. V-tail, laminar wing; aerobatic, too. Balsa fussinge with foam wing. \$3.50

No. 1013, Hi-Pro-Highly proficient slope/thermal source: Hulld several versions from these plans. Balsa, wing and glass fuscinge \$3.50

No. 1015, Marut—Named for the Wind Spirit. Designed for windy weather CL contests. Large-size jet appearance uses 45 engine. Two sheets.

THIS MONTH'S PLANS

No. 1811. Longster-Layge-day free flight scale ship for 99 power, also ideal as small RC. Construction similar to reat plane, \$2.75

No. 1112, Buster-Bullt-up profile Goodyear racer well-streamlined and a winner. For hot 15's \$1.75

No. 1143, Bippi-Bips—Belighbul scale-like indder-only or GG model for single channel and iii engine. A plane. \$2.75

erobee puts hind the wheel for under \$100!



Jerobee Gas-Powered Racing Cars: Radio Control, Ready-To-Roll!

Get all the sound, action, speed, radio controlled throttle and steerthrills and spills of the track right in your own driveway! Precision engineered 1/12

scale model cars powered by Cox 0.049 cu. in. gas engines have 4 ft. turning radius, can be raced at

scale speeds up to 240 mph. High strength chassis, fully proportional

ing system with 200 ft. range, interchangeable Cycolac® bodies. Add fuel and batteries and go!

Completely assembled with engine and radio control system-from \$89.95 at your hobby or department store. Send now for free full-color brochure.

Industries, Inc.

Subsidiary of Rocket Research Corporation Dept. A, York Center Redmond, Wash, 98052





Inc. Dept. A4, Wakefield, Mass. 01880



teantinued from page 68)

rebuilt the twisted pieces of metal into a brand-new 29-year-old airplane, While this labor of love was under way, the pilot and observer were located, and all were there when the scout was put in place and the battleship North Carolina (first ship to catapult-launch any airplane, in 1915) at Wilmington, N.C., in June, 1971.



The experimental prototype in 1939. These scout planes were shot from short shipboard catapults with the equivalent force of a 5-in.

The production life of the Kingfisher was not very long-only from 1940 through 1942-though it remained in service several years more, before being replaced by the higher performing Curtiss SO3C Seagull and then the Curtiss SC-1 Seahawk as the end of the war drew near. Still, it was an OS2U which rescued two pilots from the very shore

of Japan, only hours before the fighting ceased. One was a Corsair pilot who had crash-landed several miles off the Japanese home island of Honshu and then had been washed ashore in his life raft; the other was the pilot of the first Kingfisher which tried to rescue him and was lost in the heavy surf. Both pilots squeezed into the rear cockpit of the second Kingfisher and were flown back to safety, arriving with all of two minutes' fuel in the tanks.

Of the 1522 Kingfishers built by Vought Sikorsky and the Naval Aircraft Factory (used by the U.S., Great Britain and later by Australia and many Latin American navies), only three are known to exist today. One is on the USS North Carolina, another on the battleship Alabama at Mobile, and the third on the battleship Massachusetts at Fall River. Only three, but they're not stored in warehouses, or even on display inside museum buildings appropriately, they're back where they belong, poised for action.

Versions and Variants

XOS2U-1-prototype first flew July 20, 1938.

OS2U-1-first of 54 flew in April, 1940.

OS2U-2-158 built in 1940-41 with 450 hp P&W R-985.

052U-3-1004 built in 1941-42 by Vought

OS2N-1-300 OS2U-3's built by Naval Aircraft Factory.

Kingfisher !- 154 to Great Britain.

VS-310-factory number for export version.

ASSOCIATED HOBBY MANUFACTURERS, INC.

627 E. Cayuga St., Phila., Pa. 19120

DU-BRO PRODUCTS, Inc.

Send Stamped, Self Addressed Envelope for Catalog


couldn't possibly include everything in one ad

NOLUDES COMPLETE HARDWARE PACKAGE AND INSTRUCTIONS. ONLY \$59.95 °

Hinge Pin Locked In Place

NYLON HINGES

PARY INSTALLATION OF STATE NO. 11-8





OU-BRO THREADED COUPLERS

For clean fool-proof coupling. Designed for one on the Cu-line Numiclinic, Bases, 144" control with 14."—2.56 thread. 14.4" opening for plane wire or cubin. Eat. No. 12-29

DU-BRO **GLEVISES** NEW NYLON KWIK-LINK 39¢

THESE "SURE-LOCK"
CLEVISES ARE THE SAME
STIZE AS QUESTIES THE AND CLEVIS." DU-BRO NYLON
KWIK-LINKS ARE MADE FOR SELF
THREADING DATO QUI-BRO RODS
AND "THREADED COUPLESS" OR ANY
OTHER RODS HAVING 256 THREADING.

NL-12 12" ROD WITH MYLON CLEVIS, 294



DU-BRO DURA COLLARS



DU-BRO MOUNTING BOLTS **BLIND NUT SETS**

For mounting angines— large or small 4 ga IIBMS flot mashers, lock washers and blend nuls per set. 136 per i Four 1984s:

MD251 2.56 : 45° 28c M0440 4.40 : 114° 45° 28c 348 : 34° 28 M6432 6.32 : 114° 456

DU-BRO **SOCKET HEAD BOLT BLIND NUT SETS**

For those who prefer socket brad botts. 4 ea. both. Nat washers, lock washers and bild outs plus one Allen wrench per se! (1) pcb.) You (125) Cat. Me. 3M4 - 4 dg. [" Cat. Me. 3M5 - 6-32 x [" 98¢

DU-BRO BLIND MOUNTING

SET

Can be used on 34" plywood leethout slighing NUTS thrul and thicker, 4 per phy. 4 foreact sizes:

CIL No. BN258 (2-56) 4 EACH CIL No. BN348 (3-48) 25 C Cot. No. 316522 (6-32) 4 for 35 C



SUPER **VALUES!**

SEA SED 600 A.R.F. FLYING CHUISER® SPAN ... FIVE FEET ENGINES-..40 TO .60 FLYING WT. PROX IIII LBS. WITH .60 MININE I R.C.

HIGH HU"

HORN X

BASE JO

0

FINIST CONTROL HORMS AVAILABLE

CONTROL OF THE WAY THE CONTROL OF TH

ELL CONTAINS GOT LEFT-ONE RIGHT HOUR, TWO SELF THREADING HUT MATES AND FOUR 2364", SCIEWS 8 PIECES CH-49 4%:

R/C TANK FILTER

FUEL TUDING

NEW

■ LONG

WRENCHES

ation-type for those hard-to-reach places. Fits all Du-Bro societ head cap screws.

§ INCH REACH

Combination

Designed To Fit All Clunk Tanks

· Made of Sintered

Bionze III Give the Ultimate in Filtering

NYLON

HORNS

QU-120 CH-49

R/C ACCESSORIES FINE QUALITY PRODUCTS

Direct AT STEEL REVIEW AND PROCESSED KR30° No Strint, No Stroth, Processing Mero-objectable at control here. Great prough, pingle and oncy in initial, Not, well or set days year affect the setting, Boot Strings Complete 31' accessing with Kuit-Links.

200



DU-BRO SPORTSMAN A.R.F. FOR ,60 ENGINES BIG ONE ... ONLY TWELVE OUNCE TANKS EASY ASSEMBLY

FULL HARD-WARE PACKAGE

Steerable Nose Gear

SPAN SIXTY TWO INCHES CHORD.. TEN AND ONE HALF INCHES Does not include engine, wheels or R/C gear the up-to-date way to fasten wings to fusalage. "No Notse" ONLY Nylon boits and Nylon threaded blocks.

AH79

Aero Commander Specifications

Wing span-49". Wing chord-8". Wing area-388 55. in. Length-36". Flying wt.-3 lbs. 12 cz.

Installed fuel tank mount, Motor Mount MM1

*Doss not include engine, wheels or R/C gear

75¢

DU-BRO

KWIK-LINK

Till fried and true spring time clavi-used on the Ou-Bro Knik Link Ideal f any control linkage Cat. No. 11-79

CONNECTORS - AH79

Those natural nylon filtings simplify strys link heat-ups

Inch set sentaine 2 Ours-Collars, 2 stot head set scraws, 2 hard connectors

...79€

130.99

The Original DU-BRO KW1K-LINK

Control Yoke Assembly for any control finlage. Allows easy removal for to the-field adjustments. 4° red Cat. No. 11-19

12" KWIK-LINK

49¢

61


BEARINGS NYLON For 3/32" HORN

mandy mount of suite described 3 32 G D Hode of Futing many many many

FOUR /DC

DU-BRORG-75 ROD GUIDES

ADJUSTABLE CONTROL ROD LEAD-INS



2 NO. 432 THREADED UPRIGHTS 2 3/16 I.D. SLEEVE RETAINER RINGS 2 STEEL MEN. LOCK NUTS I NO. 6 FLAT WASH. 2 NO. I SPLIT WASH.

2 BUIND MOUNTING, STEEL NUT REQUIRES LESS SPACE-SETS IN FAST POSITIVE MOUNTING. RG-75 12 75c

Cherokee Arrow Specifications

Wing span-49". Wing chord-9%". Wing ===447 sq. in. Length 35%". Flying wt. ■ to 4% lbs. Steerable Nose Gear NG1 - Motor Mount MM1 Aileron linkages AH79 and LB89 included \$39.95

*Does not include engine, wheels = R/C gear

MIK GLOW KG-200 GLO-PLUG CONNECTOR

DEAL GLOW PLUG A/C MINING CORD SET. SLIM 15" ST N ONE SLIM 12. BY N ONE
PIECE BRASS BARRE
SNAMS GET OD MIGH. NO
FLIMST SPRINGS OR COMNECTIONS WIRES FIRMY
ANCHORED IN TOUGH
NYION — CAN'T LERK
EXCELERAT ACCESEXCELERAT ACCESEXCELERATE A

KG-200 WITH ATTACHED THE LUGS \$2.00

Complete . . . fully adjustable... can be used on any high, mid = wing plane.



BUILD . .

STEERABLE

FLY . . . NOW!






22 PIECE SET





featuring the

Spoke Dura-Hub



175R	WHEELS 1%"	2.19/pr
200R	WHEELS 2"	2.39/pr
2258	WHEELS 214"	2.59/pr
250R	WHEELS 2%"	2.79/pr
275R	WHEELS 2%"	2.99/pr
300R	WHEELS 3"	3.19/pr
325R	WHEELS 3%"	3.39/pr
350R	WHEELS 314"	3.59/pr

Low		AME .
2255	WHEELS 21/4"	2.59/pr
2505	WHEELS 21/4"	2.79/pr
2755	WHEELS 24"	2.99/pr
3005	WHEELS 3"	3.19/pr







Specifications
Length—33' 10" (on floats)
Wingspan—35' 10 11/16"
Wing Area—261.9 sq. ft.
Empty Weight—4123 lb.
Gross Weight—6000 lb.
Wing Root Airfoll—NACA 23015

Wing TIP Airfoll-NACA 23009

Performance (on floats)
Maximum Speed—164 mph
Ecomony Cruise—115 mph
Normal Range—800 ml.
Climb to 5000'—12:06
Service Ceiling—13,000 ft.

Bippi-Bipe (continued from paye 21)


The NiCad battery slips down into the balsa holder on the cabin floor and is held in place by a 1/8 dowel, inserted through the cabin side planking. The finish dope holds the dowel, but it will push out easily to remove the battery. The charging jack was unscrewed from the GG unit and mounted through the side of the cabin. Use an extra piece of balsa to provide a support for the music wire extension of the on-off switch.

Leave the fuselage uncovered until the tail assembly has been glued on, the GG unit positioned, and the pushrods made, Follow the instructions for installing the GG system as provided by the manufacturer. Most important is to have free and easy movement of all moving parts. The antenna was run through holes in formers F7, F8, and F9, and then out along the leading edge of the fig.

Build the four wing panels on the plan with the spars extending to the centerline, omitting ribs W3 and W5 and the center section pieces. Then trim the spars to the dihedral angle on the center bottom, join, and with the tips blocked up to the correct height, build in the center section. Slope the 1/4-sq, leading edge on top and glue on the 1/32 sheet leading edge covering. When finally covered and finished, both wings should have about 1/8-in, washout (tip with less angle of







GLEASONDALE IND. PARK

STOW. MASS. 01749

attack than root) measured at the tip. Use the steam kettle method to obtain this,

Build stabilizer and fin on the plan using hard, strong balsa for the leading and trailing edges of these members. Rudder and elevator are cut from 1/8 sheet, sanded to shape, and given two coats of sanding sealer. After the stab and fin are covered and doped, sew on the elevator and rudder at the hinge locations. Glue the finished tail pieces to the fuselage,

Give all surfaces a going-over with fine sandpaper to round off square corners and smooth down the rough spots, then cover with your favorite material. The prototype used red silk for the fuselage and rudder, and yellow silk for the wings and stabilizer, with about five coats of clear dope as a finish, Exposed wood should be scaled and painted with colored dope to match the silk color. A trim color such as silver can be doped on to accent the fuselage.

Since the Bippi-Bipe originated from a rudder-only model, it should certainly be capable in that mode, or with a rudder/motor system. With these lighter and simpler systems, the overall weight could be reduced and a strong 049 would be ample power.

Flying

Balance the model as shown on the plan. Weight can be added to the nose or tail, different wheels used, or some shifting of the GG unit can be used to achieve balance. Check the wings for correct alignment and glue in shim strips if necessary. Adjust Mini-Links for "neutral" positioning of rudder and elevator.

Check range and also check all control action with the engine running. For test

flying, limit the amount of engine power to about 75 percent of full throttle (move Rand control arm) since the Bipe will fly well on lower power, and high throttle is definitely not wanted at this time.

With the first flights, work me the trim so that the model will almost fly itself without any commands being given. Some additional nose or tail ballast may be added if needed, but the model should be very close to trim if the plan has been followed. A very slight turn is desirable to keep the model overhead, without having to continually signal rudder.


Watch the model carefully when making steep turns for any tendency to stay in a turn to a particular direction. If this occurs, check the wings for warps and steam out the unwelcome one. Trim carefully and remove all negative tendencies during the test flying-later flights with full throttle will be pure enjoyment. With the exception of inverted flight and outside loops, the performance of the Bipe depends primarily on the piloting ability of the person with the transmitter.

Dennymite

(continued from page 33)

Secure 1/8" sq. strip balsa with ordinary model glue at fold lines and pin until dry. Scotch Brand Magic Transparent Tape No. 810 can be used effectively at fold-up seams. if desired. All open edges on the cardboard can be sealed with model cement, or appropriate-sized cap strips may be glued on and sanded to shape when dry.

The Dennymite horizontal stab has been drawn to be integral with the fusclage bottom





The popular Little Hawk is a handmade kit in fine precision cut parts . . , that just fall into place! It is to designed from the ground up, just for full house proportional flying. This 46" model for .15 and .19 angines is ideal for hand launching in small fields. Low fuel consumption makes it economical

Have you seen the highly reliable Diglace-4 featured in A.A.M. June issue, M.A.N. July issue and R.C.M. Sept. issue? Digiace is the quality system offering trouble free everyday service for the sporting enthusiast! It has everything you need to get into the air for real flying fun!

Little Hawk Kit \$20,95

Digiace-4 \$189.00 4 channels with 4 servos. Operates on economical dry cells (not included).

WHEELS

These are the best looking wheels we've seen! Permanently pnoumatic, strong and unbreakable. All these features plus the lowest prices!

SCALE-LIKE REGULAR



3" - 2,99 pr. 23/4" - 2.79 pr. 21/2" - 2.59 pr.


These tires are pitch black shiny rubber with a realistic diamand tread.

The inner part of the hub & removable for installation of an electric brake.



LOW BOUNCE

3"	_	2.59	pr.
234"	-	2.39	pr.
Ch 17, 27		2.10	- W





П

T

CI

We have many more spectacular values! Check here and we'll rush our mailer right back to you!

		.6	 	-
I N	lami	in .		

	S	tı	e	gi		_	_
--	---	----	---	----	--	---	---

City.

Drop us a line m phone us at (614) 457-1515.



At the writing of this ad, prices are uncertain due to the import surfax and new import prices. We will hold our present prices as long current stock lasts.

herb abrams' rand eales box 20069, calumbus, ohio 43220



"Ambroid's my brand"

AMBROID COMPANY, INC.

305 FRANKLIN STREET, BOSTON, MASSACHUSETTS 02110 . Tel: 617 426-9390

MODERN Ship Fittings

Steingraeber now brings you complete line of plastic and metal fittings for ship builders. Perfect for modern ships, including war ships. Over 100 different exact scale fittings. Ask your dealer or send for Catalog today.

Steingraeber Ship/Fitting
Catalog ■ Handbook \$2.00
Constructo Ship Catalog \$3.00
Boyd Models new '71 Catalog \$.75

BOYD MODELE

810 East 14th St. Los Angeles, Calif. 90021 for improved trim. The slight amount of fuselage cutting required to make this installation (as shown on pattern) is worthwhile. A deviation from the landing gear installation shown is the substitution of a tail-wheel for the nose-wheel. Consideration must then be given to positioning the main gear just behind the leading edge of the wing and the gear dowels placed accordingly.



Alleron servo fits through top and bottom wing skin. Tight balsa box around it protects servo from fuel/exhaust spray.

Finishing: The Dennymite in the photographs was finished in Super MonoKote Black, without any additional external strengthening of the natural cardboard prior to covering. However, cardboard is porous and accepts dope well without swelling. It greatly increases in sheer strength with each coat of dope applied.

Spray-on enamel affords greatest coverage and a fine gloss, Sprayed dope requires several coats, but then impact dents are easily This is the opinion of Vernon Krehbiel, owner of the VK Model Aircraft Company of Akron, New York, He stated "since I started building model airplanes over 40 years ago, Ambroid cement has always been my favorite. The first I ever purchased was packaged in glass vials and corked. At that time the red color was well known to be the symbol of exceptional quality. Thank you for manufacturing and maintaining the quality of this fine product through the years."

Vern is shown with two of his built-up kits. On the left is his new VK Fokker Tri Plane and also shown is the popular VK Nieuport. Both of these models were assembled using Ambroid Liquid Cement, the best cement money can buy. Try a tube on your next model or repair job, then you too will say "Ambroid's My Brand".

repaired by grafts using Ambroid or a similar glue with acetone thinner. Coverite with normal doping procedures provides an excellent finish. Fiberglass resin or Hobbypoxy resin squeegeed into the surface, sanded and primered, then sprayed with acrylic finish, provides hard, tough, glass-like structures.

The least expensive finish is adhesive-backed Contact shelf paper (Comark Plastics) which also comes in glossy white. This heavy but amazing stuff comes in 18-in, rolls, 25 yd, long. The 3M plastic tapes, available in 3/4-in, and 1 1/2-in, widths, 130 in, to the roll, in all colors, make excellent trim materials.

Whatever finish is selected, use the lightest covering needed to provide the structural rigidity demanded by the required engine size, Balancing and trimming procedures must be accurate. This is not a "Corrugated Crow"—these cardboard fold-ups are tough and can really fly,

Rainbow

(continued from page 45)

flaps of seven-in, chord were fitted spanwise under the leading edge of the wing,

Produced in only 15 months, the XF-12 made its first flight on February 4, 1946. Lowry L. Brabham was the pilot, Oscar P. Hass, the copilot, and Jim Creamer was flight engineer.

Republic tested the plane for about 25 hours before turning it over to Air Force pilots. Instrumentation and water ballast tanks were fitted to the first aircraft (491002)

A Moment of Universal Silence for Royal Products



By simply changing adapters this unique muffler will fit many different engines. As versatile and it is universal, each muffler is equipped with two disk insert options that can vary the degree of resulting sitence. By inserting one disk maximum silence can be obtained. When the second venturi disk is inserted all power loss is eliminated and in its is still subdued to a tolerable level.

Brought to you exclusively by Toyal Products, this handsomely styled muffler features light construction, prime hole, oil ejection spout, and pressure fitting adapter. Utilizing a venturi principle, the Kavan Universal cools exhaust gases thus helping to decrease and reduce varnish formation on the engine's interior. Pause for a moment of silence yourself and try the new Kavan Muffler.

Adapters available to date are:

Veco 45 & 61 Webra 61 Enya 45, 60 II, 60 III Merco 29-35, 61 I, 61 II O.S. Max 60 Supt. 51 - 60, G60 (Fi. Rv) Talpan 61 H.P. 61 Rossi 60

- Muffler extension available
- Dealer inquiries invited



CORPORATION

6190 EAST EVANS AVENUE, DENVER, COLORADO 80222



LULLI CAR ENTERPRISES INC. 944 Third Avenue, Brooklyn, N. Y. 11232 Exclusively represented by Model Rectifier Corp., 2500 Woodbridge Ave., Edison, N. J. 08817

Start your Glow Plug Engines From # 12 Volt Battery.

Use the Tomon Model H7 12V to 512V Converted to 512V Converted Vary efficient Disker only 1.3 Amp from 12V Battery Dalwars up to 3 Amps to Grove Plug. Operated from 18 Intern batteries on patients and motorcycle bat.

Sharr proof reverse operator, proof and ware proof.
Very compact cont, lives cell.
Shipped compact leads Grow.
Plug old and crystelle option plug-included.

noudso Only \$14.95 8V and PDV modest evaluable Presse Specify

Tomco B AM Rock, Ark. 7110



in place of normal photographic equipment, and during 78 hours of testing, only one major and a few minor problems developed. The pilots' comments were uniformly favorable.

The major problem was cooling. The nacelles had been designed for a Curtiss Wright geared fan turning at two and one-half times the speed of the propeller. Curtiss Wright did not produce the fan, and testing proceeded with a substitute, geared on a one to one ratio. Cooling was inadequate, and climbs had to be executed in a series of 500-ft, steps, with level-out periods to cool the engines.

There were some difficulties with cabin pressurization. Other minor complaints were noted—the metal skin of the nose section "oil canned" while taxiing; the double-slotted high-drag flaps required new landing techniques, and the controls were considered to be too heavy in feel.

The hydraulically-boosted Teleflex control linkage (cables operating inside fixed conduit) sometimes caused a lag in throttle response. On July 10, 1947, test pilot Captain William W. Elliot was conducting short field, high gross weight landing tests at Farmingdale, During the flare, the engines failed to respond immediately to throttle movement, and the sink rate wasn't checked. The Rainbow slammed into the concrete, sheering off the right wheel and strut,

The engines caught just after impact, and the XF-12 roared back into the air, with the mauled remainder of the gear hanging down. Elliot flew the aircraft around for three and one-half hours to burn off fuel, then executed a perfect one-wheel landing. Major damage was a cracked main spar, which kept the aircraft in the hangar for repairs for almost a year.

A little over a month later, on August 12, 1947, the second aircraft (491002) flew, with Oscar Hass as pilot. This aircraft was fitted with the extremely sophisticated camera gear, and featured a complete darkroom in which photos could be processed in flight.

The test program proceeded, and results were outstanding. Takeoff distances were short-at 101,800 lb, the Rainbow could clear 50-ft, obstacle in 2825 feet. Initial climb rate was 1600 feet a minute, and service ceiling was listed as 41,000 feet, although improved cooling would have raised this by at heast several thousand feet. Engine-out performance was sensational-at light gross weights, the aircraft could maintain 150 mph at 5000 feet on one engine.

Speed was the most important characteristic, however, and the Rainbow easily exceeded 400 mph-undoubtedly capable of ultimately attaining speeds greater than 450 mph.

than 450 mph.

Captain Elliot demonstrated the potential of the aircraft in "Operation Birdseye" on September 1, 1948. By then designated XR-12, the Rainbow flew from Santa Barbara to Mitchell Field at 40,000 feet, its tri-metrogon cameras operating once every 50 seconds to record a 40-mi, wide photomosaic of the country. Average speed, including climb and letdown, for the trip was 373 mph.

Conclusive as "Operation Birdseye" was, budgetary restrictions had already sealed the XR-12's fate, Bocing's RB-50 could be readily procured, with a great savings in spares, ground equipment, etc. (despite the



109.98

BLUE MAX SYSTEM

WORLD ENGINES

Digit Migit Single Ch. Propo 69.00

Digit Migit 3 Channel Propor-tional with Nickel Cadmium batteries in the flight pak and 2 servo brick.

Digit Migit 3 Channel Propor-tional with Nickel Cadmium batteries in the flight pak and 1 servo...

Deluxe Miglt 3 Channel Pro-portional all Nickel Cadmium batteries, 3 servos, charger. 179.98

Pro Digit 4 Channel Propor-tional Nickel Cadmium batteries in the flight pack 179.00

Dual Stick Blue Max System Assembled Proportional 4 Ch. 4 Servos 5 Ch. 4 Servos 5 Ch. 4 Servos 300.00 315.00 330.00

MK I Blue Max System Semi-Kit 4 Ch. 4 Servos 5 Ch. 4 Servos 6 Ch. 4 Servos

MK I Blue Max System
Full Kit
4 Ch. 4 Servos
6 Ch. 4 Servos
6 Ch. 4 Servos 200.00 210.00 220.00

S-4 Servo mechanics Less amp, motor and pot S-4B Servo Assembled S-4B Servo Semi-Kit S-4B Servo Full-Kit S-4B Servo Semi-Kit Board Only ... S-5 Servo Assembled LB-6 Servo Assembled ...

OF R/C EQUIPMENT

OS 3 Ch. 2 Servos Dry TX Sattery ... 139.98

OS 4 Ch. 4 Servos Nickel Cadmium TX & RX 289.98

Deluxe OS Diamond Series 4 Ch. 4 Servos 6 Ch. 4 Servos

SERVICE EXPERTS

The service experts listed in this advectisement The service experts listed in this advertisement are, for the most part, people who have been working with Digitro and other kit systems in the various areas mentioned. They have all put together an MAN. System from a raw kit and have agreed to stock parts that are compatible with World Engines Systems. They have been given schematics of World Engines Systems and current OS Digital Proportional Systems Many of these service experts service other makes of equipment other than our own. Consider these people for repair work or for help in matching up our flight packs. our flight packs.

WORLD ENGINES R/C RECOMMENDED SERVICE EXPERTS

NORTH EAST

CONNECTION

Ed Grening Jr. Rtd. 1 West Hill Rd. Winsted, Conn. 06098 Tel. 203-482-6422

MARYLAND

J. M. Lawrence, Jr. 8451 Glendale Rd. Greenbelt, Md. 2077D Repairs & modifications = all makes of Controlaire Equip.

NEW HAMPSHIRE

Dembroe Hobbies Inc. 58 Lake St. Nashua, N.H. 03060 Law law prices on R'C equipment plus fest repair service.

NEW JERSEY

J. A. Danaka 526 Doremus Avenue Glen Rock, New Jersey

For same day service ship entire system with fully charged betterns.

RJL Control Systems P.O. Box IIII Denvitle, New Jersey 07834 Assembled MAN Systems with service and crash ins. policy. Write for details.

NEW YORK

Andy's Hobby 36 Mam Street Elmsford, N.Y. 10523

tarry's Hobby Center 115-13 Jamaica, Ave. Richmond Hills, N. Y 11418

VIRGINIA

Radio Electronic Model Shop 800 National Ave. Winchester, Va. 22601 Phone 703-667-1730 Complete sales and service

SOUTH EAST

FLORIDA

E. W. Bryant R/C Punta Gorda, Fla. 33950 We service all types of R: G geer—also build radio kirs to your spec's. GEORGIA

Tom Hucksby

1615 Boulderwood Drive Atlanta, Georgia 30316

KENTUCKY

X-Cell Products 504 1/2 Euclid Avenue Lexington, Ky. 40502

SOUTH CAROLINA

S & R Hobby Crafts

794 Piccadilly Drive Charleston, S.C. 29407 Phone 803-795-1559

142 Camelot Drive Camelot vill. Hanahan, S.C. 29405 Phone 803-553-4890

Charleston's only Digital Propo repeir service et reesonable charges

TENNESSEE

Aerotronica

Aerotronica
109 Chatham Lane
Dak Ridge, Tenn. 37830

R C squipmant Service—repair—trade
R/C problemst Free consultation and
advice for beginners or expects.

MIDWEST

Stanton Hobby Shop 4734 Milwaukee Chicago, III, 60630

Walker's Hobby Shopps 101 E. Main St. 101 E. Main St St. Charles, III.

Everything you need in Model Crafts. Kits, tools and raw meterials. Experts in RTC,

Controlonica Karr Mfg. Div. Box 92 Thomasboro, III. 61878

MICHIGAN

J. H. Krauer 22626 Petersburg E. Detroil, Mich. 48021

Service on all brands of R. C equipment quickly,

Lakeshore Electronics 5750 James Drive, Stevensville, Mich. 49127

Try us for FAST service by qualified engineers Phone area 615-429-9333

MINNESOTA Al Schwartz 2787 Fernwood St. Paul, Minn. 55113

MISSOURI

\$408 Woodson Road Raytown, Mo. 64133

Contect Charley for quote on Blue Max Systems
Supertigre and O.S. Mex Engines

OHIO

Country R/C 12450 Amity Rd. Brookville, O 45309

4 mi so of Interstete 70 We repair most R. C. equipment Gerald L. Peters, prop.

Town & Country Hobbyland 55 Country Road Columbus, 0 43213

OKLAHOMA

Tulm R/C 1241 S. 105 E. Ave. Tulsa, Oklahoma PH 836-5425 R C Equipment Sales—FAST Service—Mail or Direct

TEXAS

Filts Line Products 3207 34th St., Lubbock, Texas 79410

Wilson's Hobby Shop 2206 West Beauregard San Angelo, Tex. 76901

Align and repair for all hits Fast rature. Dealers welcome

WEST ARIZONA

R/C Engineering 6907 E. Monterey Way Scottsdale, Arlzona 85251 Tel, 602-949-5700

CALIFORNIA

E & L Models
2216 Sunset Drive,
Los Osos, Calif. 93401
You fly them & we'll fix them
with the best R C equipment
G E. Lymen Phone 520-1158

COLORADO

Hood Electronics & Hobbies 5310 Johnson St. Arvada, Colorado 80002 Sales Installation and repair of all makes of R/G Equipment, Phone 303-424-4045

QREGON

Strictly R/C 11841 SW 23rd Avenue, Portland, Oregon 97219

FOREIGN

AUSTRALIA William D. Malcolm Berkley St. Forbes N.S.W. 2871 Australia

DENMARK

Silver Star Models Mollebakken 45 DK 9500 Hobro specialists. Largest selection of R / C articles in Scandinaire

ENGLAND

World Enginee of England M. J. Wilshere 97 Tudor Avenue Walford, Herts

GERMANY

Heinrich Haferland Hanover Herrenhausen Morgensteinweg 8A, Germany

Ogswa Model Mfg. Co., Ltd. 83 Hiranobaba Higashisumiyoshi Osaka, Japan

SOUTH AFRICA

Sean B. McCullagh 18 Avon Road Deep River Cape Town, South Africa



NGINES INC

8960 Rossash Avenue, 45236

Telephone 513-793-5900



RC CAPITOL OF


APPEARS LIKE THE MRC 5-channel Digital has taken over the field! We can't say that the MRC 5-channel system is 5 times better than the Kraft Systems; but 5 times many people are beginning to buy the MRC 5-channel Set. We have stocked them in depth up to the ceiling. MRC has spared no imm in the quality components that go into their sets. Our Price is \$229.00 for the 27MC band and \$244.00 for the 72MC band. We repeat, both are in stock NOW *** PREPAID *** JUST RECEIVED.

- 1-Royal Products Built Up New Pitts Special Silked, red | white
- sunburst. \$175.00 2-Daloxe TF Contender, silked, spiced up with lots of trim pilot, rods, wheels, all bright yellow, beautiful. \$175.00
- 3-TF P-518 deluxe all silked, working flaps, all new and very clean. \$175.00
- 4-Sterling Wizard Sipe, a good sport biplane, clean, about 62" \$80.00 Sale -
- 5-D. Hartman Scale L11 Knerf with alterons, for 40RC engine, all yellow. \$125.00
- 6 Used 5-Ch. single stick EK Log 1, 4 servos, working. \$155.00 7-Sterling Tri-Pacer tri-gear, with
- KB 19, tank, wheels, rods. \$40.00
- 8-Topflite P-51 Scale Mustang Kits; all you want, prepaid. \$30.00

9-VK Nieuport Bipe, built up, all white, light and silver \$100.00 trien.

10-Sterling D-7 Bipe for 60RC. new, yellow monocoat, htack crosses, neat \$140.00

- 11 Airomaster Bipe, wheels, rods, monocoated white and trim.
- Sale \$110.00 12-Sterling DeNight Special Management for 40RC silked all yellow. \$50.00
- 13- Very clean camouflaged Major Model Folke Wolfe, wheels, pr 14-TF 88 5A WW-1 Bipe In new, \$125.00
- brown and tan, average finish 5125 00
- 15-Jack Stafford's Minnow Maroon and white trim, all new: \$95.00 16- Majow Model Saulner WW-1
- Monoplane, vary clean, silked, rods, wheels, sharp.
- 17-Trainermaster built up, silked, red and black trim, nice low wing, trike gear. \$80.00 18-Miss Bikini, low wing sport
- plane, high gloss finish, white \$75.00 and blue trim
- 19-Little Stik, very deluxe finish hard gloss. Very clean - \$60.00 20- DuBro Sportsman - Seabird,
- lowest price on the world. Wholesale \$40.00 Wholesale -21 - Debott jenny fuselage, elevator
- and rudder only; see wing. Very clean -\$30.00 22-600 sq. in. formula 1 pylon





23-84" Aero 150 for 60RC, fibre-glass fuselage, foam sheeted wing, new. \$100.00

wing, new. \$100.00 24—Falcon 56, all new, mono-coated, for 15-19 rc engine. \$45.00

25-Sport Bipe for OS 35RC engine, mounts, wheels, rods installed.

Sharp - \$50.00 26-PACTRA Aero Gloss Dope in \$100.00 net lots, 40% off retail

FOB Freight Collect 27—All new, beautiful Fleet Sipe for 60RC, blue and yellow, silk finish, ■ cyl motor. \$150.00 28-All new Vk Cherokee for ■ AC

engine; a very good pattern and sport flyar. \$125.00

29- DeeBee Eyaball kit, \$54.95 net. Lanier Midget net. \$30.00

30 - Very nicely bullt scale Berkeley Bird-dog-62", for os 35RC, alterons, clean; rock installed, wheels, steerable tail wheel, \$200.00 31-CG Skylane 62" for 35-45 engine, no ailerons, all yellow with red trim. \$75.00

32-RCM Miss Bikini, built up, new, hard gloss deluxe finish. \$77.00 33-Monocoupe and Trike gear.

silked, yellow and flacs. \$80.00

34 - Original Striker, wheels, brakes, \$175.00



35 - Tripacer/Steerable

36-Deluxe Spinks Aeromaster from Morgan Planes, silked. new, perfect. \$225,00



- 37-Skylark with ailerons, wheels and rods installed. \$60.00 38-Sportsmaster, new, silked
- \$85.00 39-VK - Cherokee, silked, deluxe, fuselage auto primed, gloss finish. \$150.00 40-Qwik Fli, III with retractable
- gear, rapered wing. \$125.00 41-Wing Mig. Co., Zero with re-trect gear, new \$175.00 \$125.00 \$175.00
- 42-Mini Aero Bipe for OS 35RC very maneuverable, \$50.00 64" Jungmeister Bipe, perfect
- scale, rods and wheels, for 80-71RC. \$95.00 44-Topflite Scale 53", Se5A Bipe, all new and very clean, deluxe
- silked. \$175.00 45-Topflite Qwik Fli III, super deluxe, satin smooth professional workmanship, silked, all \$145.00 пеуу
- 46-CG Skylane 62" for 35:45 engine, no ailerons, all yellow with red frim. \$75.00
- 47-72" Scale Skylane from RCM plans, flaps, steerable nose gear \$175.00
- 48-Beautiful original built Fokker O-8, 60" wing seer, camouflage and detail, machine guns, alte-rons, WW-1, seere. \$200.00
- Cessna Skylane 62, silked
- \$95.00 50-Breezy Sr., very clean and \$60.00 silked.
- 51 DeBolt Cub 54". \$45.00 52 -Superb RMK retractable gear, scale, micro, precision, dash-board, bucker seat, stick con-trols, levers, sliding canopy, cockpit door, all scale markings, details, its finish is like dave \$400.00
- platt JUST -53-Built up and ready to fly, CG Shoestring, with Johnson Com-hat Special 35RC, rots in
- stalled Sale \$85.00 54—Beautifut, defuxe, profession-ally built Aeromaster Bipe painted true sunburst, silked. \$145.00
- 55-Excellent Deluxe scale 65 Bird-Dog, army colors with alle-CORS. \$200.00
- 56-Deluxe K&K Baterina, scale pylon racer; worth a lot more ~ \$95,00
- 57-Built up Midwest Skysquire, silked, steerable nose gear, good trainer. \$65.00 trainer. \$65.00 58-Nelson Quick Silver, low wing,
- steerable nose gear, a small stunt ship. \$75.00
- 59-C-Goldberg Shoestring scale pylon racer for KB40 side \$135.00 mount very deluxe.

- 60-Deluxe C-Goldbarg Skylane 62, -Deluxe C-Goldbarg Skylane 82, atlerons. Enye 45RC scale shock steerable nose gear, a very stable flyer. \$200.00 42" Toot RC Scale pylon with FR-K&B 40RC mounted in plane, very deluxe. \$175.00 -Built up CG Skylark with OS 19RC tup sats of within S.
- 19RC, two sets of wings, one with ailarons, a very good trainer, silked, painted all white with \$100.00
- orange trim. \$100.00 -Fleet Bipe for 60-71RC engine, orange wings, all rest white, very clean. \$125.00 -64" Scale Jungmeister Bipe,
- rods installed, perfect scale, will fly. \$95.00
- 65-Topflite Scale SE5A, Bipe, very clean, professional workmanship. \$175.00
- 66-Sterling P-51, flaps, all silver black and white trim, deluxe \$150.00
- 67 Testors GG Unit complete, Transmitter Rec, pak, actuator
- and charger. Like flaw \$40.00 68-Fokker D-7, all new, sterling, white scale wheels. \$200.00 69-Scale Reher Racer, os 15RC
- engine installed, all new, very
- \$50.00 70-Sterling tri-pacer built up, 58'
- \$55.00 windspan. 71 Major Model Saulner, ailerons \$70.00
- 72 Sterling P-51, flaps, racing yellaw color, inverted new enya 45RC, deluxe, clean, profes-sional workmenship, built light and strong, a scale finish\$200.00
- 73-Berkley Rudderbug, 62" for 19RC, silked. \$40.00 74-Graupner Viking, 60", low wing, new, silked and new.
- \$40.00 75 DeBolt Jenny, fuselage/elevator
- and rudder, no wing. S -Veco Explorer cabin \$35.00 type and trainer, fuselage, rudder \$35.00 elevator.
- 77-1/2A Falcon, \$20.00 78 Brand new M-5, 5 cyl motor, the king of the antiques, with 3
- blade alum prop. \$500.00 79-Sterling built up SE-5 Bipe with OS-30RC installed, WW-1 colors. \$80.00
- 80-New MRC 40RC Racing engine; you can have them wholesale, \$57.98 net. Sale -- \$34.80 \$34.80
- 81-McCoy 19RC, \$14.95 net to \$10.00 VOU. 82-McCoy 40RC, \$17.95 net.
- \$12,50 Sale -83-- McCoy 29RC, \$15.96 net.
- Sale -\$11.00 84-1 used OS 49RC engine complete. \$10.00
- 85-Johnson 1" wide blade 12" and 11" dia prop for AP Hub a set, wood, scale (these are all of \$1.50

We have the complete line of Kreft sets - stock at all times all at 20%

86-Angel Blue Max Mini Flite WW-1 Bipes, \$34.95. Sale Kit -\$22.22

We have all the Royal products scale kits in stock now at 10% off. Try us.

LLE HO

UNITED STATES



87-New built up Craupner Tourist; a low wing for 049 to 098C engine silked. \$25.00

Built up Kyasho P-40, camoufläged, wheels, rods, tank installed little under 3 lbs, milerons and pylon deluxe. 3 pounds wt. — \$125.00 89—Tatone No. 030454 custom engine mt for RR 40RC (K&B).

engine mt for hin \$3.25 \$4.95 net. Sale — \$3.25 90—Competition Starduster 900 FF, \$12.95 Sale Kit — \$7.50 91—AG Pactre Plastic Balsa, 39¢

net. Sale Tube - \$.25 92-New Topflite P-51, built up

scale, silked all over, rods, wheels, \$200,00 kit, \$39.95. Sale -\$30.00

93-New Tatone Twister Wooden Props 10-6, 11-6, 11-8 al) 25% retail sale.

94-New EK Logictrol 2 channel set, list \$119.95. Sale - \$95.00 Original Eindacker E-111, 60" wing, all red silked, black

wing, all red silked, black crosses, 35RC. \$85.00 96-1971 Blue Max Systems com-

plete 4 channel kits. \$159.00 \$169.00 5 channel kits. 6 channel kits. \$179.00

97-MRC 5 channel Digital, net \$229.00; on 72 MC. \$244.44 98-Skylark 56" kit. \$15.50 99-Piper J-3-72" kit. \$18.44 100-Lanier Mayerick. Tile = \$29.50 101 - Kwik Fli III kit. 102 - Yak-18P Sig. \$37.00 103-Lenier Midget or Dart kit net.

\$33.00 104-Navaho VK kit. \$27.50 105-Cessna Lanler ARTF. \$24.50 106-Dubro Aiero Commander net

\$24.00 107-T-34 Mentor Sig kit \$27.50 108-Sig in Akrobat kit. \$30.50 109-Sterling P-51, FS-10 net. \$27.50 110 - VK Nieuport kit \$30.50 111-Taurus klt. 923.50

112-Sterling Fokker D-7, 44.95 net 113-Sterling PT-17, \$47.95 net

\$32.50 114-Sterling Spitfire kit, \$39.95 \$27.50

115-Sterling S&5A kit, \$21.95 mm

116-Sterling Cobra, built up silked for 60RC. \$125.00 117-Sterling very, very nice commu-fleged spltfire for 60RC. \$200.00

TRADE IN YOUR USED PROPORTIONAL SET, BUILT UP RC AIRCRAFT OR THAT OLD PRE-WAR IGNITION ENGINE YOU MAY HAVE LAYING AWAY IN THE ATTIC ON THE FOLLOWING LATEST NEW BC HOBBY ITEMS -

118-EK Regular 5 channel 2 stick, 27MC or 72MC. Sale - \$265.00 Extra servo -\$32.00 119-Blue Max II channel II stick with 4 s4e servos. Sale -\$195.00 120-OS 40RC, \$29.95. Sale -

\$21.00

121-OS 35RC, S22.98. Sale -

122-Orbit 4 channel single stick buddy system, 72MC, very small servos. Wholesale -

\$300.00 123-Special VK Cherokee Babe, \$27.50 mm . Sale -\$18.00 124-J. Stafford Minnow, \$39.95 net. Sale - \$29.50

JUST CLIP ANY AD FROM ANY MAGAZINE AND MAIL IN YOUR REMITTANCE WITH YOUR ORDER, WE WILL INMOUR BEST TO GET TO YOU IN 24 HOURS. PLEASE CHECK OUR 4-PAGE AD IN THE IAM 1971 ISSUE OF BC. IN THE JAN. 1971 ISSUE OF RC MANY PICTURES OF OUR BUILT UP AIRCRAFT.

125-TF Super Monocoat any color 3 rolls. Sale -\$17.66

USED PROPORTIONAL SETS - AS OF SEPT. 1971 MOST OF THESE SETS HAVE POWERFUL SERVOS AND THEIR DESIGNS HAVE BEEN WELL PROVEN.

127-Citizenship DP-5, with 4 servos on 27.145MC, clean working 192

128-Micro 5 channel mm 26.995MC working, \$155.00 2-stick complete, excellent set.

Multi-channel reed sets-mostly relay-

10 channel, tx, 129-Kraft 27.095MC. \$15.00 130-C'Alre 10 Ch, rec. Tx, II servos. 27.045MC, pak & Ch Com-

plete for \$75.00 131-Brand new F&M 10 Ch Tx, rec. 3 transmites, pak & Ch

132-C'Aire 10 Ch, Tx, rec, 5 Annoo Servos (small), pak & Ch-\$85.00

133-Quadruplex CL5, single stick, with 4 servos working, plete & clean PROPO. \$99.99 134-Brand new C'Aire 10 Ch Tx.

rec, 5 transmites Pak & ch all \$100.00 wired & working. \$100.00 135-Kraft 4 Ch Tx & Rec, custom

SH Man Sale -\$20.00 136-Multi channel transmitters assorted brands, our choice -\$10.00

RED HOT SPECIALS IN NEW

137-K&B 40 RC-front rotary 1971 series, in stack, \$35.00 net-cost

to you \$23.95

138-FINAL NEW PRICES TO UBRO SEABORD & SPORTSMAN AS OF SEPT. 16, 1971. \$40.00 THIS IS THE LOWEST PRICE IN THE COUNTRY. CHALLENGE ANY AND ALL

TO MEET THIS PRICE.

139-ALSO THE LOWEST PRICE
IN THE UNITED STATES ON TESTOR'S SKYHAWK, Retail 599.95

OUR PRICE NET. \$64.95 NO ONE AS YET HAS MET THIS PRICE ANYWHERE. 140-MRC 210 - 5 channel 2 stick 1971 series retail \$320.00 net.

Always in stock, 27MC.S229.00 141-Wing Mfg. Co. Field Box, very strong, \$18.00. Your price -\$14.00

142-FR-K&B 40RC mounted in plane, very deluxe. \$175.00 143-Built up CG Shoestring, with Johnson Combat Special 35RC.

all rods installed. Sale - \$75.00

ALL BUILT UP READY TO FLY

144-Original scale Reber Racer, os 15RC engine installed, all new, very sharp. \$50.00

very snarp.

145—Sig Crtabria, rods installed, all red with white trim, deluxe finish.

\$175.00

146-Sterling P-51, flags, racing yellow color, inverted new enva 45RC, deluxe clean professional workmanship, built light and strong, a scale finish, wheels.

147-Tri-Squire, III good trainer. 148-1/2A Falcon. \$20.00 149-Major Model Oeluxe Eindecker, black crosses. \$80.00

150-Deluxe Aeromast Bipe, silked with true Sunburst design sprayed-NEW. \$145.00 151-Enya 60RC L11, \$59.96 net.

152-Groupner Middle Stik, \$46.95 net. \$35.00 153-Groupner Kwik FH III, \$58.50

BOX UP THOSE OLD IGNITION MOTORS AND MAIL THEM IN TO US FOR APPRAISAL. THEY MAY WE WORTH A NEW PROPORTIONAL OR READY CASH-SSSANY PLANE BUILT TO ORDER FOR YOU OR WE MAY HAVE THE ONE YOU WANT IN STOCK, AS WE HAVE A STEADY FLOW OF PLANES COMING IN PLUS THE MANY PLANES OUR BUILDERS HAVE UNDER CONSTRUCTION.

154-Brand new M-5, 5-cyl. motor, the king of the antiques. With a

blade atom prop. \$500.00 155-Sterling built op SE-5 Bipe with OS-30RC installed, WW-1 col-\$80.00

156-New MRC 40RC Racing engine You me have them wholesale, \$57.98 net. Sale -\$34.80

157-McCoy 19RC, \$14.95 net To vou -

158 - McCoy 29RC, \$15.96 net . \$11.00 159-McCoy 40RC, \$17.95 net

Sale -\$12.50 160-1 used QS 49RC engine, complete.

161-Johnson 1" wide blade, 12" & 11" die prop for AP Hub. S1.50/set. These are all of

them. 162-Angel Blue Max Mini Flite WW-I Bipes, \$34.95. Sala -\$22.72

WE HAVE THE COMPLETE LINE OF KRAFT SETS IN STOCK AT ALL TIMES-ALL AT 20% OFF.

WE HAVE ALL THE ROYAL PRODUCTS SCALE KITS IN STOCK NOW-10% OFF-TRY USI

163-New built up Groupner Tour-ist-a low wing for 049 to 09RC angine, silked. \$25.00

164 - Built up Kyosho P-40, camouflaged, wheels, rods, tank in-stalled, little under 3 lbs. Aile-

rons & pylot deluxe. \$125.00 165-Tatone No. 030454 custom engine mt for RR 40RC (K&B),

s4.95 net. Sale – \$3.25 166-Competition Starduster 900 FF-\$12.95. Sale – \$7.50 AG Pactra Plastic Balse, 396 25₫ net.

167-New Topflite P-51 built up scale, \$200.00; kit \$39.95. Sale -530.00

168-New Tatone Twister, wooden props 10-6, 11-6, 11-8, all 25%

props 10-o, 11-o, off retail sale.

169-New EK Logictrol II channel set, \$119-95 net. \$96.00

170-1971 Blue Max Systems, com-

5 channel -

6 channel - \$179.00 171 - MRC 5 channel Digital, net \$229.00, on 72 MC. \$244.44 172-Groupner Quick Fly. \$33.50 173-Dubro Cherokee Arrow. \$27.00 \$33.00 \$19.50

173-Dubro Cherokee Arrow. 174-Triton Kit net. 175-Lancer Kit net. 176-Sig Crisbria Kit net. 177-SESA-TF Kit net. 178-Skylans 62" Kit net. 179-Fittegals P-510 Kit net. \$24.00 \$30.00 \$23.50 \$89.50 180 - VK Cherokee Kit net. \$2 181 - VK Cessna Cardinal Kit net. \$27.50

\$25.00 182-VK Cherokee Babe. \$18.88 \$22.00

183-Sig Cessna 170 184-Sig Clipped Wing Cub. 185-VK Fakker Triplane. \$18.00 \$34.00 186-Wing Zero. \$84.00 187 - Dubro Wheels -1/3 OFF 188-Fox 35. \$12.00

189-K&B 40RC front or resr.\$23.95 190-WEBRA 61RC. \$58.88

191 - Ross 60 twin. \$115.00

NEW SHIPPING POLICY EFFECTIVE AUG. 1ST-WE WILL PRE-PAY ALL \$100.00 ORDERS OF USED RC OR NEW RC SETS-AIRMAIL IS EXTRA. ALL BUILT UP PLANES ARE FREIGHT COLLECT. PLEASE INCLUDE \$3.00 FOR ANY ORDER OVER \$30.00 AND ANY LARGE SIZE. ORDER BIG KITS WILL WE CHEAPER TO AND ANY LARGE SIZE. ORDER BIG KITS, WILL WE CHEAPER TO GO AIRMAIL, WE WILL DO OUR VERY BEST TO USE THE MOST ECONOMICAL METHOD OF SHIPPING, MOST OF OUR ORDERS LEAVE HERE THE SAME DAY RECEIVED—ABOUT 75% BY UPS. PLEASE ENCLOSE ENOUGH FOR POSTAGE—BALANCE REFUNDED FUNDED.

THE ABOVE READY FOR IMMEDIATE DELIVERY.

> Home Phone 352-4380 Send 254 for 20-page bulletin!

ESTABLISHED 1951

903 Church St. Nashville, Tennessee 37203 BUSINESS Phone 255-9209 HOME Phone 352-4380

New Fuselage with Improved Performance



DRAGON FLI T

\$79.95

Kit contains white, orange or blue fiberglass fuselage and vinyl-covered foam wing and stab, All hardware included. (was Reddi-Flite Prod.)

> W. E. Tyson 2068 Bunnell Road Warrington Ind. Park Warrington, Pa. 18976



HOBBY HELPERS **FULL SIZE PLANS**

Group Pian 465 3 at. 60 cents

Jimmie Mattern's record-breeking Leakhood Vego-modeled as control line beauty by Water Musciano. Spans 60"; length 14"; for ,48-size or similar power.

Simplified control line autogire — darigned by Cla Dan Nishan. Refor diameter 34"; (gogth 37"); taken 45 to 45 size engine with motor control.

Group Plan 966

\$1.10

Lightning P-38. Sami-seels start seatral-line model by lies Melferland, uses twin .19's with theories control for theories lendings.

Thorp Tigor, Pamous home-bullt alearaft in radia unstral model form by Jam Krisster, Tabus a 35 ungine.

Group Plan 102

Facks-Wulf FW 190 German World War II control line flying scale fighter model by Walter Musciane, 3/4" to 1" scale; takes engine from .14 to .29 cu.

A/2 Viking Mindle Tawline Otiden by British Champ Glil Farrance. These are HALF-SIZE plans with full size ribs and cross sections.

Group Flon #166 . ..

"Interceptor Pive" by Harold deBell. Latest in famous designer's series of partitanding R/C Multi Class planes.
Spans 67/2 inchest 60 inchest long: uses .61 size angine

For Special Handling Plans only

8g per oz. 1st Class 11dperoz.AirMall United States and Mossessions only

Catalog send 15q cover

HOBBY HELPERS I STILLWELL AVE. - N.Y. 10461

Rainbow's better performance). The final blow to Republic's hopes for the XR-12 came in November 1948, when an uncontrollable nacelle fire burned the wing off 491003, plunging it into Choctawhatchee Bay, Florida, killing two of the seven men abourd. The number one aircraft, 491002, was eventually destroyed as a target at the Aberdeen Proving Grounds.

Republic made a determined effort to garner airline business with the "RC-2" version of the Rainbow. Besides the obvious internal differences, the RC-2 would have been five ft, longer than the XF-12, and would have had only one turbosupercharger in each nacelle. The structure would have been lighter, being built to a lighter design

Republic's guarantee of a 400 mph cruise for 4100 miles of no-reserve range appealed to Pan American, who placed a firm order for six "Rainbow Clippers" for use on both foreign and proposed domestic routes. Total contract price, including an option for 12 more aircraft, was \$20,000,000.

American Airlines followed Pan American's suit by placing a firm order for 20 aircraft, at a total price of \$22,000,000. The Pan American version would have carried 46 passengers, while American's, designed primarily for domestic routes, would have seated 40 passengers,

The Rainbow's fiercest competition would, of course, have come from Lockheed's famous Constellations. The Rainbow performance characteristics were superior to the Connie in all respects. The latter had two big advantages, however: it would carry 69 passengers, compared to the 46 maximum of

the Republic airliner; it had a backlog of experience in producing Army Air Force

Unfortunately, almost all airliners except Eastern found themselves in deep financial trouble in 1947. Costs had skyrocketed while fares had remained static. Worse, the expected boom in national air travel had failed to materialize. Thus, despite glowing advertisements picturing 491002 in American Airlines livery, the Company was forced to cancel its order.

With no prospective military orders, if was not feasible for Republic to undertake the manufacture of only the six-plane order for Pan American, Besides the heavy investment in the Rainbow program, Republic was suffering additional deficits in its ambitious "Sea Bee" project, Quietly, sadly, Republic decided there was no pot of gold at the end of their "Rainbow," and the aircraft faded into history.

	Rainbow	(049)
Span	129' 2"	123' 0"
Length	93' 10"	9512"
Gross Wt.	101,600	98,000
Max Speed	425	347
Range	3500	3000
Passengers	46	69
Engines	R-4360 3000 hp	R-3350 2200 hp

DIGITAL PROPORTIONAL

SERIES 2000

introducing the Larson Series 2000, with an ail new transmitter to complement the superb SRS airborne system. Better weight in bat-ence, and softer, smoother stick assemblies provide greater comfort and precision of operation. This is one of the most powerful trans-mitters available, with 720 milliwetts output.

The 5RS system is still the smallest and lightest first-line equipment In the industry (9.5 mm, total with 500 man ballery) will has proven through countless hours of operation to be unexcelled in performance and reliability. The secret lies in simplicity of design with fewer parts, through extensive use of integrated circuits, meaning in repair and maintenance costs.

We invite your comparison. Write for tree brechure.

RS system \$349.95

6 M system (with "retract" switch)

Complete facilities for service on all BONNER radio equipment.

lectronics 2288 1/2 SO. GRAND AVE.

New Transmitter—

5 or 6 channel

WATCH FOR ALL NEW BALSA 54" BUCKER-JUNGMEISTER KIT AND OTHER BALSA KITS SOON

NEW PRODUCTS

SOON

ABS LOW WING ARF "FUN" TRAINER, THE SQB

MINI-FLITE CO. 48 PRINCETON ST.

RED BANK, N.J. 07701

By Popular Demand!





Special! Build your own Rocket!



On November 1, Potomac Aviation Publications, publishers of the American Aircraft Modeler will release an entirely magazine dedicated entirely to the beginning modeler, whatever his m her age, but focused primarily on the ten-

sixteen-year-old group.

Entitled the JR. American MODELER, the magazine will be a bi-monthly for the first six issues, which point it will go monthly. First issue in November-December 1971, sale through subscriptions, hobby shops, and other easy-to-find sources. Price will be 60 cents, ■ subscription for 6 will be \$3,00, for 12 issues \$6,00. Contents will emphasize model airplane building and flying but will include appropriate boats, cars, and a variety of interesting projects with educational and scientific value, Special attention will be given to all aspects of how-to-do-it,

JR MODELER

733 Fifteenth Street, N.W., Washington, D.C. 20005

1've enclosed [] \$3.00 for ■ issues, or [] \$6.00 for 12 issues, Please enter my subscription immediately,

ADDRESS

CITY..... STATE

NOTE: The prices quoted above apply only to the U.S.A., Canada, APO's and FPO's. For foreign countries, add \$1.00 for II issues, \$2.00 for 12 issues.



ARE YOU CAMADIAN? .. then you should be dealing with us!

Since 1858 we've been the largest and best-stocked hobby shop in Canada, and most of the USA!
What's more, , we're above ground. No special connections required. No club affiliations needed, and no barber shop in the Front store. This is the place association modeler can find everything he needs from Radia Equipment to "I" pins. , at the right price!
The shop is run by modelers, so we know our hobbies. To get acquainted, just ask for free dops sheet by using coupon below.

Bros. Send FREE "Dope Sheet" OUR MAIL ORDER sports & hobbies ltd. SERVICE IS FAST! Ave. West, DEPT A TORONTO 19 ONE CANADA

TAKEA E RIG



Longster

(continued from page 14)

only slightly stronger than the like materials being bonded. If unlike materials are being bonded, then the adhesive only needs to be slightly stronger than the weaker of the two materials, True? Not necessarily, It is true in itself, but the building of the Longster and other models means we must circumvent some of these traisms if we are to stay light, neat and strong,

For years, modelers have been wrapping steel and wood with thread, and coating it with wood glue that is not designed for gluing metals and it works well. This is because the non-compatible surface has been licked-in rather than glued, (The tail skid and pylon on the Longster.) The strength of each of these glues will do a good construction job, but weight is a big consideration. Epoxy and resin (polyurethane types) adhesives are the same weight when dry as when applied; butyrate or acetate glues become slightly lighter as the solvents disperse. Water-base glues (Elmer's, Titebond, Wilhold, etc.) become very light when the water evaporates, and are also the easiest to clean. There is one more type I have found very helpful, but is not usually handled by the local hobby shop, Referred to as an RTV (room temperature vulcanizing), it is usually a silicone rubber glue that has been premixed in tube form, put out by companies like General Electric and Dow Corning, and usually available from electronic supply companies. RTV has the adhesive qualities of epoxy, but is very elastic-ideal for areas where shock or stress may be a problem,



Small fittings hold plane together. Turnbuckles found at model ship suppliers.

Actual construction, wood-sizing and engine desired, will all be dependent upon the scale you choose. The model shown is two in, per ft. scale. This size was picked so the plane could be flown free flight, plus single-channel radio or multi-channel proportional. Three-quarter-in, scale will make a good peanut scale and three-in, scale would fly like a sailplane-it had better have a good DT on it. Les has designed this plane so well; it is forgiving and hard to make it not fly well,

In constructing the fuselage, cut formers Nos. 1 thru 8-1,2,3 and 8 are 1/8 ply: 4,5,6 and 7 are 1/8 hard balsa. The part forming the bottom of the fuselage between 2 and 3 is 1/8 ply and should be cut at this time. The cockpit section was built first (2, 3 and bottom plus side panels). The two lower back longerons are cut and marked for placement of 4, 5, 6 and 7. These are glued in at the proper angle. When set, add top longeron from 4 past 8. Let dry and attach to cockpit section (bottom of 3) and glue in top longerons between 3 and 4. Alignment may be maintained by weighting down the cockpit



andrews aircraft model co. inc.

9 CENTRE ST., DANVERS, MASS., 01923 617-774-8688

RADIO CONTROL MODEL AIRCRAFT KITS

DESIGNS DOMINATED BY LOGIC - ENGINEERING THAT IS FLAWLESS -










SPECIAL ANNOUNCEMENT:

ZAP - ZAP - ZAP - ZAP - AAMCO IS IN HIGH GEAR!

TO KEEP UP WITH THE GREAT DEMAND FOR OUR FINE DOUBLE "A" KITS, WE HAVE EXPANDED.



WE WILL SOON BE ABLE TO FILL THE DEMAND FOR AAMCO KITS AND TO MAINTAIN STOCK.

LOOK FOR SOME FINE NEW KITS AS WE EXPAND.

WE MOST HUMBLY THANK EVERYONE WHO HELPED AAMCO BECOME A TOP LEADER IN THIS FIELD.

OUR PRODUCT IS OUR NAME. IN THE DESIGN. ENGINEERING AND MANUFACTURE OF OUR FINE PRODUCT, WE, HERE AT AAMCO, PICK OUR OWN BRAINS AND PRACTICE WHAT WE MANUFACTURE!

















AEROMASTER — "TOO" SPORTMASTER MINIMASTER ACROMASTER AIRNERGIZER BI-RAY X-RAY MINIBIPE





A.R.F. Cessna 150 AEROBAT

- ■NEW! HIGHLY DURABLE. ALL FIBERGLASS CONSTRUCTION
- ■NEW! ULTRA AUTHENTIC truly miniature aircraft! Every detail meticulously scaled from original Cessna blueprints.
- **■NEW! CONTROLLABILITY** A novice can handle it with ease. Experienced flyers say it's the most versatile, responsive, fun-to-fly RC plane made to date.

Wingspan - 65" Length - 46" Wt. empty - 5 lbs. Engine - .45.60

If your dealer doesn't have them in stock yet -- write for free information.

Please	send	complet	e illusti	rated
inform	ation	and pri	CBS.	

NAME

ADDRESS_

CITY____STATE_

SCALE PRODUCTS, INC.

101 EAST MAIN STREET ST. CHARLES, ILL, 60174



EAGLE - 1847 Maine Topsail Schooner

Model Shipway's latest kit, of this handsome coasting freighter. The kit is on 3/16" scale (hull length 16½"), plans by Zakambel, includes machine carved pine hull, cast fittings, brass, cordage, wood materials, plans and instructions, Postpald, \$30.25.

For all modellers, beginners and experienced, in fine 60 page booklet, 8½" in 11", by George Campbell, M.R.I. N.A., profusely (Hustrated, The Neophyte Shipmodellers Jackstay, Postpaid \$3,10.

Send 50 cents for our 52 page catalog showing many scale model kits, fittings, plans books, tools.

Model Shipways Co., Inc. 39 West Fort Lee Road Bogota, New Jersey 07603


to the plans and blocking rear to proper height, (Diagonal bracing should be added at this time)

This becomes one of the fun challenges of this type of design each joint requires two cuts for proper fit. If they all fit firmly, you will have a very strong structure, No. II may be added at this time, Cut holes in former No. I for engine mounts to correspond with yours and continue w build up nose section in conventional manner, Should radial mount be desired, a former may be added between the nose and No. I to correspond with your mount. Landing gear and pylon are wire-formed and brazed, (Originally Les? He brazed and plate-pinned all his joints, claiming the flex gave additional strength.) I have used brazing on many planes without failure. In fact, that is all I have left of most of them. If anable to braze, then wire wrap and solder in usual manner. On light loads pure silver solder will work.

The wheels are three in Williams; the original used wire spoke wheels with canvas covers. The shock absorbing landing gear is very simple, the tension being controlled by the number of rubber bands looped over the But and bolt placed at the bottom of No. 2, The hylon hinge mounts are standard 1/8 in, -found at most marine or electronic supply outfits. The little extra time it takes for this gear is well spent, as DT's and hard landings can break this type of wing mounting easier than standard types. The side longerons which hold the covering away from the fuselage may be added, giving the Longster a clean look,

The stab and rudder are cut from 3/32-in. straight grain balsa. The wing is designed

around the Clark Y rib, as used by Les on the original, and can be made of one section adding the pylon at the center. I designed it with the removable sections for ease of transportation, a stronger and more adjustable mounting, the case in the adjustment of the rigging and a safeguard that would make it



The fittings mount cabane and landing gear assemblies. Removeable for service or repair.

more simple to correct any mistakes I might make, (I wasn't sure how to design a strong enough pylon on the original.) Knowing what I do now about the flying of this ship, I would make the free-flight versions one unit and the radio types removable. I prefer the notched balsa leading and trailing edges for



VOLANT T Tail

High performance SOARING GLIDER with 100" wing span for R/C or free sail.

COMPLETE KIT ONLY \$44,95

includes plans, instructions, fiberglass fuselage, molded canopy and necessary balsa. Fiberglass tuselage and plans only, \$29.95

PMP MANUFACTURING Box 10233, Denver, Colo. 80210

(Distributed by Royal Products Corp.)

* Send 25¢ for catalog and price list of the finest in A/C planes, boats and cars—accessories, tool




strength—they seem to warp less than other methods. Should you make the two section wing, the first five ribs are cut from 1/16th ply and the rest are medium-to-hard straight grain balsa. I used spruce spars, although balsa may be used on the smaller scale. Spruce was also used between the ribs where the screweyes are mounted for the rigging. The tongue portion of the pylon that fits into the wing is a laminate of 1/16th ply on both sides of 1/8th hard balsa sheet. Sheeting between the first two ribs will strengthen and stop the first bending in when covered. Some say the

wind passing wing makes the model fly, but I am sure it must be the sandpaper. The more I sand the better they fly and look. I never could understand why some modelers would spend hours and hours building and only a few minutes sanding.

Covering this plane is somewhat dependent upon what you intend to do with this model, The RC version was covered with MonoKote. The factory instructions are good but, as mentioned earlier, I coat all surfaces with a 50/50 solution of Titebond and resand with

220 paper. This not only strengthens the structures, seals off and fills the grain, but gives a stronger bond between the MonoKote and the wood. This wing is strong enough if covered in the recommended manner; however, I have found that MonoKote sealed down to each rib adds tremendous strength. The only caution is that your iron be Teflon coated and just the right temperature. Sometimes this coating wears off; you may recoat your own iron. I also Teflon coated some small blades for corners that were heated from the surface of the iron. The





FOX SUPERFUEL

US NITRO

Specially compounded for bushing main motors. Great when you have a compression problem, too

PT...1.10 • QT...1.85 • GAL...6.35

DUKE'S FUEL

Widely used for both RC and control line llying. It is Amer-ica's most popular RC fuel 10% NITRO

PT...1,15 • QT...1.95 • GAL...6.50

MISSILE MIST

25% NITHO 22% OIL

Produces more power needed for sport flying and is less sensitive on needle selling tuns cooler

PT...1.45 • QT...2.40 • GAL...8.50

NEW! FOX 40-40 NEW!

40% NITHO 40% ALCOH

Ouke's newest fuel offering for combat flying and racing. III Rives you power when you

QUART...2.90

FOX MFG. CO.

product I use is No. 6075 Dry Unorocarbon. temperatures up to 550 degrees 1, made by Crown Industrial Products Co., Hebron, Ill. 60034. The I-I version was covered with lightweight silk, applied dry, sprayed with water, sprayed with spray starch and seafed off with three diluted coats of dope, trimmed and added detail.

The rigging and bracing of the plane are important steps in the construction of this type of model. Strength, looks, scale points and trim are all dependent upon how good you do the rigging. The tittings shown in the pictures are all that are needed, the cable is

BRYCE PETERSEN'S .

CHDOWN



\$21.95 four wing cores with AERO-COTE's heeting

formed and soldered

Aing options -

48' trainer 42 performance

(semi-sym wallerons) extre wing kits \$895

3 of 8 channels

15-19 engines

tength 34 inches

weight 3 pounds

aimple construction

plates for the R.C'er \$1.50 alm \$ 25 pastage and Whiding

> id rother in FLYING

MY BAG

RIC WIDOW

Aero Precision

COLLINS INDUSTRIES INC 372 N East 51 P.O Box 152 Tiglon Indiana 46072

MINIATURE WIND SOCK

For Your Home, Office or Workshop Gives Wind Direction and Vetocity

Manufactures with Brance Oil Light Bearings. Maidened Steel Shoti, Coat Abstiniegts Wand Directionals and Long Lusting, Frame Orange Such from Indian Head

14 soul 24 post

FOR Tipion Ind



20 lb, lest vinyl-coated steel and corresponding sleeves that can be found at most fishing tackle supply stores. The keepers are standard Goldberg tittings, Rubber bands are inserted through the aluminum tubing at the base of formers I and I to hold rigging to



A rubber band in the fuselage provides the shock absorption, in the be fairly stiff.

the Juselage and serew eyes are used on the wing, to check, you should be able to pick up the plane by the wing tips and have very little flex. Turnbuckies make it easy to adjust in the field, but not necessary. So they won't vibrate upart, the a small string through the adjusting sleeve and one of the eyes.

Flying

Make sure the center of gravity is correct, add weight as needed. Incidence may be changed by relocating the pylon keepers. Fry to test glide in area with high grass, making sare the nose is slightly down when you release. I always teel safer, on the first test glide, it I can alongside and let it fly out of my hand. ROG is recommended for the first flights. Engine speed should be just enough to get it off. this way it will look very realistic, This has been a tun eye-catching plane that is quite easy to build, fly, and maintain.

Wittman Buster

(continued from page 29)

Wet-or-Diy paper, as the Hobbypoxy Clear will have scaled off all of the raw wood.

World's Finest Unit is backed by the World's Finest Service

(3) 768-1519

AUTHORIZED SERVICE STATIONS:

CRAFT AYSTEMS EUROPE E.A.

Fs R/C Sendo di non, lond 90568 no (712) 469-2427


rry Angus, Brian Gribn) Referen Rd., Hampton 3188


M's R/C (Ken Delahit Write for Fine Landing ka, Osaku, Jacu (068) 62-7631


(V Central (Roy Hausar) ., 2001 AVR. id, Oregon 9723-(233-6328)

MINIT GALIFORNIA AVENUI. VISTA, CALIFTRNIA 92841 Warrels Longist About January of Properticul HAL Computers

ALL NEW









SPECIALTIES

Include 25¢ for postage and handling. I om more accessories sent postpd 03 WHOLEBALE AVE. N. E. HUNTEVILLE, ALA. 35811

	OUR COMPL	ELE TIL	VE OF	ACCESORIES	
Stk. No.	Description	Price	Stk. No.	Description	Price
01 02 03 04 05 06 07 08 09 10 11 13 14 15 16 17 18	Standard Control Horns Long Control William Mini Control Worms Hini Control Horns Easy Action aneel Brakes Afferon Links Push Rod Retainers Push Ball Enits Steering Enits Steering Hissing Link W/o hardware Oual Output Servo Screw Guick Howill Servo Tope Throttle Jee Bellcrank for Orbit Servo Connector Locks Override Device (Morld Eng.) Override Device (Morld Eng.)	.79 es. .79 pr. .59 3 .79 yd. .98 es. .79 4 .59 es. .59 es.	2334567890123456789	Nylon Strip Hinge Wing Bolts 1/4-20 x 1-1/2" Wing Bolts 10-24 x 1" Fuel Tubing-Large-30 ft. Spl. Nose Gear Bracket Control Stick Tips (Kraft) Antenna Exit Throttle Detent (Kraft) Aileron Swivel Links w/Horns Safety Back Razor Blades Servo Output Arms (Kraft) Transmitter Switch Lock Adjustable Servo Arm Af1. Swivel Links/Non-Ind.Hn. WATCH HERE FOR	.59 pr. 9.00 ea. .59 pr. .59 pr. .59 pr. .59 pr. .59 2 1.59 pr. .98 2 1.59 pr.

OUR COMPLETE LINE OF ACCESORIES

Cover the wing, fuselage and fin with one ounce fiberglass cloth, as sold by World Engines, in the following manner, Cut pieces of the cloth to the shape of the various parts, remembering their positions, Mix a small batch of Formula II Hobbypoxy, and thin it to a brushing consistency. Brush a relatively thick coat on a surface and lay the appropriate piece of glass cloth over it. Smooth it out into place, using the thread pattern to properly locate it. Carefully form the edges over the fillets and around the corners. It is best not to add more epoxy over the cloth at this stage, for, unlike working with dope, an additional dab does not thin or soften the coat underneath. Added epoxy only makes the smoothing process more difficult and messy. Work the cloth into the proper position and smooth out any air bubbles underneath, In order to complete the entire model, this will probably have to be done in several sessions to prevent moving previously positioned panels, or getting the epoxy all over everything. A double layer around the front end and over the cheek cowl will add a considerable amount of strength while adding little weight, Brush two more coats of the thinned Hobbypoxy II over the whole model, sanding with 180 grit paper between coats. Rough edges of the cloth can be attacked carefully with files of various shapes and coarses grits of sandpaper.

After all of the rough spots are worked down to approximate shape, go over the whole model with wet 180 grit, followed by 320 grit paper, I use an aluminum foil pan as a water dish. Adding a few drops of dishwashing detergent keeps the paper from filling and makes it last longer. Wipe off the dust-water residue with paper towels. The wet

sanding process not only makes the sanding easier, the paper lasts longer and the epoxy dust mess is kept to a minimum. The 180 grit wet paper cuts fast, so care should be taken to avoid going too far.

From this point on, two different routes can be followed to provide a good base for a beautiful finish. One is to apply a coat of Hobbypoxy Filler, used exactly according to its instructions. The other is to spray on two or three coats of Hobbypoxy Clear, sanding with 400 grit in between coats. Final sanding with either method is with 400 grit paper, Two sprayed coats of Hobbypoxy Silver do the final filling and give a solid color base beneath the final color coats, Edges should be treated to liberal applications of the paint, for these are the areas which seem to absorb extra sanding pressures and the accompanying erosion during sanding. Go easy on the

AEROPLANES TRAVELAIR-4,000 SERIES



RO-R/C, MENT SERVO R/C, PREE PLIGHT, STATES DISPLAY SCALE, 33" SPAN

WE PROUDLY PRESENT CUR NEW REVAMPED KIT FEATURING: SIG Bales throughout: "WILLIAMS scale vintage wheels: "WILLIAMS scale standard pilot: WILLIAMS scale Wright cylinders: "WILLIAMS spinner: "Large tube of AMPROID cement: "Sprace stringers: "Necessary piane wire: "Brass tubing: "Fre-drilled and sawed aircraft plywood fittings and parts: "Covering material: "Five (5) sets of drawings to build at least six versions of the TRAVEL AIR 4,000 Serimm Aircraft all packed in a strong mathable carrier. mailable carton.

- · · · · · The TRAVEL AIR Is Our Only Product At This Time

Price Per Kit \$29.95 Post Paid from: CITOXE MODES AEROPLANES Check or Money Order Only - 109 Matty Avenue New York Residents Please Mattydale, New York 13211 Add Appropriate Tax For Your Area.

ONLY \$29.95

Please we your Dealer first. If he cannot supply, we will be happy to fill

Wr. Dealer - No need to write. Send check or money order for a maximum/minimum order of 3 kits at 33-1/36 off list price post paid. Order must be on your letterhead, was others will be honored.






GIVE... so more will live HEART FUN




Contributed by the Publisher

INTRODUCTORY OFFER Cannon Electronics model E530-44A We en offering this high quality ECONO-FLITE 4 CHANNEL channel, assembled, ready-to-fly radio



SUPER-FLITE SYSTEM SHOWN



For fast service send M.O. mt Bank check. We allow personal checks to clear before we ship. BANKAMERICARD and MASTERCHARGE accepted, Include Mastercharge Interbank number (lower left hand corner).

for a limited time only at the very low introductory price of

\$199.95

Check the fine features listed below with other makes-THEN, MAIL YOUR ORDER IN.

*Complete full house system, i channel, 4 miles *High quality components used throughout *90 day factory warranty *750 output 27 Mhz *D527-E (KEK) servos, standard *Built-in charger *Nicad rechargeable batteries standard *Meter *Provisions for Buddy Box installation *VinvI clad Transmitter and Receiver *72 Mhz available add \$10.00 *Single Stick available add \$15.00 *Other servo options available = extra cost, Descriptive folder of all Cannon systems mailed on request,

sanding in the canopy, license number and racing number areas. This allows the undercoat to double as the surface coat by masking out the appropriate outlines before spraying the final color coats, I spray on one heavy coat of the final finish color, going over and over again for good coverage-again, heavy on the edges. It is best to use a rather thin consistency to avoid spattering and an "orange peel" effect.

Allow at least 48 hours for the paint to harden before attempting the final sanding. However, the masking tape should be removed as soon as possible. The final, final sanding is done with 400 grit and then 600 grit paper and followed by polishing with rubbing compound. Go easy on edges or the undercoat might start peeking through,

Raid your decal box for accessory manufacturer decals and any other decorations which will add realism to the model. Install the engine-fuel tank system, wheels, elevator hinges, and balance where shown. Next item is to pick up your

teammate and go flying.

The method of finishing Buster, which I have described, was developed as a result of combining information obtained from various sources and experiments of my own, Done properly, it yields a finish which will draw compliments anywhere. I particularly pride myself on the finish of my models, whether it adds to their performance or not, Most of the epoxy put on in this type of finish is sanded off again, so the finished weight is no heavier than a dope-filled one. The advantages of this system, besides those of appearance, are a stronger, smoother, harder, fuel-proof coat which does reduce drag and is much easier to keep clean. Choose whatever method suits you, but the wings and fuselage should have a reinforcing covering of silk, nylon or heavy tissue.

Buster's first competitive outing was a contest at Daytona Beach, Florida. Our main competition was a Supertigre G 15 glow-powered Falcon, fielded by the 1970 Nats-winning Rat Race team of Art Chambers and Stan Simpson from Jacksonville, Florida. Never have I seen two models so equal in speed. There was only one pass in 240 laps of racing. Our heat win came when Stan's slow start wasn't offset by my slower clumsy pit stop. This pattern was repeated in the feature, except I was able to match Stan's lightening-fast stops. A blown glow plug on their third stop assured our victory in the time of 9:37,0 for the 160 laps.

Art and Stan later went on to win the Rat Race event in 5:29.3. They are the best drilled team that I have ever watched. Even Stan's left-handed pit stops seem to be faster than a right-hander. This well-drilled precision is what wins the races in these team events. Planes may be faster, but they lose all this advantage in slow starts, restarts and fumbled pit stops. A team must work together on the practice circle, determining not only the best fuel, plug and prop combinations, but also developing the teamwork and coordination required to see them successfully through the hectic activity of the actual race,

Neither of the two MVVS's handled quite as well as I had hoped for competition, and will be retired to my engine collection. Buster will take up a place of honor on my workshop wall. She has the longest winning record of any full-size racing plane and has the lines and performance, in model form, to win for you,



SAVE-A-SYSTEM

O.S. 2 CH one Servo, Value \$89.95 + Cox .049 Golden Bes, List \$7.50 + Lil Tri Squire, List \$10.95.

Blue Max 4 CH, 3 Servos, All nicads, Value \$270.00 + Falcon .56, List \$18.95 + Fox .36 R/C, List \$23.95.

\$108.35 LIST Our Price \$ 88.88

Value \$312.90 Our Price \$199.99

ENGINE EXTRAVAGANZA

PENFORD AUTO START M1. List \$24.95, Now \$18.95

SEALECTOR DELUX HEAT SEALING IRON, plus "Super Shoe". List \$13.93, Now \$10.95

GOLDBERG MINI LINKS, Reg. 2 for 40 cents, Now 10 for \$1.50

KRAFT HAYES Glass Engine Mounts. All sizes available.

HOT LINES MOONEY CHAP-ARREL. List \$55.00 Now \$46.50

TOP FLITE P-51 List \$39.95

Now \$28.88

List \$35.00

List \$60.00

List \$16.98

List \$25,95

O.S. Max. H .40 P. RC List \$29.95

VECO .40, PERRY CARB RC

S.T. .60 BLUE HEAD RC

MAX .15 RC

FOX .40 RC

J&J EYEBALL

240 Medford Avenue

Now \$22.95

Now \$24.97

Now \$48.00

Now \$10.99

Now \$\$18.88

STERLING MODELS

CANYON PLASTICS

Schweizer

List \$27.95 Now \$19.55

Schweizer 1-26D

List \$19.95

List \$29.95

Now \$13.95

Now \$21.95

TOP FLITE Headmaster

List \$14.95 Now \$11.95

> KYOSHO DELUX A-D6

List \$55,00

New \$33.95

SUPER MONOKOTE Now 3 rolls \$15,00 List \$8.10

SEND .254 FOR LATEST BONANZA BULLETIN

1

(write or phone for prices)

BRIDI KAOS

Ordering instructions, Include 10% for postage and handling on orders under \$50,00, Include Zip Code, Pa. residents include 6% state tax. BankAmerica, Mastercard, Unicard accepted, Visit our store, only minutes from I-81 exit 57 East. Open 10-9 daily, except Sun.

The Den, Inc., Dept. 122, Rt. 6 Scranton- Carbondale Hwy., Olyphant, Pa. 18447. Phone (717) 489-7861

Blue Ribbon

(continued from page 40)

Since boats and cars can be operated legally only on the 27 MHz (and not 72 MHz) frequencies, the set is available on that band only, with changeable crystals available for each of the six frequencies. These are: 26.995 MHz, 27.045 MHz, 27.095 MHz, 27.145 MHz, 27,195 MHz and 27,255 MHz. These must be purchased in matched pairs, identified by a color cover-brown, red, orange, yellow, green, and blue respectively for the frequencies listed. It is a bit surprising to have the 27.255 MHz frequency provided because of its widespread use; however, remember that interference isn't usually a disaster for a car or boat and they are not nearly as susceptible as an airplane, since they are not airborne.

Electronically, the Deans systems have always uniquely featured the use of a "double synchronization pulse" which they feel gives better noise rejection and interference resistance as well. This means that two synchronization pulses are transmitted prior to the three information pulses. The frame rate is set by a free-running multivibrator, followed by a fixed width half shot multi to provide the second sync pulse. Six trim pots are visible on the encoder. Trim pots are used to set the frame rate and the width of the half shot, thus the separation of the sync pulses. The sync pulse half shot is followed by three controllable half shot multis, each set for a nominal 1.5 milliseconds and variable 0.5 milliseconds for control. Broad adjustments are set by the manufacturer (don't touch any





Add \$3.50 for postage; balance refunded to individual. New York state residents add 5% sales tax. Patchogue, L.I., N.Y. 11772 Ph (516) 475-8856

Royal Classic Digital Proportional System

SYSTEM FEATURES

Reliability
competitive price.

Worldwide service reasonable rates.

New Submin. Connectors.

Most versatile servo selection

External Charger—Transformer type for safety.

Lightest Flying Weight—9 oz. with 225F pack and KPS-12 servo.

Landing Gear Retract Switch—optional in place of channel 6 auxiliary control.

Master/Slave—Optional.


Special Hi Torque Servo for retractable gears.

Frequencies 27MHZ—50MHZ—72MHZ.

202010 4 Channel Dual Stick System 202011 & Channel Dual Stick System BYSTEM INCLUDES KRAFT STICK TYPE TRANSMITTER. RECEIVER, 4 SERVOS. NICADS. CHARGER.

WRITE FOR FULL-COLOR CATALOG.

\$389.95



Royal Electronics Corporation, 2119 So. Hudson St. Box 22204. Denver, Colo. 80222



of these pots unless you have scope to set the baselines and know what it's all about) via a trim pot for each channel.

The encoded pulses are fed to a two-stage amplifier with the encoded pulse set by the sixth trim pot at approximately five microseconds. A zener regulator provides a stable voltage to the encoder section; however, RF section voltage is unregulated at a nominal 9.6V (battery voltage).

The RF section is all tuned by LC circuits, A relatively broad tuning master oscillator is used (as in most RC systems) and frequency is held within the necessary FCC tolerance at each frequency spot by the changeable crystals. Interstage filtering is LC and modulation is accomplished in the interstage. Final filterling is achieved through a simple, tuned LC circuit and a tunable inductive base

load for the antenna. RF indication via the meter is accomplished by rectifying a minute amount of antenna input power, which gives a relative indication of RF output.

The transmitter also contains a transformer isolated charger for the transmitter and airborne battery packs. This unit is located on a separate printed circuit board mounted to the back of the power switch. A clever indication of charge is provided by the charge lamp, which gives a warm glow through the plastic RF meter, visible from anywhere in the shop.

Both the transmitter and receiver tested used 450 mah cylindrical nickel cadmium cells. The airborne pack may be had as a 225 mah pack at the option of the individual. No change is needed to charge either. Either a square or flat pack may be specified.




Jetco

C. A. ZAIC CO. INC., 883 LEXINGTON AVENUE, BROOKLYN, NEW YORK 11221

The receiver is housed in a grey metal case measuring 1 1/2 x 1 7/8 x 11/16 in. The changeable crystal protrudes another 1/4 in, above the case. A tiny plug block, consisting of three ganged Deans four-pin connectors, carries all power to and signals from the receiver and servos. A separate four-pin, coded connector and switch harness is used for power.

The receiver features an inductively center-loaded antenna totalling about 18 m in length. The vertical most wire flexible portion is only 7 m, long. This makes for an ideal boat or car installation. The front end of the receiver is double-tuned. All RF and 1F components up through detection and AGC are contained on the bottom board. The



Author describes beginner's installation problems; solutions are shown here. Boots give radios mighty rough treatment.

receiver is straightforward with three stages of 455 kHz. II: following the front end. The detected autho is amplified in a capacitively coupled two-stage amplifier, then passed to the decoder.

An interface network between the receiver and decoder squares the pulses sharply via a Schmitt (rigger. Decoder synchronization (start) pulses and shift (advance) pulses are formed in the interface network. These pulses are used to control a series of two transistor shift stages connected as SCR's, i.e., the start pulse initiates the shift in the first stage and the advance pulse removes the supply voltage from all stages to return them to zero, However, as each stage returns to zero, the fall is capacitively coupled to the next stage gate to turn it on until the next control pulse is received, and so on. The advantage of this type of decoder is that up to three servos may

INTRODUCING for 1972... THE ALL NEW I



The STARTER with PROVEN PERFORMANCE.

\$35.95

SOIT CRAIG STREET

FINC. PHILA., PENNA. 19136

The Worlds Largest Manufacturer of Model Engine Electric Starters.

EMBEE 75
DIESEL ENGINES
Ideal power for free flight scale
Know the wind speed
For more information write:

\$12.95
Postpaid

DWYER

So.50 Postpaid

Dept. AA





IS NOT A HOBBY SHOP

that occasionally handles mail order. Lindco is organized to fill all orders from stock in the fastest possible way. Better yet, Lindco does not get bogged down in ■ lot of unrelated merchandise - Lindco only handles flying model equipment. Lindco really does give the aircraft modeler the best service at the lowest prices.

FREE

DISCOUNT CATALOG SALE SHEET

----BOX 543, SOQUEL, CA. 95073

\$2.00

RIMER



\$2.00



\$3.00

TAKE OFF WITH R/C MODELING!

Take off to new horizons of hobby pleasure with Kalmbach Books! R/C PRIMER is a basic book for beginners that fills the gaps of manufacturer's instruction booklets. Propo-PRIMER explains proportional control - how to make models perform the way prototypes do. How To Build Radio-Control Models details the combinations of vehicles and control systems and how to put them together. Get all the adventure of R/C. Order today!

Send n	copies of R/C Primer copies of How to Build Ra	ust m
	Control Models	010-
Ch	eck encrosed. Bill	
Name		-
Address		-

be used in parallel for large, fast boats to control the rudder.

The servo amplifier is designed specifically to permit paralleling, extra isolation being provided in the interface. The usual one shot multi controlled by the feedback pot provides the reference pulse. A resistor comparator is used and couples to the usual pulse stretcher and drive networks for clockwise and counterclockwise rotation. The test servos used Amperex 2N4105 and 2N4106 germanium transistors, However, we were informed that sets now in production use silicon output transistors which normally are used to give better thermal stability.

The SKdaddle, a boat with some new kinks, is a fiberglass ARR (Almost Ready to Run) package containing all the necessary hardware except for the engine, radio and connecting linkages, Assembly consists primarily of cutting out the proper hole in the bottom of the boat and installing the stuffing tube and prop shaft. The builder chose to epoxy the brass tubing stuffing box to the fiberglass hull and then to build up the support area underneath with epoxy. This could be improved by attaching some small brass flanges to the brass tubing or by at least roughening the surface to permit the epoxy to grip the tube. Fpoxy does not stick well to the fiberglass hull, so anywhere an epoxy bond is to be made, roughen the stirface slightly and be sure to clean off any oil, etc. with dope thinner.

The rudder was installed by mounting a hardwood block aft of the equipment compartment, drilling a hole up through the hall and block, and inserting the rudder post,

FIXUM / INDYFLITE

Dan't skrow out your booken plante after atspinner

Reports them advances then how with "FIRDE" . Schools from

the "PIRCAL to moonly mustly withoughou with reach from growing

FIRTH' is -foot proof -conducto -dapable -paintalis

bood 64 has deared to a marked of ordered and AND FORTH COLEN.

And all her for some contents and the neburner for fairlead, lad. 4020

The new Gode and Green Rfc	The new Gods and Gods RAC Wings are offered and Elec- min. (Conseque for upgoalding, EDA = 0, 0, 0, 0). The state of the consequence of the construction. Two pairs of this construction. Water for free resh est plans. (EDBs.)	10	0	R	ING	5
Fig. 10 except for apposition. Two papers ving construction. D.B., (1) 11,0 12,431 MRIO 10.75 B. W. 12,75 (Fr. 10.0 15) (Fr.	max Revenue per trap pattions Add A 80 max FUU					
Write for free red oes plans. PRING 22.75 In. 50 12.75 Cie. es gavat o a F. Zusa. (F. F. Jaco - 158) Prince In. P.	White for free red over plans. Other support of F. Zuit. F. Zuit. (F. / S. plans / Mr.) Tellers D. P. F. Wings 608 135					
Steres great to F. Zano. (FF San + 158) Prince P. P.	Fewings costs					
		Oteres great to Filmon				

CANADIANS

New G 40 SPACE COMMANDER, A quality 4-chan, digital system, complete unit with 4 servos, nicad paks, bill-in charger, parts & service in Calgary month warranty, Snap-in type servo trays (two with set). Any 27 mg freq. All this for only . . \$249.00

SEND FOR FREE BROCHURE-

SEND FOR FREE BROCHURE—

SOLARFILM
All Opaque Calors
Metallics in green,
red, blue
Transparents in red, orange,
yellow & blue

S1.35 per ft.

CALGARY HOBBY SUPPLY LTD.
Box 3173
Calgary, Alberta,
Send 8.50 for my 55 page Catalogue, Price
refunded on first order over \$5.00.
If visiting Calgary call in at our shop,
114 - 40 Ave. N.W.
Tele. 277-4664
The Model Shop Whose ONLY Business is
"Model Alreraft".

PROPELLERS NEW! NYLON ACTUAL DIAMETER:


At last, sturdy, efficient propellers for small model aircraft! Precision molded from non-brittle white Nylon, and featuring a rugged hub designed to minimize breakage. Available in two styles: CO2 (illustrated), and RUBBER-POWER, with built-in free-wheeler. 29¢ EACH



WILLIAMS BROS. PRODUCTS AT YOUR DEALER. 25¢ FOR SCALE MODEL ACCESSORIES CATALOG 181 "B" STREET, DEPT. A. SAN MARCOS. CALIF. 92069



A nose-wheel steering arm for a tiller completed that part. The small brass keel was installed from the top through a slot cut in the hull. The epoxy joint quickly came loose (guess it had something to do with driving the hoat up on the rocks!) and after a thorough cleaning of the area with thinner, Silastic hathtub sealant was found to hold much better.



Deans transmitter in aqua blue color goes great with the metal flake finish Dumas Skdaddle.

A Webra 3.5 cc engine was used with the engine mount plate and flywheel provided with the boat. A car-type heat sink was successfully used for cooling, instead of the traditional water jacket. A four-oz, slant-top tank held in place by foam completed the engine installation. The engine mount must be shimmed and adjusted carefully to avoid misalignment between the engine, universal joint and drive shaft. With all these installed, the propeller was held in place with a shear pin pressed through the drive shaft (a 5/32 drill rod drive shaft was used) and clamped by a 10-32 elastic stop nut.

The receiver, battery pack, switch and two servos were installed in the spacious equipment compartment. Hardwood rails were used to hold the servos by rubber mounting grommets, after it was found that servo mount tape wouldn't work in this installation. It was also found that epoxy was best for mounting the servo rads after Silastic let go, (As you can see, we had our troubles,) The power switch was initially mounted with servo mount tape, but this was quickly changed to a DR bulkhead switch mount after the hoat roared across the pond uncontrolled when it was thought that the switch was on (but had actually come loose). The bulkhead switch mount permits a 1.16" wire to protrude through the top of the hull to turn on and off. Don't mount the switch with the control tang protruding through the hull, or water will enter the switch and chaos will result. The antenna was poked through a hole in the lip at the aft edge of the hatch cover and held to the thwart for whatever you call the back end) with serve mount tape,

A Rocket City throttle override was used to connect to the throttle with override of the spring at low throttle. Any and all holes, protruding bolts and antenna exit were sealed with Silastic bathtub seat.

Seemed as though acting this beautiful boat underway would be a snap! Then we tried starting the engine. This was a well broken-in engine with several hours in cars. Old boat hands said. "It's simple, just wrap one turn of chalkling plus a quarter-turn around the flywheel in the "V" groove provided, and pull her through." We tried that and after we almost drowned a perspiration and plasma (from blisters on the fingers)

FROM 12" TO 32" SPAN - GLIDERS TOO BASIC DESIGNS YOU BUILD - BEGINNER & UP

accessories

HOOKS, THRUST WASHERS . JUTTONS WHEELS, BALSA PROPS & OTHER TO FOR RUBBER - THE ONLY WA TO THE ONLY WA TO FLY

SEE YOUR DEALER, OR SEND TO FOR CATALOG

Marlow ENGINEERING 6850 VINE AND, NO. HOLLYWOOD, CALIF, 91805



American Aircraft Modeler 95



EVERYTHING FOR THE MODELER

Canadian Modelers:

Write for an ACADEMY CATALOGUE. 75 cents, Postage free. Wholesale only.

Canadian Dealer Inquiries Invited.

ACADEMY I TOUT LIMITED

51 Millwick Drive, Weston, Ont., Conada.





Announcing an addition to our line, I Totebox measuring 8" wide x 12" long x II 1/2" high with full length dowel handle.

Box comes with enough dividing material to divide it into four compartments of any size, Assembled and finished im opaque colors covered with clear fuel-proof finish.

Our large model features an ignition rack to hold transmitter and all starting tools, Rack mounts in any of the too four corners.

Hardwood legs detach in pairs and store underneath drawer, Deep full-width drawer includes a spacing that may compartmented plastic hox for all small parts.

a snaotinght, many-compartmented plastic box for all small parts.

Fuselage supports fold up and lock to hold airplane. Main compartment holds ignition rack, transmitter, gallon of fuel, starting motor and battery, two glow plug batteries, coil of paper towels, quart spray bottle of cleaning fluid—all with room to spare.

If desired, Totebox may be purchased separately and will fit snugly into this box to fill If desired, Totebox may be purchased separately and will fit snugly into this box to fill ads at flight line.

Unit folds to a compact # 1/2" x 20 1/2" x 17". Stained and sprayed with a high gloss, fuet-proof finish; inside fuel-proof # well.

\$7.95 Totebox \$29.95 Deluxe Model

New York State residents add 4% sales tax. See them both at your dealer or order direct for immediate delivery from:

PAKSEL MANUFACTURING COMPANY

Box 662, Herkimer, New York 13350



ELECTRONIC WAR SURPLUS



Approx dimensions 365 | 1 | 172 | m | 206 h Weight 11b (plastic case) Dry

PRICE \$7.50 each

R/C SERVO MOTOR DRIVE ACTUATOR



contains 2.6 volt permanent magnet motors
Current consumption
approx BM MA
26 vo-* DPST Relays Many Gears

Hinr' completely enclosed in aluminum housing.

PRICE \$4.00 each

NICKEL TADMIUM BATTERY, 1.2 VOLTS



rechargeable thousands of times alkaline storage battery untered-plate. Not valtage curve during discharge with bold charge for long period of time high discharge tare up to 50 amps spitt-proof may be used in any portion

ompree hour copacity dimen-tions 6" high; 2" wide; ½" thick Appress wit \$ == 130° ;

PRICE \$2.50 each, postpaid

Approx. 10 inspections capacity dim 452" bleb, 254; wide 3" block approx wt 2 or \$1,50 postuald

NICKEL CADMIUM BATTERY, 5 VOLTS



Powerful 5-volt, .5-omp Eveready battery in a compact, lightweight, sealed package. Rechargeable for extralong life. Approx. size: 136" dia. x 135". Approx. weight 4 ounces. For many modeling uses.

PRICE \$1,95 each, postpaid or 6 for \$10.00, postpoid

SALES East Colorado Street - Phone: 681-4925

decided there had in he a better way.

Ax an interim, a loop of chalkline about II in dia was fashioned (Of course, a square knot was used). This was passed under the flywheel before the knot was ned, so it obviously had to stay there. The upper end of the loop was engaged to the starter fitting of an electric starter normally used for aircraft. models. By bringing the starter up to speed and quickly hauling the loop up against the flywheel groove, a successful start was achieved. However, during the ensueing runthe loop of string was shredded, but at least the concept was pleasing. Fruition of this approach was gained by using not a loop of cord, but an "O" ring used for scaling automatic transmissions. Two of these were obtained and are about 6 in, in diameter with the diameter of the tough neoprene material

being about 3/32 in. This really solved the problem, only one has been needed thus far for about 100 starts and shows no sign of wear. The technique, again, is to engage the started "O" ring and flywheel lightly, bring the starter up to speed, then had up on it, A quick start is guaranteed every time.

Numerous runs were made on the boat in smooth water and in chop, In extreme chop, the prop will occasionally cavitate and throttle must be retarded to regain thrust. I am told by an expert in hydrodynamics that this can be overcome by a deeper "V" in the hulf, by numerous gimmicks and/or simply may be a matter of the angle of the shaft as installed. In any event, estimated speeds of around 25 mph were achieved using stock engine, fuel and prop.

The vibrational and servo loading

AUTODYNE-I



#SCALE BODY SHELL #TWIN BELT DRIVE # NEW HUBS

*NEW FOAM TIRS #HEAT SINKS

AUTODYNE-11

is here

with cog belt drive and many other advanced features

ONLY \$57.50

(617) 245-5210 PRODUCT INNOVATION PO Box 24 Wakefield Mass. 01880

8 OUT OF T NATIONAL CHAMPS

WHEN NOT A VAILABLE FROM YOUR DEALER ORDER DIRECT FROM US POSTPAID AT THE PRICE SHOWN MASS RESIDENTS MUST

DEALERS - WRITE FOR TRADE OF SCOUNT

PRICE SHOWN MASS & INCLUDE 3% SALES TAX



"YOU'LL WONDER HOW YOU **BUILT WINGS WITHOUT IT"**



Box 176A

46074

A-JUSTO-JIG Westfield, Indiana

INDEX TO ADVERTISERS NOVEMBER 1971

Advertiser	Page	Advertiser	age
Herb Abrams Rand Sales	. 75	Marlow Engineering	95
Academy Products Limited		Midwest Products Co	
ACE Radio Control, Inc.		Miniature Aircroft	
Aero Precision		Mini-File Co	
A-Justo-Jig Co		M-n-M Rodiomodels	
Ambroid Co., Inc.		Model Car Enterprises	78
Andrews Aircraft Models, Inc.		Model Rectifier Corp	IV
		Model Shipways	
Associated Electric		wodel sulpadys	80
A.H.M	12	Nashville Hobby Center	.91
Boyd Models	76	Nelson Model Products	
boyd Models		Northfield Precision Instrument Corp.	
Catgary Hobby Supply Limited	94	, restaurate tractation that among any	
C & H Sales		Octura Models	75
Citoxe Model Aeroplanes		Octura models	14
Cleveland Model & Supply Co			
		Paksel Manufacturing Co.	
CMI Quality Shops		Patchague Hobby Center	91
Coverite	56	Penford Plastics	93
W. L. William Co.	00	Phil-leys	96
Dembros Hobbies, Inc		PMP Manufacturing Co.	86
The Den		Product Innovation	96
Du-Bro Products, Inc			
Dumas Products, Inc		e/c Winne	94
Dynamic Models	90	Rocket City R/C Speciatries	89
and a law to		Royal Electronics	
EK Products, Inc	5	Royal Products Corp.	
F.A.I. Model Supply	96		
Fox Manufacturing Co	88	Scale R/C Products Scientific Models, Inc Cover	
G Products Co	. 75	Shamrock Competition Imports	92
G.E.M. Models		Sig Monufacturing Co., Inc50	
		Sonic-Tronics	
Carl Goldberg Models, Inc		Squadron Combat Colors, Inc.	82
Grish Brothers			
Paul K. Guillow, Inc.	72	Stanton Hobby Shop	
W. C. Hannan, Graphics	66	Sterling Models, Inc.	
		Superscale	
John Hathaway	91	Su-Pr-Line Products	14
Heath Company			
Hobby Helpers	82	Totone Products	84
Hobby Hideaway		Tern Aero Co	78
Hobby Lobby International		The Testor Corp	
Hobby People		Tomco	78
		Top Flite Models, Inc.	
Indyflite Sales	94	W. E. Tyson	82
Jerobee Industries	71	Verdell Instrument Soles Co	74
Kolmbach Publishing Co		CALAMIT STREET, STREET	
Kayeff, Inc.			
Klein Brothers	. 84	Williams Brothers	
Kraft Systems, Inc 88, Co		Wing Manufacturing Co.	87
Kroker Engineering & Development		World Engines, Inc.	79
K & S Engineering			
		X-Aclo, Inc.	53
Larson Electronics	82		
Lindco		C. A. Zoic Co., Inc.	92

FIGHT THEM ALL...

Heart Attack Stroke High Blood Pressure Rheumatic Fever



GIVE "SO MORE HEART FUND

environment in a boat is really tough. The engine shed its muffler; an engine intake filter quickly parted company; the .nylon prop battered away at the shear pin and was replaced by a bronze prop; servo mountings came loose as mentioned earlier; and, after many runs, one gear in the rudder servo suffered some damage. The moral here is to mount everything solidly, except for shock mounting of the servos and receiver. Use the rubber grommets provided to mount the servos and don't tighten excessively, Mount the receiver and battery pack loosely in a lot of foam and then seal tightly in a polyetheylene bag to keep any possible moisture out. Be sure the hatch is tightly sealed in place; Scotch brand frosted tape was found to be an excellent seal and also holds the hatch in place. Take along a bottle of thinner and fresh tape when at the pond. In the event adjustments are needed, remove the old tape and discard. Clean the hatch and surrounding area with thinner, then apply fresh tape.

All in all, the system and boat are a real ball! As usual, a few minor criticisms were found. The transmitter antenna broke where it had been turned down slightly to enter the antenna fitting, A check with Bill Deans indicated a new antenna is now being used and the problem will not recur. During one of the bench sessions, the receiver ceased operation, due to the receiver crystal being slightly loose in the socket. Do not use a straight pin to crimp the socket tighter. Simply bend the pins of the crystal apart slightly and the problem is taken care of. The receiver ceased functioning during one of the operating sessions and it was assumed that the crystal was loose; however, this was not the case and the problem was traced to a failed transistor in the receiver, (This can happen with any system and is not a criticism.) Bill sent a second receiver immediately. The same crystal was simply installed from the failed receiver and there was no loss of range, even without retuning. An outstanding receiver

The boat performs well and is easy to get ready. A somewhat simpler arrangement might be provided to ensure the correct placement and alignment of the shafting. However, the difficulty of doing this for several sizes and configurations of engines is fully recognized. The universal joint sheared after some 50 or 60 runs. This was due to the relatively light (1/8-in.) neck of the aft section of the U-joint which is turned from brass. If alignments are held correctly, this dimension can be increased. If the modeler intends serious competition, it will probably be desircable to beef up this area by replacing it with a heavier U-joint.

This review has been made a little longer than usual to let those who have had little experience with power boats have the benefits of the hard-earned lessons encountered.

On The Scene

(continued from page 12)

following the last day of school, and several of the boys showed up at the field with their fathers. There were three flying events: Hand Launch Gliders, Rubber Powered, and Towline Gliders. Four of the boys who had past experience built towline gliders. Fortunately, the weather was excellent and the contestants had a lot of opportunity to fly their models. By noon we closed the contest and issued the prizes to the winners of the various events. (continued on page 98)

American Aircraft Modeler 97

QUALITY HOBBY SHOPS

Quality Hobby Shop spaces are sold on a six-month basis at \$7.00 per month, payable in advance. All insertions must be same-tive. No mention of mali-order business is permitted. Closing Date: 18th of third pre-ceding month.

OHIO-CLEVELAND

We carry the most complete line in Ohio for your model airplane hobby. Also large HO train dept. Boats, R/C, motors, parts, supplies. dope, balsa, tools, books, magazines, etc.

NATIONAL HOBBY, INC.

5238 Ridge Road

(216) 749-4750

MASSACHUSETTS-CAMBRIDGE

Model planes, motors, railroads, ships, radio control equipment and accessories—also slot racing supplies. Open 9:00 AM to 5:30 PM daily & Thurs. evenings.

CROSBY'S HOBBY CENTRE

1704 Massachusetts Ave.

16171 547-4389

MICHIGAN-DETROIT (FERNDALE) Trains, planes, stamps, coins, R-ways. Over 50,000 items for hobbyists. Mich. largest antique train collection. Look for our 55' RR crossing sign. Arnold Rapido.

MODELS HOBBY CENTER 22524 Woodward Ave. (Zip 48220) LI-3-2242

GEORGIA-DECATUR

HO Raliroads, Planes, Model Car Racing, Open 11 AM to 10 PM. Metro Atlanta's Friendly hobby shop.

HOBBY HOUSE DECATUR SPEEDWAY

130 E. Ponce de Leon

378-2253

HONG-KONG-KOWLOON

The most complete stock of aeromodeling and hobby supplies in the Far East. Sole agents for Graupner, O.S. and Min-X and agents for Vernon, Frog. Solarbo and many others.

RADAR CO., LTD.

2 Observatory Road Kowloon, Hong Kong K-680-507

NEW YORK-BUFFALO

Factory authorized Orbit and Micro-Avionics sales-service center. New Orbit and Micro radio systems at very best prices. Complete stock of parts and accessories. Immediate service on all Orbit and 1970 Micro systems. Guaranteed reconditioned previously owned Orbit systems al-ways available.

ORBIT NORTHEAST 3833 Harlem Rd. 14215 Ph. (716) 836-6860

NEW JERSEY-IRVINGTON

The oldsst established hobby shop in New Jersey. Everything in trains, ships, planes and rocketry. Hours 10 to 7 daily, 10 to 1 on Sun-

THE HOSBY SHOP

758 Springfield Avenue (201) 372-6211

PORTLAND-OREGON

Portland's Headquarters for Radio Control Equipment, all major brands, all at discount prices. "Shop American," "The Friendly Shop." AMERICAN PET & MODEL AIRPLANE

SUPPLY COMPANY

4308 S.E. King Rd. in the Disco Mart Ph.: 654-8777 Zip: 97222 shopping center.

SOUTH CAROLINA-BEECH ISLAND

Near Augusta, Georgia. Headquarters for Radio Control Supplies—kits—motors and hard to get items. Building of kits or custom model. Open 9:a.m. till 11:p.m. plus Sundays till

MILLER'S HOBBY SHOP

315 Lourie Drive

(803) 822-0565



CLASSIFIED ADS

Rates: 30c per word (including name and address). Minimum-14 words, Send remittance with copy and order to: AMERICAN AIRCRAFT MODELER, 733 Fifteenth St., N. W., Washington, D. C. 20005.

AERO MAGAZINE 1954-1970. English-American, Prices List 25c, CHARLES STUMPF, 9 Laurel Lane, Commack, N.Y. 11725.

WANTED TO BUY-1935 G.H.Q. 5-foot Wingspan Manocoupe Plan or Reprint Copy. WESLEY HUSSELL, R. 1, Milan, Ohio 44846.

FACTORY SURPLUS DEBOLT KIT PLANS. Control or Control Line, Stamp please, F PTASKIEWICZ, 23 Market Drive, Tonawanda,

CURTISS HAWK 16E, 2-in, scale, Plans & Con-struction Manual \$8.30 gg. Money order only. Out-side USA \$1.00 extra -R. G. BARRON, 1213 Holly Spring Lane, Grand Blane, Mich. 48439.

SPEED DOLLIES and Micarta Wheels for informa-tion write WALTER BRASSELL, 4301 Montriew Dr., Chastaneoga, Tenn. 31411.

DEGINNERS LUCK, The monthly guide to successful modeline. New model alteract magazine, Full-size plans, orc., \$1.80 per 12 issues, ANTHONY TEACHOUT, 5424 Maple Lane Road, Rives Jet., Mich, 43277,

Maple Lane Road, Lanest plans, Cesana 140 VINTAGE R/C ULANS, Latest plans, Cesana 140 6754" \$5.95, 324" \$2.95. Ryan ST-A 50" \$5.95, 59" \$2.95, Others, Five 71 Catalog, Dealers write: SID MORGAN, 13157 Ormend, Belleville, Mich. \$8111.

RALSA WOOD! 25g Savings Popular sizes. Send stamped envelope for FREE SAMPLE and pelce list. TYRO MODEL AND SUPPLY, P.O. Box 11511, Pale Alm, Calit. 94308.

DIGIACE-4, less batteries, \$163.00. For FAST delivery. Bank check or nioney order. BON'S HORBIES, 43 Midelity Dr., Columbus, Ohio 43213. Ohio Residents and 40 sales tax.

WORLD WAR II SCALE PLANS. % "-1' Scale Draw-ings with COCKPIT DETAIL; FW-190A5/A6 Bt-199G, P-51B/C, P-38L, Mark I Spirite and F4U "Corsair", \$1.00 each from SUPERSCALE, Box 201, Arlington. Texas 76010

COLORED #64 BURBER RANDS, 1/4 lb. post paid \$1.00. Red, blue, yellos, black, white, tan MEISTER, 711 Main St., Keekuk, Iowa 52832.

MODEL ROCKET PORTFOLIO, \$2.00 four issues, 10 plans. Catalog 25 cents. ROCKETS-f. P.O. Box 7274. Long Beach, Calit., 90807.

WORLD WAR I HEX-CAMOUFLAGE, 4 colors, in-dividually our pieces, \$2.95 pkg, 1"-1' and 2"-1' scale. VINTAGE MODEL AIRCRAFT, Route 3. Box 218, Coos Bay, Oregon 572E.

FREE CATALOG-L,000 aviation books. Many with scale drawings and 3-views AERO PUBLISHERS, 329 M Aviation, Fallbrook, Calif. 92028.

INDOOR KITS AND SUPPLIES. Micro-film, parts, scale plans, indoor balsa. Send stamped addressed envelope for FREE literature. MICRO-DYNE, Box 2333, Leucadia, Calif. 92024.

FLY SEAT-Described June AAM New Products. Fig. R/C Airplane with full-scale cockpit controls. Flans \$6.75. ED HENRY, 9154 Severin Dr., St. Louis, Mo. 62134.

GIANT 12 Ft. tall hot air balloon kits. Loads of fun. Can be flown over and meas again, Complete with In-structions. \$5.95 each. IBID ENTERPRISES, Box 86-R. Argo, III. 60501.

So-R. Also, in. 50901.

WANTED: MORTON D-17 Beechceaft N.I.B. U/C
Kit, Morton M-4 ev M-42 4-cylinder inline engines,
castings, or parts drawlings; Morton single cylinder six
ev watercooled CHALLENGERS at WATER NYMPH,
also NEW HURRICANCE MM sold in 1938 by Aviation Industries, Wiehita, Kanasa, Write: ROBERT O.
KNUTSON, Box 243, Austin, Minn, 55612.

CUTTING TOOLS for United. Maximat and model-makers machines. End & horizontal mills, reamers, short drill bits, saws, carbide tools, more. Your machine and these cuttins tools maker model mach-ing a snap. Cotalog 25c. RED, WHITE & BLUE, Box 654, Flagstatt, Arizona 80001.

RETRACT THAT LANDING GEAR. PMW Hydraulic Power Supply: 2 oz. total althorne wt. 10 lbs. plus thrust. No more gear hangup. No stripped servo gears. No high battery drain. Complete Power System \$38.50. self-addressed stamped envelope for brochure, 128 West 10th Street, Tracy, California 25376. BACK ISSUES AIRTRAILS, Air Progress, Aerodigest, Flying, Flying Aees, Popular Aviation, Aeromodeller, Airnews, M.A.N., all model, pulps, etc. AVIATION MAGAZINES, 24238 Crenshaw Bird., Torrance, Calif.

MONEY? Save lots of it! We know of nobody who beats our prices. Write for free R/C-Kits-Supplies list. PUGET SOUND R/C ELECTRONICS, 1547 Hoff Rd., Bellingham, Wash. 98225.

Beimgnam, Wash. #5560; SPECIALS: MONORTE 3-\$18.00, 4-\$23.00, 10-\$85.00; C/L ENGINES—FOX .35—\$12.00. .00 \$13.25, .15X— \$7.50, .35XBR—\$15.00; VECO .15RR—\$17.50; COX TD .010-.051—\$3.10, .00-\$10.50, BB .040 \$4.50, DUMAS Smoothie, Chief—\$11.25, Mustang—\$12.50.

Thunderbird - \$14.50; JETCO Sabre-\$12.75, Shark "45" \$18.00, Dolphin-\$12.75; RADIO CONTROL "GRAUPNER CHTMS-\$38.50, Quik Fh-\$37.00; JOY-Mars-\$22.00; DUMAS Evolution-\$15.00, Mod-Pod-\$12.00; MIDWINST-Little Stik-\$40.50, Th-Squire-\$13.50, Sky Squire, Aristo-Cat-\$23.00; ASTRO FLITE-Mailton-\$15.50, Controller-\$25.50, Quik Fh III, Mustang \$28.00, Headmaster-\$12.50, Top Daws-\$10.50, Tarus-\$27.00; COLDHERG-St. Falcon, Sivane \$62-\$25.50, Ranger \$2-\$14.50, Falcon 56-\$15.00; VK Cherokes, Navajo -\$28.00, Cheroke Rabe-\$21.00, Triplane-\$35.00, A-Justo-Jiz-\$29.00; Dee Hee Super Eyeball-\$42.00, Alpha \$41.00, Most-One-\$25.00; Sterling Lancer-\$18.50, Restrice-\$21.00, Schwizer 1-\$6D-\$15.00, 1-\$4-\$20.00, Alpha \$45.00; Webra \$1-\$56.50, A0-\$40.00; VECO, 10HB-\$21.00; Webra \$1-\$56.50, A0-\$40.00; VECO, 10HB-\$21.50, A0-\$40.00; VECO, 10HB-\$40.00; VECO, WEST WASHINGTON, HOOPESTON, ILLINOIS 60942.

On The Scene

(continued from page 97)

Ernie and I sent up our powered ships to show the students how a free-flight enginepowered ship operates. Fortunately, Joe Bilgri was there testing out one of his Wakefield models in preparation for the Nats. This gave the students an opportunity to see various types of flying.

As is often the case, the teacher learns more from the students than the other way around. One thing I learned is that our beginning modelers need simply-designed ships that will fly. If the model is simple to build and flies satisfactorily, he will develop a greater enthusiasm for the hobby, Also, greater stress must be put on proper adjustment of the model for flight after the construction is completed. What is simple for us experienced modelers can be a very difficult hurdle that the beginner cannot overcome. The Tenderfoot series of models in this publication is a sensible and practical approach toward giving the beginners a good start in modeling.

CHECKLIST CORRECTION: Price and supplier for the Diglace 4-channel radio system in October issue should have read—Digiace-4 \$189, dry battery operation and Digiace DP-4 \$239, rechargeable nicads and charger. See AAM's review of this fine set in June '71 issue. Imported by: Herb Abrams Rand Sales, Box 20059, Columbus, Ohio 43220

Minister House E OBA 80X 26263 - Indisnapolis, Ind. 49226

SCALE PLASTIC & EWILL MODEL AIRPLANE KITS Cizveland Kits, Plant & Printwood ACCESSORIES & MODELERS SUPPLIES Badger Air Brushin . Micro Scale Decels
LOWEST PRICES

Send 25c for new 28-page cetalog #MA-2A

a precision electric At last · motor for boats

SeaWasp 6 & SeaWasp 12

MAZING EFFICIENCY & POWER - SUPERS CONTROL FREM BURY DEEP IN SCALE BOATS WITH OPTIONAL MATER COOLIN WEIGHS IS DZ.—BALL BEARINES—IZ BLOT BALANCED ARM AINGRAFT QUALITY—BEIZYDC.—II,000RPM—ISAMPS.MAX.


ELECTRIFY...THE MOTOR'S HERE

Kroker Engineering & Development Co. P.O. Box 14056 Albuquerque New Mex. 87111

For the complete story....







.....write for free catalog



450 W. CALIFORNIA STREET, VISTA, CALIFORNIA 92083
World's Largest Manufacturer of Proportional R/C Equipment



dilling the state of the state

Imitation of course, is the finest form of flattery and over the years, the MRC-Enya has set the pace for 60's and been imitated by many but no single origine has ever equaled the MRC-Enya's winning combination of performance handling case and overall reliability. What's more, no single origine has ever equaled the MRC-Enya 60's contest winning fecord—win after win after win. The new MRC-Enya 60 III TV parries on this pace setting tradition—pure brute power—exceptionally low and reliable idla. This flip starting at all temperatures—and rugged construction that can withstand the roughest prang. That's total performance and it gives the imitators something to shoot at.

When you consider a new 60, check into the MRC Enya. Ask the people

When you consider a new 60, check into the MRC Enyr. Ask the people who fly them. We're sure that you'll find a unanimous opinion that for a combination of power, reliable, low idle; many starting; durability, non-critical adjustment, and smooth, almost vibrationless performance as well as all of the other things that go into a fine engine that you can depend upon fur years, the MRC Enya 60 III TV has no equal.

MRC-ENYA .60 III BB TV



MODEL RECTIFIER CORPORATION 2500 WOODBRIDGE AVENUE EDISON, NEW JERSEY 08817